		Print		Help	Percentage Bo
--	--	-------	--	------	---------------

Tender Inviting Authority: Staff Officer(Civil), Magadh-Sanghmitra Area

Validate

Name of Work: Renovation work of Qtr. No. C-03 (KDH) newly allotted to Shri Jitendra Kumar situated in KDH Colony under GM Unit of MS Area, CCL. (e NIT No. 26 of 2025-26)

	Category of Services (To Be Selected by Department)		To Be Entered by Department		
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.		sqm	32.00	3111.36	INR Three Thousand One Hundred & Eleven and Paise Thirty Six Only
2	Taking out doors, windows and clerestory window shutters (steel or wood) Of area beyond 3 sq. metres		each	112.45	1461.85	INR One Thousand Four Hundred & Sixty One and Paise Eighty Five Only
3	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	4.35	cum	871.80	3792.33	INR Three Thousand Seven Hundred & Ninety Two and Paise Thirty Three Only
4	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	194.16	kg	92.55	17969.05	INR Seventeen Thousand Nine Hundred & Sixty Nine and Paise Five Only
5	12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	97.23	sqm	217.70	21166.97	INR Twenty One Thousand One Hundred & Sixty Six and Paise Ninety Seven Only
6	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	328.00	sqm	98.45	32291.60	INR Thirty Two Thousand Two Hundred & Ninety One and Paise Sixty Only
7	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	22.04	sqm	871.30	19203.45	INR Nineteen Thousand Two Hundred & Three and Paise Forty Five Only
8	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to 15: 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	11.52	sqm	762.80	8787.46	INR Eight Thousand Seven Hundred & Eighty Sever and Paise Forty Six Only
9	Providing and fixing 600x450 mm beveled edge mirror of superiorglass (of approved quality) complete with 6 mm thick hard boardground fixed to wooden cleats with C.P. brass screws and washerscomplete.	3.00	each	1126.55	3379.65	INR Three Thousand Three Hundred & Seventy Nine and Paise Sixty Five Only
10	Providing and fixing CP Brass Single lever wall mixer of quality & make as approved by Engineer incharge. (a) 15 mm nominal dia	2.00	each	4963.78	9927.56	INR Nine Thousand Nine Hundred & Twenty Seven and Paise Fifty Six Only
11	Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.	2.00	each	84.00	168.00	INR One Hundred & Sixty Eight Only
12	Providing and fixing brass bib cock of approved quality: 15 mm nominal bore	3.00	each	263.75	791.25	INR Seven Hundred & Ninety One and Paise Twent
13	Providing and fixing brass stop cock of approved quality: 15 mm nominal bore	3.00	each	263.75	791.25	INR Seven Hundred & Ninety One and Paise Twenty Five Only

14	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 15 mm nominal dia Pipes	24.00	metre	336.20	8068.80	INR Eight Thousand &Sixty Eight and Paise Eighty Only
15	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal dia Pipes	20.00	metre	399.20	7984.00	INR Seven Thousand Nine Hundred & Eighty Four Only
16	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm nominal dia Pipes	20.00	metre	496.75	9935.00	INR Nine Thousand Nine Hundred & Thirty Five Only
17	W.C. pan with ISI marked white solid plastic seat and lid	2.00	each	5766.90	11533.80	INR Eleven Thousand Five Hundred & Thirty Three and Paise Eighty Only
18	White Vitreous China Wash basin size 630x450 mmwith a single 15 mm C.P. brass pillar tap	3.00	each	1661.35	4984.05	INR Four Thousand Nine Hundred & Eighty Four and Paise Five Only
19	Size of Tile 600x600 mm	87.00	sqm	1180.40	102694.80	INR One Lakh Two Thousand Six Hundred & Ninety Four and Paise Eighty Only
20	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	7.98	sqm	1575.70	12574.09	INR Twelve Thousand Five Hundred & Seventy Four and Paise Nine Only
21	Providing and fixing M.S. grills of required pattern in frames of windows etc. Fixed to steel windows by welding	363.36	kg	145.60	52905.22	INR Fifty Two Thousand Nine Hundred & Five and Paise Twenty Two Only
22	Area of slab over 0.50 sqm	3.00	sqm	3701.15	11103.45	INR Eleven Thousand One Hundred & Three and Paise Forty Five Only
23	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	208.07	kg	367.10	76382.50	INR Seventy Six Thousand Three Hundred & Eighty Two and Paise Fifty Only
24	With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)	10.15	sqm	824.65	8370.20	INR Eight Thousand Three Hundred & Seventy and Paise Twenty Only
25	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	328.00	sqm	15.25	5002.00	INR Five Thousand &Two Only
26	Providing and fixing uplasticised PVC connection pipe with brass unions: 45 cm length 15 mm nominal bore	5.00	each	73.95	369.75	INR Three Hundred & Sixty Nine and Paise Seventy Five Only
27	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink asper IS:13983 with C.I. brackets and stainless steel plug 40 mm,including painting of fittings and brackets, cutting and making goodthe walls wherever required: Kitchen sink without drain board 610x460 mm bowl depth 200 mm	1.00	each	2785.75	2785.75	INR Two Thousand Seven Hundred & Eighty Five and Paise Seventy Five Only
28	One or more coats on old work	111.00	sqm	65.65	7287.15	INR Seven Thousand Two Hundred & Eighty Seven and Paise Fifteen Only
29	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	2000.00	per litre	8.40	16800.00	INR Sixteen Thousand Eight Hundred Only
30	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer- in-charge, beyond SO m initial lead, for all leads including all lifts involved.	10.00	cum	190.40	1904.00	INR One Thousand Nine Hundred & Four Only
31	Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete.With Aluminium frame	3.65	sqm	612.45	2235.44	INR Two Thousand Two Hundred & Thirty Five and Paise Forty Four Only
32	Kiln seasoned and chemically treated hollock wood	6.62	sqm	2442.75	16171.01	INR Sixteen Thousand One Hundred & Seventy One and Paise One Only
33	Providing and fixing ACP in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):With ACP board of 4.0 mm thickness.	19.11	sqm	1848.65	35327.70	INR Thirty Five Thousand Three Hundred & Twenty Seven and Paise Seventy Only
34	Brick work with common burnt clay F.P.S. (non modular) bricks of class Cement mortar 1:6(1 cement: 6 coarse sand)	12.87	cum	6494.75	83587.43	INR Eighty Three Thousand Five Hundred & Eighty Seven and Paise Forty Three Only

Quoted Rate in Words			INR Zero Only			
Quoted Rate in Figures			Select		0.00	INR Zero Only
Total in Figures						INR Seven Lakh Eleven Thousand Seven Hundred & Seventy Nine and Paise Sixty Seven Only
41	Total impact of GST for the purpose of CTC	1.000	Nos	0.00		INR Zero Only
40	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using flats 30x6mm for diagonal braces and central cross piece	5.84	sqm	3730.40	21785.54	INR Twenty One Thousand Seven Hundred & Eighty Five and Paise Fifty Four Only
39	Old work (one or more coats @ 2.20 kg/10 sqm) complete.	322.00	sqm	48.35	15568.70	INR Fifteen Thousand Five Hundred & Sixty Eight and Paise Seventy Only
38	White Vitreous china Orissa pattern W.C. pan of size580x440 mm with integral type foot rests	1.00	each	4774.45	4774.45	INR Four Thousand Seven Hundred & Seventy Four and Paise Forty Five Only
37	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 pram/litre	367.20	sqm	115.00	42228.00	INR Forty Two Thousand Two Hundred & Twenty Eight Only
36	1:134:3 (1 Cement: VA coarse sand (zone-IIi) derived from natural sources . 3 graded stone aggregate 20 mm nominal size derived from natural sources)	2.10	cum	6944.80	14584.08	INR Fourteen Thousand Five Hundred & Eighty Four and Paise Eight Only
35	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	21.00	sqm	571.00	11991.00	INR Eleven Thousand Nine Hundred & Ninety One Only