nder Inviting A	uthority: Staff officer(E&M), Dhori Area.						
me of the ork / Contract ::	"Breakdown maintenance of LT overhead line of different colonies under CCD of Dhori Area."						
	Category of Services (To Be Selected by Department)		Category of Bidder ( To Be	To Be Entered by Department			
C Not Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in
me of the dder/ Bidding rm / Company :			Select	18	0.00	0.00	
This BOQ temp	PRICE SCHEE late must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent colum	OULE ins, else the bio	lder is liable	to be rejecte	d for this tender.	Bidders are allowed to	o enter the Bidder Name and Values on
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	Disconnection and re-connection of conductor jumper and OH	1090	nos.	5	6	7 0.00	INR Zero Only
	line during Breakdown rectification for power supply of pumps and lighting Transformers installed at different location of CCD Dhori Area		1105.				
2	Relocation /dismantle and re-errection after departmental maintenance of light fitting of 250W/45W installed at the different location of CCD, Dhori Area.	250	nos.				INR Zero Only
3	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area	5000	sqm			0.00	INR Zero Only
4	Erection of all aluminium conductor of 7/1.96 mm to 7/3.10 mm diameter including binding etc. as required. during breakdown	3200	kg			0.00	INR Zero Only
5	Erection of aerial fuse as required	30	nos.			0.00	INR Zero Only
6	Erection of G.I. Wire No. 8 SWG including binding etc. as required	500	kg			0.00	INR Zero Only
7	Supplying and erection of 100 mm X 80 mm pin insulator complete with G. I. Spindle and nuts etc. as required .	100	set			0.00	INR Zero Only
8	Supplying and erection of 100 mm X 110 mm shackle insulator with G. I. Bolt, nuts and straps etc. as required .	150	set			0.00	INR Zero Only
9	Erection of cradle guard as required	200	set			0.00	INR Zero Only
10	Erection of angle iron/ channel iron cross arm on wood/ RCC/ PCC/ steel tubular/ rail pole etc. as required	40	set			0.00	INR Zero Only
11	Dismantling of over head lines comprising of copper/ aluminium over head conductor, G.I. wire, cross arms, insulators etc. as required	3200	Kg			0.00	INR Zero Only
12	Supplying and fixing MV horn gap lightening arrestor as required	20	nos.			0.00	INR Zero Only
13	Dismantling of service cable/ wire	150	times			0.00	INR Zero Only
14	Re-connection of service Cable/wire	150	times			0.00	INR Zero Only
15	Cleaning of carbon from service wire/ service cable by using electrical equipment	150	nos.			0.00	INR Zero Only
16	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only
tal in Figures						0.00	INR Zero Only
			1				1

Tender Inviting Authority: Staff officer(E&M), Dhori Area.								
	"Repairing and full overhauling of different switches/Gate-End (A) 03 (Three) nos of Gate-in Box Switch Gear o 100A Andrew Yule make switches (controlling switch of different M/Cs), (C) 09 (Nine) no. 200A ACB switches R attached with different M/Cs (D) 04 (four) nos of gate-in starter of roof bolting machines under Dhori khas coll							
	Category of Services (To Be Selected by Department)			To Be Entered by Department				
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)	
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.00	
						•	-	

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P		TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1.01	Part-A 03 (Three) nos of Gate-in Box Switch Gear of SDLs	1	No				INR Zero Only
1.02	Providing and fixing of thermal overload.	2	No			0.00	INR Zero Only
1.03	Providing and fixing of Micro switch.	6	No			0.00	INR Zero Only
1.04	Providing and fixing of CT for O/L relay.	9	No				INR Zero Only
1.05	Providing and fixing of P.T. 550V/220V.	2	No				INR Zero Only
1.06	Providing and fixing of ML-6 Contactor.	3	No			0.00	INR Zero Only
1.07	Providing and fixing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade.	18	No				INR Zero Only
1.08	Providing and fixing of Earth leakage relay 550 volt Electronic type delay sec 0.1-1 amp range 0.1 Amp-0.75 Amp	3	No			0.00	INR Zero Only
1.09	Providing and fixing of CBCT for Earth leakage relay.	2	No			0.00	INR Zero Only
1.1	Rectification control circuit wiring, including some material as ferules wire, lugs ,clip, socket, wiring belt etc.	3	No			0.00	INR Zero Only
1.11	Complete cleaning/petrol wash unit and double coat color of G/Box/switch.	3	No				INR Zero Only
1.12	Part-B 03 (Three) nos of ACB 100A Andrew Yule make switches	1	No			0.00	INR Zero Only
1.13	Providing and fixing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade.	12	No			0.00	INR Zero Only
1.14	Providing and fixing of Micro switch.	6	No			0.00	INR Zero Only
1.15	Providing and fixing of overload relay 2-5 Amp.	3	No			0.00	INR Zero Only
1.16	Providing and fixing of C.T. for overload relay 100/5.	9	No			0.00	INR Zero Only
1.17	Providing and fixing of indicator lamp.	3	No			0.00	INR Zero Only
1.18	Providing and fixing of P.T. 550V/220V/110V Transformer	3	No			0.00	INR Zero Only
1.19	Providing and fixing of shunt trip coil 110 volt with plunger.	3	No			0.00	INR Zero Only
1.2	Providing and fixing of isolator set.	3	No			0.00	INR Zero Only
1.21	Providing and fixing of push switch elements (NO & NC).	6	No			0.00	INR Zero Only
1.22	Providing and fixing of Earth leakage relay 550V Electronic type delay Sec 0.1-1 sec., Amp, range 0.1 Amp-0.75 Amp	3	No			0.00	INR Zero Only
1.23	Providing and fixing of CBCT 550V for Earth leakage relay.	3	No			0.00	INR Zero Only
1.24	Complete cleaning/petrol wash unit and double coat colour of switches.	3	No			0.00	INR Zero Only
1.25	Part-C 09 (Nine) no. 200A ACB switches Reroll Burn / Reroll Burn make	1	No			0.00	INR Zero Only
1.26	Providing and fixing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade.	39	No			0.00	INR Zero Only
1.27	Providing and fixing of Micro switch.	16	No				INR Zero Only
1.28	Providing and fixing of auxiliary contract 110V	9	No			0.00	INR Zero Only
1.29	Providing and fixing of overload relay 2-5 Amp.	9	No			0.00	INR Zero Only
1.3	Providing and fixing of C.T. for overload relay 100/5.	27	No			0.00	INR Zero Only
1.31	Providing and fixing of indicator lamp.	9	No			0.00	INR Zero Only
1.32	Providing and fixing of P.T. 550V/220V/110V Transformer	8	No			0.00	INR Zero Only
1.33	Providing and fixing of shunt trip coil 110 volt with plunger.	9	No			0.00	INR Zero Only
1.34	Providing and fixing of isolator set.	9	No			0.00	INR Zero Only

1.37 Providing and fix 1.38 Complete cleanii 1.39 Part-D 04 (four) 1.4 Providing and fix 1.41 Providing and fix 1.42 Providing and fix 1.43 Providing and fix 1.44 Providing and fix 1.44 Providing and fix 1.44 Providing and fix 1.45 Providing and fix 1.45 Providing and fix 1.46 Providing and fix 1.46 Providing and fix	ing of Earth leakage relay S50V Electronic type delay Sec 0.1-1 sec., Amp, range 0.1 Amp-0.75 Amp ing of CBCT S50V for Earth leakage relay.  g/petrol wash unit and double coat color of starter.  nos of gate-in starter  ing of ML-6 Contactor.  ing of isolator set.  ing of HRC fuse Bakelite type.  ing of Bakelite board 18" x 12"  ing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade.  ing of push switch elements.	8 8 9 1 4 4 4 8 4 12	No N		0.00 0.00 0.00 0.00 0.00	INR Zero Only		
1.38 Complete cleanii 1.39 Part-D 04 (four) 1.4 Providing and fix 1.41 Providing and fix 1.42 Providing and fix 1.43 Providing and fix 1.44 Providing and fix 1.45 Providing and fix	ng/petrol wash unit and double coat color of starter.  nos of gate-in starter  ing of ML-6 Contactor.  ing of isolator set.  ing of HRC fuse Bakelite type.  ing of Bakelite board 18" x 12"  ing of isolator set.  ing of isonoming-outgoing bushing porcelain type with brass stud 1.1KV grade.  ing of push switch elements.	1 4 4 8 4	No No No No No No No No No		0.00 0.00 0.00 0.00 0.00	INR Zero Only		
1.39 Part-D 04 (four) 1.4 Providing and fix 1.41 Providing and fix 1.42 Providing and fix 1.43 Providing and fix 1.44 Providing and fix 1.45 Providing and fix 1.45 Providing and fix	nos of gate-in starter ing of ML-6 Contactor. ing of isolator set. ing of HRC fuse Bakelite type. ing of Bakelite board 18" x 12" ing of Incoming-outgoing bushing porcelain type with brass stud 1.1KV grade. ing of push switch elements.	1 4 4 8 4	No No No No No		0.00 0.00 0.00 0.00	INR Zero Only INR Zero Only INR Zero Only		
1.4 Providing and fix 1.41 Providing and fix 1.42 Providing and fix 1.43 Providing and fix 1.44 Providing and fix 1.45 Providing and fix 1.46 Providing and fix	ing of ML-6 Contactor. ing of isolator set. ing of HRC fuse Bakelite type. ing of Bakelite board 18" x 12" ing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade. ing of push switch elements.	1 4 8 4 12	No No No		0.00 0.00 0.00	INR Zero Only INR Zero Only		
1.41 Providing and fix     1.42 Providing and fix     1.43 Providing and fix     1.44 Providing and fix     1.44 Providing and fix     1.45 Providing and fix     1.46 Providing and fix	ing of Isolator set. ing of HRC fuse Bakelite type. ing of Bakelite board 18" x 12" ing of Incoming-outgoing bushing porcelain type with brass stud 1.1KV grade. ing of push switch elements.	4 4 8 4 12	No No No		0.00 0.00	INR Zero Only		
1.42 Providing and fix 1.43 Providing and fix 1.44 Providing and fix 1.45 Providing and fix 1.46 Providing and fix	ing of HRC fuse Bakelite type. ing of Bakelite board 18" x 12" ing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade. ing of push switch elements.	4 8 4 12	No No		0.00			
1.43 Providing and fix 1.44 Providing and fix 1.45 Providing and fix 1.46 Providing and fix	ing of Bakelite board 18" x 12" ing of Ingeria to the board 18" x 12" ing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade. ing of push switch elements.	8 4 12	No			INR Zero Only		
1.44 Providing and fix 1.45 Providing and fix 1.46 Providing and fix	ing of incoming-outgoing bushing porcelain type with brass stud 1.1KV grade. ing of push switch elements.	4 12			0.00			
1.45 Providing and fix 1.46 Providing and fix	ing of push switch elements.	12			0.00	INR Zero Only		
1.46 Providing and fix	0 1		No		0.00	INR Zero Only		
		12	No		0.00	INR Zero Only		
1 47 Drawiding and five	ing of test reset switch.	4	No		0.00	INR Zero Only		
1.47 Providing and nx	ing of P.T. 550V/220V/110V Transformer	8	No		0.00	INR Zero Only		
1.48 Providing and fix	ing of Earth leakage relay 550 volt Electronic type delay sec 0.1-1 sec. Amp range 0.1 Amp-0.75 Amp.	4	No		0.00	INR Zero Only		
1.49 Providing and fix	ing of CBCT 550V for Earth leakage relay.	4	No		0.00	INR Zero Only		
1.5 Rectification of c	ontrol circuit wiring including some materials as ferules wire, lugs, clips, socket, wiring belt etc.	4	No		0.00	INR Zero Only		
1.51 Providing and fix	ing of CT for overload relay 100/5.	12	No		0.00	INR Zero Only		
1.52 Complete cleaning	ng/petrol wash unit and double coat colour of starter gate in.	4	No		0.00	INR Zero Only		
1.53 Supervision and	incidental expanses of all the work from a to d @15%	1	No		0.00	INR Zero Only		
2 Total impact	of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only		
Total in Figures					0.00	INR Zero Only		
uoted Rate in Words			INR Zero Only					

Validate	Print Help Item Rate BoQ								
Tender Inviting A	uthority: Staff officer(E&M), Dhori Area.								
Name of the Work / Contract No:	Repair and replacement of damaged picks and holder and fixing of new for primary crusher roller for FB no-04 Tarmi siding feeder breaker of SDOCM,Dhori Area.								
	Category of Services (To Be Selected by Department)		Category of Bidder ( To Be	To Be Entered by Department					
ITC Available	Works Contract	Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)			
Name of the Bidder/Bidding Firm / Company :		0.00	0.00	0.00					
	PRICE SCHE ate must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent colu	mns, else the bid							
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #		
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P			TOTAL AMOUNT In Words		
1	2	3	4	5	6	7	8		
1	Feeder Breaker No. 4 (Black Diamond)	1	Nos	-	·		INR Zero Only		
2	Holder assembly replacement (old damaged cutting with the help of gauging and surface making with cutting gas), surface smoothening with grinding machine and finally fitting & fixing of new holder assembly.	205	Nos				INR Zero Only		
3	Picks fixing & fitting after removal of old and damaged one.	355	Nos				INR Zero Only		
4	Feeder Breaker No. 5 (Bharat West Falia)	1	Nos				INR Zero Only		
5	Holder assembly replacement (old damaged cutting with the help of gauging and surface making with cutting gas), surface smoothening with grinding machine and finally fitting & fixing of new holder assembly.	210	Nos			0.00	INR Zero Only		
6	Picks fixing & fitting after removal of old and damaged one.	396	Nos			0.00	INR Zero Only		
7	Fabrication and fixing cost of 1 no. Teeth type metal wear resistant picks.	1	Nos				INR Zero Only		
8	a) Cutting of raw material from 40mm damaged flight assembly & face making as per requirement.  15" b) Hard facing the tip and face of the above material with steel electrode /hard facing special electrode  10" c) Grinding and smoothening of secondary crusher roller surface before fixing and fitting,(01 Helper)  Per day surface grinding can be carried out for approximately 10 no. of picks.Rate of surface grinding for 1 no. picks  d) After fixing & fitting work, multilayer Welding of picks on the surface of crusher roller = (12' x 2 layer) = 24"	1	Nos			0.00	INR Zero Only		
9	Fabrication and fixing Teeth type metal wear resistant picks.	488	Nos			0.00	INR Zero Only		
16	Total impact of GST for the purpose of CTC	1.000	Nos		0.00		INR Zero Only		
Total in Figures						0.00	INR Zero Only		
Quoted Rate in W	ords		•		INR	Zero Only	,		

Tender Invitin	Tender Inviting Authority: Staff officer(E&M), Dhori Area.									
Name of the Work / Contra No:	(A). Repair and running maintenance for 11KV,440V and 220V O/H line used to feed power to the departmental t t pumps, road and rail weighbridges, lighting arrangements and Railway siding colony and (B) Cleaning of operator material and coal from the hopper of feeder breaker as and when required and providing and fixing rubber belt/discharge point at Tarmi Railway siding of SDOCM Project of Dhori Area.									
	Category of Services (To Be Selected by Department)	· ·		To Be Entered by Department						
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)			
Name of the Bidder/Biddir Firm / Compar			Select	18	0.00	0.00	0.0			
	<del>-</del>						•			

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT#	NUMBER #	TEXT #	NUMBER	NUMBER#	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1	For Feeder Breaker no-01, Feeder Breaker no-02, Feeder Breaker no-04 and Feeder Breaker no-05 and 0 H line work at Railway siding, crusher and Rly siding colony	1	Nos				INR Zero Only
2	Annexure-I (Electrical Work)	1	Nos				INR Zero Only
3	Disconnection and re-connection of conductor jumper and OH line during Breakdown rectification for power supply of pumps and lighting transformers installed of AADOCM siding, Dhori area.	75	Nos			0.00	INR Zero Only
4	Relocation/dismantle and re-erection after departmental maintenance of light fitting of 150W/300W/500W installed at the different location of Tarmi siding crusher, ttarmi rly siding crusher, Tarmi rly siding colony, weight bridge at siding and rly W/B.	675	Nos				INR Zero Only
5	Repairing of stay/cradle guard/earth wire etc	45	set			0.00	INR Zero Only
6	Re-erection/tensioning of the conductor due to damage/LT OH line & 440/220v as per required	450	kg			0.00	INR Zero Only
7	Cleaning jungle including uprooting of rank vegetation grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 outside the periphery of the area cleared.		sqm			0.00	INR Zero Only
8	Erection of LT pin/Disc insulator for replacement of faulty insulator	150	set			0.00	INR Zero Only
9	Dismantling of service wire /cable and re-connection of service wire in siding area	350	Nos			0.00	INR Zero Only
10	Cleaning of carbon from service wire /service cable using electrical equipment	320	Nos			0.00	INR Zero Only
11	Patrolling, checking, and testing of OH line for routine maintenance and breakdown as and when required.	45	days				INR Zero Only
12	Repairing of 400 AMP at different location at Tarmi rly siding	5	Nos			0.00	INR Zero Only
13	Supply and providing of male female contact copper wire net 1.5 mtr long,moving contact etc of GOS 11KV	15	Nos				INR Zero Only
14	Annexure-II (Mechanical Work)	1	Nos			0.00	INR Zero Only
15	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sq mon plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and Neatly dressed. Hard rock(blasting prohibited) for 04 nos feebder breaker	1425.6	cum			0.00	INR Zero Only
16	Semiskill-02 person x 3 shift x 365 days - $2190@632/$ = $1384080/$ - (for cleaning of operator cabins, operator cabin glass hopper of feeder breaker in case of conveyor chain damaged, back and front side cleaning of feeder breakers.etc as when required	1	job			0.00	INR Zero Only
17	Providing and fixing of rubber belt for secondary crusher for smooth discharge of coal as per required of 04 nos machine $15$ day- $04$ nos $(04$ crsher) total $96$ nos of $365$ day	96	Nos			0.00	INR Zero Only
18	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in W	l ords	INR Zero Only					

	Validate		Print		Help
--	----------	--	-------	--	------

Tender Inviting A	uthority: Staff officer(E&M), Dhori Area.						
Name of the Work / Contract No:	f " Supply and installation of Timer with all acessories in different lighting circuit in r/o SDOCM Project of Dhoi						
	Category of Services (To Be Selected by Department)			Entered by Department			
ITC Available	Works Contract	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)			
Name of the Bidder/Bidding Firm / Company :		18	0.00	0.00	0.00		
	PRICE SCHEDU te must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent colu only)	ımns, else (					
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1.01	Supply & fixing of street light panel complete in all respect with following technical specifications:- A) Digital type 24 hr timer & MCB of suitable rating B) Rating of panel - 12 kW rating, 65 ATP C) Enclosure - IP54 minimum D) FRLS internal wirring, short circuit protection Conforming to IS/IEC 60947 F) Make of timer	10	Nos			0.00	INR Zero Only
1.02	Fabrication of box for fixing of timer set on pole with all accessories	10	nos.			0.00	INR Zero Only
1.03	Earthing with G.I. earth plate 600 mm x 600 mm x 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long with charcoal/coke and salt as required.	r 10	nos			0.00	INR Zero Only
1.04	Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection, terminating with C.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm)		Mtr			0.00	INR Zero Only
1.05	Supplying and drawing following sizes FRLS PVC insulated copper conductor, single core cable in existing surface/ recessed steel, PVC conduit as required.: 3 x 4 sq.mm	150	Mtrs.			0.00	INR Zero Only
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in W	ords		I	ı	IN	IR Zero Only	

Validate Print Help Item Rate BoQ

Validate	rinc		100111	nate bod			
Tender Inviting A	authority: Staff officer(E&M), Dhori Area.						
Name of the Work / Contract No:	"Painting of the transformers, switchgears, NGR, Capacitor Bank & structures, Supplying and erection of galvan Main Regional Sub-station, MRSS under G. M. Unit, Dhori Area."	ised stay se	et for 11 K	V at 33KV			
	Category of Services (To Be Selected by Department)		Category of Bidder ( To Be	To Be Entered by Department			
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.00
	PRICE SCHEDU ate must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent colu only)	mns, else tl					
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P			TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1.01	Supplying and erection of galvanised stay set for 11 KV over head lines complete with 19/20 mm dia X 1.8 metres long stay rod, anchor plate of size 45 cm X 45 cm X 7.5 mm thick, thimble, stay clamps, turn buckle (20 mm X 600 mm), 7/4.00 mm dia G.I. stay wire and 11 KV strain insulator etc in cement concrete 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required.	10	sets			0.00	INR Zero Only
1.02	Applying priming coat With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/ steel works (first & second coat) a. Transformer, 10 MVA, 33/11KV – 692m² b. Transformer, 10 MVA, 33/11KV – 575m² c. Transformer, 7.5 MVA, 33/11KV – 373m² d. Switchyard structure – 1350m² e. NGR – 03 nos. – 285m² f. Capacitor Bank – 03 nos. – 925m² g. Tubular Pole & brackets – 18nosx7m² = 126m²	4200	sqm			0.00	INR Zero Only
1.03	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats.  a. Transformer, 10 MVA, 33/11KV – 692m <sup>2</sup> b. Transformer, 10 MVA, 33/11KV – 575m <sup>2</sup> c. Transformer, 7.5 MVA, 33/11KV – 373m <sup>2</sup> d. NGR – 03 nos. – 285m <sup>2</sup> e. Capacitor Bank – 03 nos. – 925m <sup>2</sup>	2850	sqm			0.00	INR Zero Only
1.04	Painting with aluminium paint of approved brand and manufacture to give an even shade: Two or more coats.  a. Switchyard structure – 1850m²  b. Tubular Pole & brackets – 18nosx7m² = 126m²	1976	sqm			0.00	INR Zero Only
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in W	ords	INR Zero Only					