Itom Pata PaO

Validate	Print Help		item	i Rate BoQ			
Tender Inviting A	Authority: Staff officer(E&M), Dhori Area.						
Name of the Work / Contract No:	Dismantling, diversion and re-erection of one no. of pipe range of 8 inch dia and 6 inch dia from near shisha gh makng purpose in respect of AADOCM of Dhori Area.	ar to 6 no.	top for hau	ıl road			
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Department			
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in R
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.
(This BOQ templa	PRICE SCHEDU ate must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent colu only)		he bidder	is liable to be	rejected for this t	ender. Bidders are allo	owed to enter the Bidder Name and Valu
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1.01	Dismantling of 8" dia pipeline.	450	Meter				INR Zero Only
1.02	Dismantling of 6" dia pipeline. Loading/unloading including transportation of 8" pipe from dismantled place to transport for safe custody.	700 75	Meter Nos.				INR Zero Only INR Zero Only
1.04	Loading/unloading including transportation of 8" pipe from transport to working place.	83	Nos.			0.00	INR Zero Only
1.05	Laying of 8" dia pipe.	500	Meter			0.00	INR Zero Only
1.06	Loading/unloading including transportation of 6" pipe from dismantled place to transport for safe custody.	117	Nos.				INR Zero Only
1.07	Loading/unloading including transportation of 6" pipe from transport to working place.	125	Nos.				INR Zero Only
1.08	Laying of 6" dia pipe.	750	Meter				INR Zero Only
1.09	Supply and providing flange for 8" dia pipeline.	36	Nos.				INR Zero Only
1.1	Supply and providing flange for 6" dia pipeline.	120	Nos.				INR Zero Only
1.11	Cutting of 8" dia pipe for matching delivery line.	753.6	Inch				INR Zero Only
1.12	Welding of pipe double layer 8" dia for matching delivery line.	2411.52	Inch				INR Zero Only
1.13	Welding of flange on pipe 8" dia.	904.32	Inch				INR Zero Only INR Zero Only
1.14	Cutting of 6" dia pipe for matching delivery line. Welding of pipe double layer 6" dia for matching delivery.	1036.2 2072.4	Inch Inch				INR Zero Only
1.16	Welding of flange on pipe 8" dia.	2260.8	Inch				INR Zero Only
1.17	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30cm in		Cum				INR Zero Only
	depth 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m disposed earth to be leveled and neatly dressed: Ordinary rock.		Cum				
1.18	Providing of rubber packing joints 8"/6" dia.	78	Nos.			0.00	INR Zero Only
1.19	Providing and fixing of M.S. nut bolts of suitable size.	85	Kgs.			0.00	INR Zero Only
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00		INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in W	l /ords		1	1	II.	NR Zero Only	l

Validate	Print	Help	<u>Item Rate B</u>
----------	-------	------	--------------------

Validate	Print		<u>ltem</u>	Rate BoQ						
Tender Inviting A	authority: Staff officer(E&M), Dhori Area.									
Name of the Work / Contract No:	" Repairing and maintenance of control panel for monitoring /operating of all switchgears, transformer pane of SDOCM, Dhori Area	i etc. Install	ed at main	substation						
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Department						
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)			
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.00			
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)										
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #			
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	Figures To be	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words			
1	2	3	4	5	6	7	8			
1.01	Providing of Am meter, 4"x 4" size digital type, 5Amp oprated, different ratio as 400/200/5, 200/100/5, 300/150/5 etc.	11	nos.				INR Zero Only			
1.02	Providing of Amp rotary/selector switch for measuring of all 3Phase load/current	11	nos.				INR Zero Only			
1.03	New wiring connections monitoring/operating control desk, auxilary contactor and rectification of complate control circuit wiring in switchgears/transformers.	15	nos.			0.00	INR Zero Only			
1.04	Providing of Push switch auxilary NO+NC type, 110V opreated for on/off	22	nos.							
1.05						0.00	INR Zero Only			
	Providing of 2.5 sqmm S/core 1.1KV grade copper wiring wire for internal wiring in remote control desk. (90Mtrs each coil)	8	coil			0.00	INR Zero Only			
1.06	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as	1	coil job			0.00				
1.06						0.00 0.00	INR Zero Only			
	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost.	1	job			0.00 0.00 0.00	INR Zero Only INR Zero Only			
1.07	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication.	1 34	job nos.			0.00 0.00 0.00 0.00	INR Zero Only INR Zero Only INR Zero Only			
1.07 1.08 1.09 1.1	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11KV/110V & 3.3KV/110V	1 34 11	job nos. nos.			0.00 0.00 0.00 0.00 0.00 0.00	INR Zero Only			
1.07 1.08 1.09 1.1 1.11	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11KV/110V & 3.3KV/110V Rectification of/Repairing control circuit wiring Providing of 1.1KV grade, 12 core, 2.5 sqmm control cable for connections between switchgear/transformer to monitoring panel Providing of Auxiliary contactor 110V coil opreated, 4 NO+4NC for circuit wiring/tripping arrangement of switchgears and transformer.	1 34 11 11 385 20	job nos. nos. set. m nos.			0.00 0.00 0.00 0.00 0.00 0.00 0.00	INR Zero Only			
1.07 1.08 1.09 1.1 1.11 1.12	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11KV/110V & 3.3KV/110V Rectification of/Repairing control circuit wiring Providing of 1.1KV grade, 12 core, 2.5 symm control cable for connections between switchgear/transformer to monitoring panel Providing of Auxiliary contactor 110V coil opreated, 4 NO-44NC for circuit wiring/tripping arrangement of switchgears and transformer. Providing of rotary/selector switch for measuring of all 3Phase Incoming voltage.	1 34 11 11 385	job nos. nos. set. m			0.00 0.00 0.00 0.00 0.00 0.00 0.00	INR Zero Only			
1.07 1.08 1.09 1.1 1.11	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11kV/110V & 3.3kV/110V Rectification of/Repairing control circuit wiring Providing of 1.1kV grade, 12 core, 2.5 sqmm control cable for connections between switchgear/transformer to monitoring panel Providing of Auxiliary contactor 110V coil opreated, 4 NO+4NC for circuit wiring/tripping arrangement of switchgears and transformer. Providing of rotary/selector switch for measuring of all 3Phase Incoming voltage. Labour cost for fixing and commissioning of all above matrials in control desk as well as testing/checking of operating and tripping system through control	1 34 11 11 385 20	job nos. nos. set. m nos.			0.00 0.00 0.00 0.00 0.00 0.00 0.00	INR Zero Only			
1.07 1.08 1.09 1.1 1.11 1.12 1.13	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11KV/110V & 3.3KV/110V Rectification of/Repairing control circuit wiring Providing of 1.1KV grade, 12 core, 2.5 sqmm control cable for connections between switchgear/transformer to monitoring panel Providing of Auxiliary contactor 110V coil opreated, 4 NO-4NC for circuit wiring/tripping arrangement of switchgears and transformer. Providing of rotary/selector switch for measuring of all 3Phase incoming voltage. Labour cost for fixing and commissioning of all above matrials in control desk as well as testing/checking of operating and tripping system through control desk.	1 34 11 11 385 20 11	job nos. nos. set. m nos. nos. job			0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	INR Zero Only			
1.07 1.08 1.09 1.1 1.11 1.12	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11kV/110V & 3.3kV/110V Rectification of/Repairing control circuit wiring Providing of 1.1kV grade, 12 core, 2.5 sqmm control cable for connections between switchgear/transformer to monitoring panel Providing of Auxiliary contactor 110V coil opreated, 4 NO+4NC for circuit wiring/tripping arrangement of switchgears and transformer. Providing of rotary/selector switch for measuring of all 3Phase Incoming voltage. Labour cost for fixing and commissioning of all above matrials in control desk as well as testing/checking of operating and tripping system through control	1 34 11 11 385 20 11	job nos. nos. set. m nos. nos.		0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	INR Zero Only			
1.07 1.08 1.09 1.1 1.11 1.12 1.13	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost. Providing of Led type Indicator lamp, 110V for on/off indication. Providing of Volt meter 4"x 4" size, digital type, PTR 11KV/110V & 3.3KV/110V Rectification of/Repairing control circuit wiring Providing of 1.1KV grade, 12 core, 2.5 sqmm control cable for connections between switchgear/transformer to monitoring panel Providing of Auxiliary contactor 110V coil opreated, 4 NO-4NC for circuit wiring/tripping arrangement of switchgears and transformer. Providing of rotary/selector switch for measuring of all 3Phase Incoming voltage. Labour cost for fixing and commissioning of all above matrials in control desk as well as testing/checking of operating and tripping system through control desk. Supervision, incidental & overhead expenses	1 34 11 11 385 20 11	job nos. nos. set. m nos. nos. job		0.00	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00	INR Zero Only			

Validate Print Help Item Rate BoQ Tender Inviting Authority: Staff officer(E&M), Dhori Area. Name of the (A) Fabrication of shed along with wiring near Regional store sub-station under CCD, Dhori (B)Shifting of pole and heightening of boundary wall, provision of concertina wire fencing and floor PCC of sub-station near Regional store sub-station under CD. Dhori stegory of Services (To Be Selected by Department) GST to be Paid By Bidder (in Rs.) ITC Not Available Rate of GS (in %) Fotal GST (in Rs.) Name of the Bidder/ Biddin 18 PRICE SCHEDULE t be modified/replaced by the bidder and the same should be uploaded after fillin se the bidder is liable to be rejected for this tender. Bidders are allowed NUMBER # NUMBER * NUMBER * 1

Estimated BASIC RATE In TOTAL AMOUNT TOTAL AMOUNT Rate in Rs. P Without Taxes in In Words

Bidder in Rs. P 3 4 1 nos 1.01 Part-A 0.00 INR Zero Only 0.00 INR Zero Only Wiring for circuit, sub-main writing along with earth wire with the following sizes of PRLSPY Cinsulated copper on core cable in surface? recoved feed constit as energied, 2.8.2.5 in mm + 1.8.2.5 in mm earth wire Wiring for circuit, sub-main writing along with earth wire with the following sizes of PRLSPYC insulated copper on core cable in surface? recoved medium class PVC conduit as required, 2.8.2.5 is, mm + 1.8.2.5 in, mm earth wire 1.03 0.00 INR Zero Only insteas sarest cover in room incusing proviating and mong 9 pin 5/0 A second one or and 5/00 patient type worth, connection timing et an enquiring first and the control of them 8100 mm 8100 mm 8100 mm and exp (nominal size) on surface or inrecess swith suitable size of mother control of the size of the si 0.00 INR Zero Only viding and fixing of lightning conductor fizial, made of 25 mm dia 300nm long, G.I. tube, having single prongattop, with 85 n 6 mm thick G.I. base plate including holes etc. complete as required. Supplying and fixing SA to 32A rating, 240/415 V, 106A, "C" curve, miniature circuit breaker suitable for inductive load of folio poles in the existing MORDE complete with connections, testing and commissioning etc. as required Triple pole and neutral 0.00 INR Zero Only Providing and fixing of lightning conductor finish, made of 25 mm dis 30 mm long. CL table, hisrorg single prompt top, with 57 did as on this CL lines plate including balon etc. complete as required.

Supplying and Johny (25 mm/Sam Sam Castrip and Abomets bolony ground as arrip serie destrook, including connection/terminal with CL table, this plate, washer etc. are required. [Sporting parts] used to be a required. [Sporting parts] used to be 0.00 INR Zero Only 0.00 INR Zero Only 0.00 INR Zero Only ing with G.L. earth plate 600mmX60mmX6mm thick including accessories, and providing ma having locking arrangement and water ingpipe of 2.7 metre long etc. with charcoal/color and The heating has been also as the support of 2.7 metro long the substitutes of the heating his long of the support of 2.7 metro long the substitutes and the support of 2.7 metro long the substitutes of the heating around a support of 2.7 metro long the substitutes in the substitutes of the substitu 0.00 INR Zero Only 1.17 1.18 Dates for proveding and fining wind time of 40x 6 mm flat iron section.

Providing ridges or hips of with 60x 60 cm over all width joins Co.Scheet fixed with polymer coated j or L hooks, bob sand and 8 mm for C. I lamper and shirms wealver complete 50m on thick with twice confine post been than 25% mm for Providing and laying in position comment concerned only providing and laying the position of the control provided and laying the control providing and laying the control provided and laying the control providing and laying and 604 Mtr. 0.00 INR Zero Only 0.00 INR Zero Only 1.19 0.00 INR Zero Only with level 1:2-24 (Lorenteit: 2 courses and Epone IIII) derived from natural sources: 3 deed showe aggregate 20 mm nomicals in the drived from natural sources) ring for circutal/with main wiring along with earth were with the following stees of FES.SPV Cinsulated copper con-trained to the contract of ting, and foxing of light 50 to 100 W on structures in or out side of shad. 500 Mtr. 1.21 0.00 INR Zero Only 0.00 INR Zero Only 0.00 INR Zero Only Part-H

Erection of steel pole tubular or rail pole struct concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded sto aggregate 40 mm nominal size) foundation including excavation and re-filling and secured with heldit 1.26 1 nos 2 Nos. Tamos: holts: nuts. etc. as resultred.

Providing and fixing of lightning conductor finial, made of 25 mm dia 300 mm long, copper tube, having sing prong at top, with 85 mm dia 6 mm thick G.I. base plate including holes etc. complete as required. Transporting of node.

Earth work in exexuation by mechanical means (Hydraulic Exexuator)/ manual means in foundation renches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the exexuated soil and disposal of surplus exexuated soil as 0.00 INR Zero Only 0.00 INR Zero Only receded within a lead of SO m. All kinds of soil.

upplying and filling in plinth with Jamuna sand under floors including, watering, rams dressing comolete.

Dry brick on edge flooring in required pattern with bricks of class designation 5.0 on a bed of 12 mm i mortar. Including filling folints with lamuna sand, with common burnt clav non modular bricks. 0.00 INR Zero Only viding and laying in position cement concrete of specified grade excluding the cost of centering and stering - All work upto plinth level : 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm smithting, or was span, and the second secon Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work upto plinth level: 1:234 [1 cement: 2 coarse sand: 4 graded stone aggregate 20mm 0.00 INR Zero Only 1.37 1.38 Information sizes.

12mm cement plaster of mix 1:6 (1 cement : 6 fine sand).

Colour washing such as green, blue or buff to give an even shade : New work (two or more coats) with a base 201.92 Sqm 201.92 Sqm Colour washing such as green, blue or buff to give an overs shade. New work (two or more costs) with a base of and risk washing and a state work revent, but of or well-defined in built up sections, trauses and framed work, including mentions hashing the final production and artifaction of the state of t Kgs. 0.00 INR Zero Only 1.41 0.00 INR Zero Only 10.92 Half brick masonry with common burnt clay F.P.S. (non modular) brick of class designation 5.0 in four and plinth in Cement mortar 1.4 (1 cement : 4 coarse sand). Sqm Supplying and stacking at site: 53 mm to 22.4 mm size stone aggregate.
 Total impact of GST for the purpose of CTC 90.5 Cum 1.000 Nos Total in Figures 0.00 INR Zero Only INR Zero Only

Validate Print Help Item Rate BoQ

Validate	Print Help Item Rate BoQ											
Tender Inviting A	uthority: Staff officer(E&M), Dhori Area.											
Name of the Work / Contract No:	*Extension of bus bar other required maintenance work 11KV main substation under SDOCM, Dhori Area.											
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Departmen								
ITC Available	Works Contract		Bidder's Status (Mandat ory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)					
Name of the Bidder/Bidding Firm / Company :			Select	18	0.00	0.00	0.00					
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)												
NUMBER #	TEXT #		TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #					
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words					
1.01	Re-organisation, handling including dressing of HT cables to a safe place to avoid any hindrance in the workplace and again handling and placement of cable as per instruction of Engineer in charge.	3 250	Mtrs.	5	6	7 0.00	INR Zero Only					
1.02	Providing and fixing H.T. danger notice plate of 250 mm x 200 mm, made of mild steel, at least 2 mm thick, and vitreous enameled white on both sides, and with inscription in single red colour on front side as required.	25	Each			0.00	INR Zero Only					
1.03	Supply of three pole 11KV, 800A isolator with all accessories such as handle.	2	Nos.			0.00	INR Zero Only					
1.04	Supply and providing of round finished polished Aluminium tube for busbar 38/50mm outer dia aluminium busbar of 6mm thickness.	35	Mtrs.			0.00	INR Zero Only					
1.05	Fitting and fixing charges for Aluminium busbar.	35	Mtrs.			0.00	INR Zero Only					
1.06	Providing and fixing of pad connector suitable for bus pipe having outer dia approx 50mm.	12	Nos.			0.00	INR Zero Only					
1.07	Providing and fixing of T connector suitable for bus pipe having outer dia approx 50mm	18	Nos.			0.00	INR Zero Only					
1.08	Providing and fixing of connector for alloy aluminium pipe to pipe suitable for bus pipe having outer dia approx 50mm	15	Nos.			0.00	INR Zero Only					
1.09	Providing and fixing of support connector suitable for bus pipe having outer dia 50mm.	220	Nos.			0.00	INR Zero Only					
1.1	Providing and fixing of corrosion resistant 11KV post insulator.	48	Job.			0.00	INR Zero Only					
1.11	Assembling and installation of line/bus isolator on the isolator structure adjusting of opening mechanism in proper	2	Each			0.00	INR Zero Only					
1.12	alignment so as to ensure smooth operation of the same in case of line isolator. Supplying and installing following size of perforated Hot Dipped Galvanised Iron cable tray "Cross member" (galvanisation	65	Mtrs.			0.00	INR Zero Only					
1.13	not less than 50 microns) with perforation not more than 1,75%, in convenient sections, joined with connectors, auspended from the ceiling with G.1 suspenders including G.1. bolts & nuts, etc as required: 375 mm width X 50 mm depth X 2.0 mm thickness (x-sh.) Providing and fining 25 mm x 5 mm dis G.1 strip on surface or in recess for connections etc. as required.	55	Mtrs.				INR Zero Only					
1.13	Provious and tixing 25 mm x 5 mm dia G.1. strip on surface or in recess for connections etc. as required.	55	Mtrs.			0.00	INK Zero Only					
1.14	Clearing grass and removal of the rubbish up to a distance of 50m outside the periphery of the area cleared.	640	Sqm			0.00	INR Zero Only					
1.15	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m : All kinds of soil.	450	Sqm			0.00	INR Zero Only					
1.16	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not	75	Cum			0.00	INR Zero Only					
1.17	exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including Laying of one number PVC insulated and PVC sheathed/ XIPE power cable of 11 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and re-filling the trench etc. as required. Upto 120 sq. mm	260	Mtrs.			0.00	INR Zero Only					
1.18	Providing and spreading of stone crusher dust finer than 3mm with not more than 10% passing 0.075 sieve.	85.5	Cum			0.00	INR Zero Only					
1.19	Providing and laying of approved gravels stone of 40mm nominal size of average thickness 100mm	115.5	Cum			0.00	INR Zero Only					
1.2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work	65.4	cum			0.00	INR Zero Only					
1.21	upto pfinth level: 1:2:4 (I cement: 2 coarse sand: 4 graded stone aggregate 20mm nominal size). Laying spreading and compacting stone aggregate of specified sizes to WBM specifications including spreading in uniform histories. The property of the proper	25	Cum			0.00	INR Zero Only					
1.22	thickness, hand picking, rolling with 3 wheeled road/wibratory roller 8-10 fonne in stages to proper grade and chamber, Brick work with common blunt clay F, P.S.(non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement rol for I cement : 4 coarse sand).	22.5	Cum			0.00	INR Zero Only					
1.23		4	Nos.			0.00	INR Zero Only					
1.24	Shifting of switchgears and transformer from one location to another as per the. 12mm cement plaster of mix 1:6 (1 cement : 6 fine sand).	295.5	Sqm			0.00	INR Zero Only					
1.25		180	Sqm			0.00	INR Zero Only					
1.26	Neat cement punning Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level: Cement mortar 1-4 (1 cement: 4 coarse sand).	12.5	Sqm			0.00	INR Zero Only					
2	point nevel up to moor viewer: Cement mortar 1:4 (1 cement: 4 coarse sand). Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only					
Total in Figures						0.00	INR Zero Only					
Quoted Rate in W	ords			I	IN	IR Zero Only	l					

Validate	Print Help Item Rate BoQ										
Fender Inviting Authority: Staff officer(E&M), Dhori Area.											
Name of the Work / Contract No:	Repair and running maintenance of 4 nos. 11KV grade (A)11KV, 630A, VCB of 750KVA, 11KV/440V transwitch (B)11KV, 630A, VCB of 750KVA, 11KV/440V transwitch unit NFLP SI no.TRFD0024/7735(C) 11KV, 200A, OCB primary controlling of 750KVA, 11KV/440V, general engineering work make SI no.SDOCM/TS/TF/02 (D) 11K primary controlling of 1MVA, 11KV/440V, GEC make Transformer SI no.SDOCM/TS/TF/01 installed at Tarmi R										
	Category of Services (To Be Selected by Department)			To Be Entered by Department							
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)				
Name of the Bidder/Bidding Firm / Company :			Select	18	0.00	0.00	0.00				
(This BOQ templa	PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)										
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #				
	v. w. 1.1					momer excession					

NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #	
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P			TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	8	
1.01	Providing of ferrules, lugs, clips, socket wiring beelts for circuit wiring for both primary and secondary panel.	4	nos.			0.00	INR Zero Only	
1.02	Providing Eart leakage relay Flush Mounted 1C/O, CBCT Tape wound, ID-150MM, Aux Supply-80-300AC/DC, 300-1200mA.	2	nos.			0.00	INR Zero Only	
1.03	Providing of Ammeter CT operated,0-50/100A, 4" x 4" size, CTR: 100-50/5A, CL 1.5(Digitel type)	2	nos.			0.00	INR Zero Only	
1.04	Providing and fixing of Potential Transformer 160VA/PH, PTR-11KV/110V 3Phase,3 LIMB, Fixed, Epoxy casted, 11KV	1	nos.			0.00	INR Zero Only	
1.05	Providing of single phase rectifier & capacitor unit, 110V DC/6A with base mounted.	3	nos.			0.00	INR Zero Only	
1.06	Providing CT resin cast, of rating. 15VA, F/C 13.12KA, 11KV, CTR:100-50/5-5A in the 11KV VCB side	3	nos.			0.00	INR Zero Only	
1.07	Providing of Voltmeter 0-12 KV, Analogue, AC, 4" x 4" size, PTR:11000/110V.(Digital type)	1	nos.				INR Zero Only	
1.08	Providing of Auxiliary contactor 110V coil opreated, 4 NO+4NC for circuit wiring/tripping arrangement.		INR Zero Only					
1.09	Providing of Auxiliary contactor 110V coil opreated, 4 NO+4NC for circuit wiring/tripping arrangement. 3 nos. Providing of Test/reset switch, 110V. 3 nos.						INR Zero Only	
1.1	Providing of main moving contact 400A/600A	2	nos.			0.00	INR Zero Only	
1.11	Providing of main Fixed contact 400A/600A	3	nos.			0.00	INR Zero Only	
1.12	Providing kit-kat type fuse (Bakelite type)6Amp.	13	nos.			0.00	INR Zero Only	
1.13	Providing of spout bushing insulator 11KV, incoming side.	2	nos.			0.00	INR Zero Only	
1.14	Providing of Arc chute in oil tank (OCB)	1	nos.			0.00	INR Zero Only	
1.15	Providing of CBCT for Earth leakage relay, 11KV, 2" Dia, epoxy resin cast	1	nos.			0.00	INR Zero Only	
1.16	Complete body cleaning, Double coat primer and Enamel painting by Spray painting machine including cost of cleaning and painting materils as well as labour cost.	4	job.			0.00	INR Zero Only	
1.17	Repairing & Setting of operating mechanism.	4	job.			0.00	INR Zero Only	
1.18	New wiring connections and rectification of control circuit wiring in switchgear.	4	job.			0.00	INR Zero Only	
1.19	Repairing /Renovation of main bus-bar system by drilling, cutting, bending, required shape making, etc as well as complete insulation covering by insulation material.	4	job.			0.00	INR Zero Only	
1.2	After repairing of switchgear all protective relays testing by secondary injection/relay testing machine as well as testing/ measuring of meters, indicators etc.	4	job.				INR Zero Only	
1.21	Labour cost for fixing of above spares, reapiring/overhualing of switch,insulation painting,re-insulation,changing of bus bar bolts,checking of connections.	4	job.				INR Zero Only	
1.22	Supervision , incidental & overhead expenses	1	nos			0.00	INR Zero Only	
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only	
Total in Figures						0.00	INR Zero Only	
Quoted Rate in W	ords	INR Zero Only						

Validate	Print Help		<u>Item</u>	Rate BoQ			
Tender Inviting A	uthority: Staff officer(E&M), Dhori Area.						
Name of the Work / Contract No:	"Shifting of the pump at river side, pre-monsoon, after monsoon and during the flood occurrence in river side/ making shed at lower side of Damodar river and earthing arrangement for motor connection under G.M. unit, I			CCD and			
	Category of Services (To Be Selected by Department)		(To Be	To Be Entered by Department			
ITC Not Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs
Name of the Bidder/Bidding Firm / Company:			Select	18	0.00	0.00	0.0
(This BOQ templa	PRICE SCHEDU ate must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent colu only)		he bidder i	s liable to be	rejected for this t	ender. Bidders are allo	owed to enter the Bidder Name and Value
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P		TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1.01	Dismantling & reinstallation (including all electrical connections) after shifting of pump, motor & starter with base plate from existing installed place to upper level due to rise in the water level.	36	sets				INR Zero Only
1.02	Dismantling & reinstallation (including all electrical connections) after shifting of pumps, motors & starters with base plate from upper level to lower leve due to fall in the water level.	36	sets				INR Zero Only
1.03	Cutting of 4" & 5" G.I. pipe making connection including pipe after shifting of pump all stage.	1950	inch				INR Zero Only
1.04	Welding of pipe and fitting making connection of pipe in proper size. Earthing with copper earth plate 600 mm x 600 mm x 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking	3900 6	inch Nos.				INR Zero Only
1.05	arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	5 0	INOS.			0.00	INR Zero Only
1.06	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 % total coated thickness with zinc coating 120 grams per sqm as per 15: 277, in 240 mps steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost ofpurlins, rafters and trusses and including cutting to size and shape wherever required.	5	Sqm			0.00	INR Zero Only
1.07	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	3340	Kgs.			0.00	INR Zero Only
1.08	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work upto plinth level: 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20mm nominal size) for jamming of angle structure.	23.5	Cum				INR Zero Only
1.09	Supply of Tirpal for covering of motor.	6	Nos.				INR Zero Only
1.1 1.11	Supply of rope. Tested and certified by CPRI (Central power research institute), Govt. of India for impulse current of (8/20us) in 70KA with 5 positive and 5 negative impulse. No external power supply will be provided. Protection radius upto 52 mtr. in level-3 and 57 mtr. in level-4, minimum height 5 mtr. of lighting	210	Mtrs. Nos.				INR Zero Only INR Zero Only
	arrestor with elevation rod, ESE lighting arrester to be stainless steel location						
1.12	Providing and fixing of 6 digit non resistible lighting event counter with IP67 enclosure to count lighting strike.	1	Nos.				INR Zero Only
1.13	Erection & maintenance of free earthing with following materials: Earthing electrode (outer dia 76mm and inner dia 40mm and strip size 14 x 6.3 mtr long or 17.2 sqmm dia 3 mtr. logn copper bonded rod).	. 1	Nos.				INR Zero Only
1.14	Providing of back fill compound 2 bag per site (25 Kg. per bag).	50 80	Kgs.				INR Zero Only
1.15 1.16	Providing and fixing 70mm x 6mm G.I. strip as required (approx 20 mtr. for each site). Installation charge for ESE type lighting arrestor advance lighting arrestor.	80 1	Mtrs. Set.				INR Zero Only INR Zero Only
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00		INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in W	ords		•	•	II	NR Zero Only	

Validate	Print	Help	Item Rate BoO

Validate	Print Help Item Rate BoQ											
Tender Inviting A	Authority: Staff officer(E&M), Dhori Area.											
Name of the Work / Contract No:	Day to day breakdown maintenance of different SDL's spares (Chains, Idler frame, Idler Chassis, Idler Guard, Esleepers, coal transporting line, monkey catch, friction roller etc), tripplers and other misc. items of 4/5/6 incl period of 1 year.											
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Department								
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)					
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.00					
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)												
1												
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #					
NUMBER # Sl. No.	TEXT # Item Description	NUMBER Quantity	TEXT # Units	NUMBER Estimated Rate in Rs. P		TOTAL AMOUNT Without Taxes in	TEXT # TOTAL AMOUNT In Words					
Sl. No.				Estimated Rate in	BASIC RATE In Figures To be entered by the Bidder in	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words					
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words					
Sl. No.	Item Description	Quantity 3	Units 4	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P 7 0.00	TOTAL AMOUNT In Words					
Sl. No. 1 1.01	Item Description 2 Repairing of SDL's idler frame, idler chassis, idler guard and bucket. Repairing of track line, SDL chain, sleepers, coal transporting rail line, monkey catch roller, friction roller, drum roll,	Quantity 3 60	Units 4 Job	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P 7 0.00	TOTAL AMOUNT In Words 8 INR Zero Only					
SI. No. 1 1.01	Item Description 2 Repairing of SDL's idler frame, idler chassis, idler guard and bucket. Repairing of track line, SDL chain, sleepers, coal transporting rail line, monkey catch roller, friction roller, drum roll, pehalwan, returning roller etc.	Quantity 3 60 150	Units 4 Job	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P 7 0.00 0.00	TOTAL AMOUNT In Words 8 INR Zero Only INR Zero Only					
SI. No. 1 1.01 1.02	Repairing of SDL's idler frame, idler chassis, idler guard and bucket. Repairing of track line, SDL chain, sleepers, coal transporting rail line, monkey catch roller, friction roller, drum roll, pehalwan, returning roller etc. Dismantling & reassembling of SDL's chain/idler after repairing.	Quantity 3 60 150 60	Units 4 Job Job	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P 7 0.00 0.00 0.00	TOTAL AMOUNT In Words 8 INR Zero Only INR Zero Only					

Validate		Print	Help	Item Rate BoO
	,			

Tender Inviting A	uthority: Staff officer(E&M), Dhori Area.										
Name of the Work / Contract No:	Laying and erection of one no. of pipeline for water supply to amlo basti and subhash nagar from Dhori sum by pipeline of 5 km length through deendayal chowk and feeder breaker under AADOCM in respect of AADOCM o			ne dia							
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Department							
ITC Not Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.				
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.0				
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Value only)											
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #				
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words				
1	2	3	4	5	6	7	8				
1.01	Loading unloading including transportating of 8" dia pipe	500	nos			0.00	INR Zero Only				
1.02	Earth preparation for laying of 8" pipeline	300	metre			0.00	INR Zero Only				
1.03	Klaying of 8" pipe flanged pipe	1276.5	Quintal			0.00	INR Zero Only				
1.04	Providing and fixing CI sluice valve (with cap)/NR valve complete with bolts, nuts, rubber insertions etc 200 mm diameter class	10	each				INR Zero Only				
1.05 1.06	Supply and providing flange for 8" dia pipe line Providing and laying flanged CI standardspecials such as tees, bend, collars, tapers, caps etc, suitable for flanged jointing as per IS 1538 upto 300	600 5	nos Quintal				INR Zero Only INR Zero Only				
1.07	mm Cutting of 8" dia pipe for matching delivery line	4785.36	cm			0.00	INR Zero Only				
1.08	Welding work of pipe 8" dia calculation attached	132171.64	cm				INR Zero Only				
1.09	providing of rubber packing joints 8" dia	300	nos				INR Zero Only				
1.1	Making of reducer of 8" to 6" dia	1	nos				INR Zero Only				
1.11	Loading unloading including transportating of 6" dia pipe	330	nos			0.00	INR Zero Only				
1.12	Earth preparation for laying of 6" pipeline	200	metre				INR Zero Only				
1.13	laying of 6" pipe flanged pipe	559.55	Quintal				INR Zero Only				
1.14	Providing and fixing CI sluice valve (with cap)/NR valve complete with bolts, nuts, rubber insertions etc 150 mm diameter class	10	each				INR Zero Only				
1.15	supply and providing flange for 6" dia pipe line	290	nos				INR Zero Only				
1.16 1.17	cutting of 6" dia pipe for matching delivery line	2392.68 46475.42	cm cm	 			INR Zero Only INR Zero Only				
1.17	welding work of pipe 6" dia calculation attached	290	nos				INR Zero Only INR Zero Only				
1.18	providing of rubber packing joints 6" dia Providing and fixing of 5/8, 3 inch long MS nut bolt washer	1700	nos kg	ł			INR Zero Only INR Zero Only				
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00		INR Zero Only				
Total in Figures						0.00	INR Zero Only				
Quoted Rate in W	ords				II	NR Zero Only					

Validate	Print Help		Item	Rate BoQ								
Tender Inviting A	Authority: Staff officer(E&M), Dhori Area.											
Name of the Work / Contract No:	Erection of 220V/440V OH line near Fan House & Haulage room for proper illumination and Conversion of sing uninterrupted power supply to the Magazine & Fan house at 7/8 incline with re-wiring / fresh wiring at differer	le phase to nt places of	3-phase fo 7/8 inclin	r smooth and e like S/S								
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Department								
ITC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.					
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.0					
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)												
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #					
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words					
1	2	3	4	5	6	7	8					
1.01	Erection of metallic/tubular pole of following length in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and re-filling etc. as required : Above 10.00 Mtrs. & unto 12.00 mtrs.	4	No				INR Zero Only					
1.02	Supplying and erection of stay set complete (galvanised) with 19/20 mm dia x 1.8 metres long stay rod, anchor plate of size 45 cm x 45 cm x 75 mm, thimble, stay clamps, turn buckle (20 mm x 60 cm), 7/4.00 mm dia G.I. stay wire and strain wire and strain insulator etc in cement concrete 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required.	4	No			0.00	INR Zero Only					
1.03	Supplying & fixing of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) crossarm for 2 wire over head line complete with clamps, bolts, nuts and washer etc including drilling of holes for insulator pins etc (as per drawing) and painting with primer and finished paint as resulted.	8	Set			0.00	INR Zero Only					
1.04	$Erection/Re-Erection of all aluminium conductor of 7/1.96mm to 7/3.10 \ diameter and above including binding etc. as required. 4 span x 40 x 2 wire = 320mtrs. x 0.214$	68.5	Kg				INR Zero Only					
1.05	Fitting of light top of the pole. (Light will be departmentally supplied) Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable	100	No Point				INR Zero Only INR Zero Only					
1.07	etc. as required:-Group A A) Bulb point Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc. as required-Group A B IP Ban point	48	Point			0.00	INR Zero Only					
1.08	Wiring for light point/san point/exhaust fan point/call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc. as required-Group A C) tube light point	60	Point			0.00	INR Zero Only					
1.09	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.40 mm	400	М			0.00	INR Zero Only					
1.1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/PVC conduit as required.2x 1.5 sq. mm	400	М				INR Zero Only					
1.11	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 63Amp	6	nos				INR Zero Only					
1.12	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection etc. as required. [For light plugs to be used in non residential buildings].	40	nos				INR Zero Only					
1.13	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required	40	no				INR Zero Only					
1.14	Supplying and fixing 5 amps to 32 amps rating .240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral	20	no				INR Zero Only					
1.15	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required	24	no				INR Zero Only					
1.16	Earthing with G.L earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/coke and salt as required.	5	no				INR Zero Only					
1.17	Supplying and fixing brass batten/angle holder including connection etc. as required	30	no				INR Zero Only					
1.18 1.19	Supplying & fixing of GENREE wall lamp (Black PVC) Supply and laving of 16cgmm 3 core armoured aluminium cable overhead	10 700	no M				INR Zero Only					
1.19	Supply and laying of 16sqmm 3 core armoured aluminium cable overhead Supply and fixing of A.C. Box	5	no no			0.00	INR Zero Only INR Zero Only					
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00		INR Zero Only					
Total in Figures						0.00	INR Zero Only					
Quoted Rate in W	l ords			1	IN	NR Zero Only	<u> </u>					

Validate	Print Help		Item	Rate BoQ				
Tender Inviting A	uthority: Staff officer(E&M), Dhori Area.							
Name of the Work / Contract No:	[A] Fresh electrical wiring in CCL canteen and motor cycle stand and cabling work at different places, GM. office under GM. unit, Dhori Area (B) The objective living two page (Company of the Co. 2 of M. office under GM. unit, Dhori Area (B)							
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be	To Be Entered by Department				
ITC Not Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs	
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.	
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Value only 1 only 1								
NUMBER #	TEXT #	NUMBER	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #	
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	8	
1.01	Part-A Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recesses	1	nos				INR Zero Only INR Zero Only	
1.03	Writing for light point I fan point, of whater fan point, of which of point with 1.5 on ann PRES PVC modulate desper conductor usingle over close in surface) recursors andour does PVC conduct with painted inclinated does, trainable state MS. Doe and earthing the point with 1.5 on ann. PRES PVC modulate connect conductor sintle core cache tet. as required. For our B. al. Bulb notice. Writing for light point fan point of points of point of 2018 of point with 1.5 on point PRES PVC modulates connected to the point with 1.5 on point points of point point points of point points of poi	1 69	points				INR Zero Only	
		i 36	points				-	
1.04	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduct, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated core cable one cable of experience conductor single core cable of experience. From R. C. P. En noint	i i 15	points			0.00	INR Zero Only	
1.05	medium das PVC conduct with plants to pay which, planted imministed belot, includes an Mx S box and entiting the point with 1.5 m, imm. TELF PVC insolated concerns conductive under such date, an arranged region of the concerns of the control of the conductive of the concerns of the control of the conductive of the control of the control of the conductive of the control of the co	i 2	points			0.00	INR Zero Only	
1.06	Supplying and fixing metal box of 150 mm x 75 mm x 60 mm deep (nominal size) on surface in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 3 pin 5/6 amps socket outlet and 5/6 amps plano type switch, connection, painting etc. as required. For light plugs to b	n e 15	Each			0.00	INR Zero Only	
1.07	used in non residential buildines? Supplying and fixing metal box of 180 mm x 100 mm x 60 mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cove in rorn including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required.	14	Each			0.00	INR Zero Only	
1.08	Sumbring and fixing 5 arms to 37 arms rating 740/415 volts "C" curve miniature circuit breaker suitable for inductive load of following notes in the	e 12	Each			0.00	INR Zero Only	
1.09	existion MCB DE complete with connections, testine and commissionine etc. as required. Sinale note & neutral. Supplying and fixing following way, single pole and neutral, sheet steek, MCB distributions based, 240 withs, on surface/ recess, complete with tinand coppe have been a surfaced from the properties of the surfaced from the properties of the surfaced from the su						INR Zero Only	
1.1	has bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/BCCB/isolator): 6 way double door. Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling hole	, 3	Each				INR Zero Only	
1.11	To remain and the grade making connections, etc. as required. 63 Amo TP&N. Supply and flying of AC-box.	2 2	Each Each				INR Zero Only	
1.12	Supplying and drawing following sizes FRLS PVC insulated copper conductor, single core cable in existing surface/recessed steel/PVC conduit as required.: x 1.5 sq.mm	190	Mtrs.			0.00	INR Zero Only	
1.13	Supplying and drawing following sizes FRLS PVC insulated copper conductor, single core cable in existing surface/recessed steel/PVC conduit as required.: x25 so mm	269	Mtrs.				INR Zero Only	
1.14	Wiring for circux! submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface; recessed steel conduit as required. 2 x 10 s.m.m. x 1 x 6 s.m.m. earth wire. Supply and fixing of ceiling light 1 x 1 x 18 to mat.	125	Mtrs.				INR Zero Only	
1.17	Supply and fixing of ceiling light 1'x 1'x 18 watt. Supplying and fixing 3 pin, 5 amps ceiling rose on the existing junction box/ wooden block including connection etc. as required.	6 43	Each Each				INR Zero Only INR Zero Only	
1.19	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate a required.	s 15	Each			0.00	INR Zero Only	
1.2 1.21	Supplying and fixing brass batten/ angle holder including connection etc. as required. Fitting and fixing of tube light.	69 36	Each Each				INR Zero Only INR Zero Only	
1.22	Supply and fixing of rope light.	100	Mtrs.			0.00	INR Zero Only	
1.23	Part-B Writing for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recesses medium class PVC consulut, with piano type switch, phenolic luminated sheet, suitable size Mx. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated sheet, suitable size Mx. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated sheet.	1	nos				INR Zero Only INR Zero Only	
1.25	medium class PVC conduit, with piano type switch, phenoic la animated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulates cononer conductor simale core cable etc. as required: Groun A a) Bulb noint Wiring for light point/ fan point; exhaust fan point; Call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recesses	1 26	points				INR Zero Only	
	medium class PWC conduit with niano type switch inhenolic laminated sheet suitable size M.S. hov and earthing the noint with 1.5 on mm. FRIS PWC insulates	1 12	points				-	
1.26	some conductor sinule core calls etc. as routined. Groun A. b). Take noise: Wring for light paint fan point of shares in paint of all shell point with 1.5 sq. mm PRLS PVC insolated copper conductor single core cable in surface/ recesses medium class PVC coolait, with pinto type works, phenoic laminated sheet, untable size M.S. box and earthing the point with 1.5 sq. mm. PRLS PVC insolates copper conductor single over cable its as required. Group A. of Pan point? - Pan point?	10	points				INR Zero Only	
1.27	cooper conductor single core calls etc. as required. Croup A. C. rain point Writing for light point fun point, efsuant a point of all both point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable in surface) recessor medium class PVC conduit, with pinn type switch, phenolic laminated wheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FRLS PVC insulated copper conductor single core cable set. are required. Group A. d. Ex-haust point medium class PVC conduit, with pinn type switch, phenolic laminated wheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FRLS PVC insulated copper conductor single core cable set. are required. Group A. d. Ex-haust point medium class PVC conduit, with 1.5 sq. mm. FRLS PVC insulated medium class PVC conduit, with pinn type switch, phenolic laminated wheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FRLS PVC insulated medium class PVC conduit, with pinn type switch, phenolic laminated wheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FRLS PVC insulated medium class PVC conduit, with pinn type switch, phenolic laminated wheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FRLS PVC insulated medium class PVC conduit, with pinn type switch, phenolic laminated wheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FRLS PVC insulated copper conductor single core cable set. The proper conductor single core cable set. The proper conductor single core cable set. The proper conductor single core cable set. The point with 1.5 sq. mm. FRLS PVC insulated copper conductor single core cable set. The proper conductor single set are cable set. The proper conductor single set are cable set. The proper conductor single set are cable set. The prope	1 6	points			0.00	INR Zero Only	
1.28	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recesses medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulates compose conductor; single core cable for az seconitor 6.5 cmm A. e. Call Dell moint	1 2	Points			0.00	INR Zero Only	
1.29	Supplying and fixing metal box of 150 mm x 75 mm x 60 mm deep (nominal size) on surface in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 3 pin 5/6 amps socket outlet and 5/6 amps plano type switch, connection, painting etc. as required. (For light plugs to b	1 e 36	Each			0.00	INR Zero Only	
1.3	used in non residential buildines. Supplying and fixing metal box of 180 mm x 100 mm x 60 mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cove in front including providing and fixing 6 pin 5/6 & 15/16 amps secket outlet and 15/16 amps plano type switch, connection, painting etc. as required.	8	Each			0.00	INR Zero Only	
1.31	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the	e 10	Each			0.00	INR Zero Only	
1.32	existing MED BC compoler with connections: testing and commissionine etc. as required. Single node & neutral Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned coppe bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. [But without MCB/BCCB/isolator]: 6 way	2	Each			0.00	INR Zero Only	
1.33	double door	s 2	Each			0.00	INR Zero Only	
1.34	The control of the co	4	Each Each				INR Zero Only	
1.35	Supplying and drawing following sizes FRLS PVC insulated copper conductor, single core cable in existing surface/recessed steel/PVC conduit as required.: x 1.5 so.mm	90	Mtrs.			0.00	INR Zero Only	
1.36	Supplying and drawing following sizes PKLS PVL insulated copper conductor, single core cable in existing surface/recessed steel/PVL conduit as required.:: x2.5 sq.mm	110	Mtrs.				INR Zero Only	
1.37	Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface recessed steel conduit as required. 2 x 6 so.mm + 1 x 6 so.mm earth wire.	80	Mtrs.				INR Zero Only	
1.38	Supplying and fixing 3 pin, 5 amps ceiling rose on the existing junction box/ wooden block including connection etc. as required. Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate a	30 s 10	Each Each				INR Zero Only INR Zero Only	
1.4	required. Supplying and fixing brass batten/ angle holder including connection etc. as required.	26	Each Each			0.00	INR Zero Only	
1.41	Earthing with G.I. earth plate 600 mm x 600 mm x 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long with charcoal/coke and salt as required.	g 2	Set			0.00	INR Zero Only	
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only	
Total in Figures						0.00	INR Zero Only	
Quoted Rate in W	nrds	 	1	1		ID Zana Onla	<u> </u>	
			INR Zero Only					