

Tender Inviting Authority: SOE&R/GW Unit Rajp				NT No. : GM (V)/E&R-Tender/25-26/153			
Details of Work spans 3.3KV Overhead Line from Bus, Rehabilitation to Main Pumping Station, including 100 meters of Underground HT Cables 11KV, Installation of Two nos of 3.3kv KID and 3.3kv/220V Transformer and 11 KV Overhead Line under On-site Project, Rajp. Area.							
Category of Services (To Be Selected by Department)		Category of Bidder (To Be Selected by Bidder)		To Be Selected by Department			
ITC Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST (in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CL/Subsidiary (in Rs.)	
Name of the Bidder (Bidding Firm Company) :		Select	18	0.00	0.00	0.00	
(This BIDD template must not be modified/revised by the bidder and the same should be updated after filling the relevant columns, this the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
PRICE SCHEDULE							
Sr. No.	Item Description	Quantity	Units	Estimated Rate in Rs. /-	BASIC RATE in Rs. /- To be entered by the Bidder in Rs. /-	TOTAL AMOUNT Without Taxes in Rs. /-	TOTAL AMOUNT in Words
1		3	4	5	6	7	8
2	Erection of staco substation ml pole stacds cement concrete 180(1 cement 3 crane sand graded some aggregate 40 non nominal sizes foundation including excavation and refilling and secured with holding clamps, bolts, nuts, etc as required.	27.00	nos			0.00	Nil/Zero Only
3	Supplying & erection of stay set complete (galvanized) with 1920 mm dia 1.8 Mtr ng May not anchor plate of size 45cm x 45cm x 7.5 mm flange stay clamp turn buckle (Item60cm) 17-400 run dia 6.1 wire and stays Insulator etc in cement concrete (cement Secure sand 6 graded stone aggregate 40mm nominal size) foundation including excavation & refilling etc as required	20.00	nos			0.00	Nil/Zero Only
4	Supplying and erection of 11 KV pin insulator complete with large steel head G1 pin, nuts washers etc, as required	14.00	nos			0.00	Nil/Zero Only
5	Supplying and erection of 11 KV disc insulator for 11 KV over head lines with galvanized insulator fittings, hall and socket type and complete with galvanized iron clamps, bolts, nuts washers etc as required (Double Disc)	16.00	nos			0.00	Nil/Zero Only
6	Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) pole top bracket cross arm for single 11 KV over head line conductor complete with 50 mm X 6mm flat iron clamp, bolts and washers including drilling holes for insulator pins, bolts and nuts etc and painting with primer and finish paint as required	0.00	nos			0.00	Nil/Zero Only
7	Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) cross arm for two 11 KV over head line conductors complete with 50 mm X 50 mm X 6mm angle iron bracket welded to the channel iron and complete with 30 mm X 50mm M.S. flat iron clamps, bolts and nuts including drilling holes for insulator pins, bolts, nuts and washers etc (as per drawing) and painting with primer and finish paint as required.	0.00	nos			0.00	Nil/Zero Only
8	Supply of two lengths of channel iron 75mm x 40mm x 7.14kg/mtr double pole cross arm for 3 wire OH Line conductors complete with though bolts & nuts for clamping to the poles 50mm x 6mm M.S. flats welded on one side the channel iron and with bolts & nuts on the other side for tying cross arm together including, drilling holes for insulators pins/fittings, bolts & nuts etc. and painting with primer and finish point as required.	14.00	nos			0.00	Nil/Zero Only
9	Supply & erection of a set of cross bracing FR same work for OH line double pole structure having four members fabricated out of 50 mm X 50 mm X 6 mm angle iron to form a rectangle of minimum size 1400 mm width X 2000 mm height complete with 50 mm X 6mm M.S flat clamps, bolts & nuts including drilling holes for insulator pins, bolts & nuts etc and painting with primer & finish paint as required.	14.00	nos			0.00	Nil/Zero Only
10	Erection of pole top straight two wire V shape two wire, angle foot channel iron, cross arm on modular rail PCC pole for 11/220/33 KV as required.	14.00	nos			0.00	Nil/Zero Only
11	Erection of double pole 3 wire cross arm for 110/220/33KV overhead lines as required	14.00	nos			0.00	Nil/Zero Only
12	Erection of ACSSR conductor of 7/3.26 mm to 714.00 diameter and above including binding etc as required 14 span X 3 wire X 50 MM 354 kg/ton	192.00	kg			0.00	Nil/Zero Only
13	Supplying and erection pit of minimum bore dia 1500mm size, approved make safe earthing electrode consisting pipe-in-pipe technology as per IS 3043-1987 made of corrosion free GT pipes with constant clastic valve surrounded by highly conductive compound with high charge dissipation suitable for effective and maintenance free earthing as per mentioned below with 1.4 Mtr G.I pipes having 200-250 micron galvanizing connection terminal dia of 12mm in nominal soil with 50 KG (Two bags) back fitting compound	16.00	nos			0.00	Nil/Zero Only
14	Laying of one number PVC insulated and PVC sheathed XLPE power cable of 11 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required. Above 120 sq mm and upto 600 m	140.00	mtrs			0.00	Nil/Zero Only
15	Providing and fixing of 600 Amp Horizontal/Vertical Type GOMB switch	3.00	nos			0.00	Nil/Zero Only
16	Providing & Laid switch	2.00	nos			0.00	Nil/Zero Only
17	Copper cable 2.5 sq. mm x 2 core	40.00	mtrs			0.00	Nil/Zero Only
18	Auxiliary contactor	2.00	nos			0.00	Nil/Zero Only
19	Cost of Single core 25 sq. mm Aluminum cable for Earth wire	220.00	mtrs			0.00	Nil/Zero Only
20	WORKING AND UNLOADING OF POLES	27.00	nos			0.00	Nil/Zero Only
21	Supply and fixing of anti climbing device on pole with fluorescent strip 2.5 mm width red 1mtr length	27.00	nos			0.00	Nil/Zero Only
22	Painting of Pole	27.00	nos			0.00	Nil/Zero Only
23	Excavate trenches of required width for pipes, cables, etc, including excavation for sockets, depth upto 1.5m, including getting out the excavated materials, returning the soil as required in Layers not exceeding 20 cm in depth, including consolidating each deposited layers by ramming etc loading removable material for measurements and disposal of removable material as directed, within a bed of 50 in Pipes, cables exceeding 300 mm dia but not exceeding 600	100.00	mtrs			0.00	Nil/Zero Only
24	Laying of 6 dia MS GI pipe	100.00	mtrs			0.00	Nil/Zero Only
25	Laying of one number PVC insulated and PVT sheathed XLPE power cable of 11KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required.	100.00	mtrs			0.00	Nil/Zero Only
26	Block work with common burnt day F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:6:11 cement (6 coarse sand)	36.00	cum			0.00	Nil/Zero Only
27	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work up to plinth level. 1:4:8 Cement. Accrues and sand zone 15 derived from natural sources. Aggraded stone aggregate 40 mm nominal size derived from natural sources	10.66	cum			0.00	Nil/Zero Only
28	Structural steel work riveted, bolted or welded in built up sections, brusses and framed work, including cutting, bolting, fixing in position and applying a priming coat of approved steel primer all complete	654.00	kg			0.00	Nil/Zero Only
29	Supplying and making outdoor cable and termination with heat shrinkable jointing kit complete with all accessories including lugs suitable for following size of 3core XLPE aluminum conductor cable of 11KV grades required 70sq mm	4.00	nos			0.00	Nil/Zero Only
30	Supplying and making outdoor cable end jointing with cast resin compound, including lugs and other jointing materials, for following size of 3core, ALPAluminum conductor cable of 11 KV grade as required: 70sq mm	4.00	nos			0.00	Nil/Zero Only
Total amount of GST for the amount of ITC		87.200	nos			0.00	Nil/Zero Only
Total in Figures						0.00	Nil/Zero Only
Quoted Rate in Words						Nil/Zero Only	