Tender Inviting Authority: Staff Officer (Civil),CCL, Giridih Area

Name of Work:Comprehensive Annual maintenance of Paparwatand colony for a period of two years under Giridih Area

| | | Category of Bidder(To Be Selected by Bidder) | To Be Entered by Department | | |
|--|----------------|--|-----------------------------|--------------------------------------|---|
| ITC Available | Works Contract | Bidder's Status (Mandatory) | Rate of GST (in %) | GST to be Paid By Bidder (in Rs.) | GST to be Paid By CIL/Subsidiary (in Rs.) |
| Name of the Bidder/ Bidding Firm / Company : | | Select | 18.00 | 0.00 | 0.00 |

PRICE SCHEDULE
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

| NUMBER # | TEXT # | NUMBER # | TEXT # | NUMBER | NUMBER# | TEXT # |
|------------|--|----------|--------------------------------|-------------------------|-----------------------|--|
| SI. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound) content less than 50 gram/litre, of approved brand and of required said and colour complete to give and even said. 13.81.1 Old work (one or more coats) | 1500.00 | Sqm | 40.25 | 60375.00 | INR Sixty Thousand Three Hundred & Seventy Five Only |
| 2 | Finishing walls with water proofing cement paint of required shade: 13.109.1 Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litrs/10 sqm complete including cost of Priming coat. | 1650.00 | Sqm | 74.05 | 122182.50 | INR One Lakh Twenty Two Thousand One Hundred & Eighty Two and Paise Fifty Only |
| 3 | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :13.99.1 One or more coats on old work | 750.00 | Sqm | 73.40 | 55050.00 | INR Fifty Five Thousand &Fifty Only |
| 4 | Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour 13.82.2 Two coats | 250.00 | Sqm | 103.95 | 25987.50 | INR Twenty Five Thousand Nine Hundred & Eighty Seven and Paise Fifty Only |
| 5 | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. | 1500.00 | sqm | 15.90 | 23850.00 | INR Twenty Three Thousand Eight Hundred & Fifty Only |
| 6 | White washing with lime to give an even shade: 13.37.1 New work (three or more coats) | 1030.00 | Sqm | 25.10 | | INR Twenty Five Thousand Eight Hundred & Fifty Three Only |
| 7 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6(1 cement: 6 coarse sand) | 2.30 | cum | 7,988.95 | 18374.59 | INR Eighteen Thousand Three Hundred & Seventy Four and Paise Fifty Eight Only |
| 8 | 12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand) | 50.00 | sqm | 230.60 | | INR Eleven Thousand Five Hundred & Thirty Only |
| 9 | Supplying, Stacking and spreading of stone dust. | 50.94 | cum | 1401.34 | 71384.26 | INR Seventy One Thousand Three Hundred & Eighty Four and Paise Twenty Six Only |
| 10 | Lettering with black Japan paint of approved brand and manufacture | 1400.00 | per letter per cm height | 3.85 | | INR Five Thousand Three Hundred & Ninety Only |
| 11 | Surface dressing of the ground including removing vegetation and in equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. 2.28.1 All kinds of soil | 3500.00 | sqm | 20.50 | 71750.00 | INR Seventy One Thousand Seven Hundred & Fifty Only |
| 12 | Clearing grass and removal of the rubbish upto a distance of 50 m outside the periphery of the area cleared. | 5500.00 | sqm | 5.40 | 29700.00 | INR Twenty Nine Thousand Seven Hundred Only |

| | | | 1 | | | T |
|----|---|---------|-----|----------|-----------|--|
| 13 | Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding30 cmindepth, 1.5min width as well as 10 sqmon | 226.40 | cum | 139.70 | 31628.08 | INR Thirty One Thousand Six Hundred & Twenty Eight and Paise Eight Only |
| 14 | CARRIAGE OF MATERIALS 1.1 By Mechanical Transport including loading,unloading and stacking Lime, | 127.35 | cum | 179.25 | 22827.49 | INR Twenty Two Thousand Eight Hundred & Twenty Seven and Paise Forty Nine Only |
| 15 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms. lift unto 1.5 m | 115.00 | cum | 205.80 | 23667.00 | INR Twenty Three Thousand Six Hundred & Sixty Seven Only |
| 16 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:Cement mortar 1:6 (1 cement : 6 coarse sand) | 55.00 | cum | 6,770.05 | 372352.75 | INR Three Lakh Seventy Two Thousand Three Hundred & Fifty Two and Paise Seventy Five Only |
| 17 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in: Cement mortar 1:6(1 cement: 6 coarse sand) | 74.25 | cum | 7,988.95 | 593179.54 | INR Five Lakh Ninety Three Thousand One Hundred & Seventy Nine and Paise Fifty Four Only |
| 18 | Half brick masonry with common burnt clay F.P.S. (non modular) bricks ofclass designation 7.5 in foundations and plinth in : cement mortar 1:4 (1 cement : 4 coarse sand) | 45.00 | sqm | 844.15 | 37986.75 | INR Thirty Seven Thousand Nine Hundred & Eighty Six and Paise Seventy Five Only |
| 19 | 12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand) | 1327.50 | sqm | 230.60 | | INR Three Lakh Six Thousand One Hundred & Twenty One and Paise Fifty Only |
| 20 | 6 mm cement plaster of mix: 13.16.1 1:3 (1 cement: 3 fine sand) | 477.00 | sqm | 207.15 | | INR Ninety Eight Thousand Eight Hundred & Ten and Paise Fifty Five Only |
| 21 | Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate | 684.00 | sqm | 500.30 | 342205.20 | INR Three Lakh Forty Two Thousand Two Hundred & Five and Paise Twenty Only |
| 22 | 12 mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1 cement: 4 fine sand | 67.50 | sqm | 303.20 | 20466.00 | INR Twenty Thousand Four Hundred & Sixty Six Only |
| 23 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) | 35.44 | cum | 6,773.95 | 240068.79 | INR Two Lakh Forty Thousand &Sixty Eight and Paise Seventy Nine Only |
| 24 | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq.m including pointing the joints with white cement and matching pigments etc., complete. | 75.00 | sqm | 1,436.20 | 107715.00 | INR One Lakh Seven Thousand Seven Hundred & Fifteen Only |
| 25 | Providing and fixing Ist quality ceramic glazedwall tiles conforming to IS:15622(thickness to be specified by the manufacturer), ofapprovedmake, in all colours, shades except burgundy, bottle green, black of any size as approvedbyEngineer-in-Charge, in skirting, risers of step sand dados,over12 mm thick bed of cement mortar1:3 (1cement:3coarse sand) and jointing with grey cement slurry@3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | 292.50 | sqm | 1,131.60 | 330993.00 | INR Three Lakh Thirty Thousand Nine Hundred & Ninety Three Only |
| 26 | Neat cement punning. | 45.00 | Sqm | 58.95 | 2652.75 | INR Two Thousand Six Hundred & Fifty Two and Paise Seventy Five Only |
| 27 | Grading roof for water proofing treatment with 22.14.1 Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) | 10.80 | cum | 7,562.70 | 81677.16 | INR Eighty One Thousand Six Hundred & Seventy Seven and Paise Sixteen Only |

| 28 | Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/litre and viscocity 70-160 cps. Over the primer coat the layer of membrane shall be laid using Butane Torch and sealing all joints etc, and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23°C as 650/450N/5cm.Tear strength in longitudinal and transverse direction as 300/250N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane: 97 Item Code Description Unit Justified Rate | 700.00 | sqm | 482.20 | 337540.00 | INR Three Lakh Thirty Seven Thousand Five Hundred & Forty Only |
|----|---|---------|-----|----------|-----------|--|
| 29 | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | 2112.00 | kg | 114.90 | 242668.80 | INR Two Lakh Forty Two Thousand Six Hundred & Sixty Eight and Paise Eighty Only |
| 30 | Providingand fixing M.S.grills of required pattern inframes of windows etc.With M.S. flats, square or round barsetc. Including priming coat with approved steel primer all complete.9.48.1 Fixed to steel windows by welding | 360.00 | kg | 177.40 | 63864.00 | INR Sixty Three Thousand Eight Hundred & Sixty Four Only |
| 31 | Providing corrugatedG.S. sheet roofing including vertical / curved surface fixed with polymer coated J or Lhooks, bolt sand nuts 8mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on over lapping of sheets complete (up toanypitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.0.63 mm thick with zinc coating not less than 275 gm/ m² | 60.00 | Sqm | 883.75 | 53025.00 | INR Fifty Three Thousand &Twenty Five Only |
| 32 | Providing reinforced by organic fibre sand/or inorganic synthetic fibres cement 6mm thick corrugated sheets (asper IS:14871) roofing upto any pitch and fixing with polymer coated J,or L hooks, bolts and nuts 8mm dia.G.I.plain and bitumen washers or with self drilling fastener and EPDM washers etc. complete (excluding the cost of purlins, rafters and trusses), including cutting sheets to size and shape wherever required. | 150.00 | Sqm | 420.05 | 63007.50 | INR Sixty Three Thousand &Seven and Paise Fifty Only |
| 33 | Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws | 45.00 | Sqm | 1,803.90 | 81175.50 | INR Eighty One Thousand One Hundred & Seventy Five and Paise Fifty Only |
| 34 | Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 25 mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. piano hinges with necessary screws | 36.00 | Sqm | 1,784.85 | | INR Sixty Four Thousand Two Hundred & Fifty Four and Paise Sixty Only |
| 35 | Providing, hoisting and fixing up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but excluding cost of reinforcement, with 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size). | 13.50 | cum | 9,432.95 | 127344.83 | INR One Lakh Twenty Seven Thousand Three Hundred & Forty Four and Paise Eighty Three Only |
| 36 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.Thermo-Mechanically Treated bars | 945.00 | kg | 105.60 | 99792.00 | INR Ninety Nine Thousand Seven Hundred & Ninety Two Only |

| 37 | Providing and fixing aluminiumwork for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS:733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gapsat junctions, i.e.attop, bottomand sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleatangle, Aluminium snapbeading for glazingl paneling, C.P.brass/stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): 21.1.1 For fixed portion 21.1.1.1 Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) | 119.20 | kg | 528.30 | 629/3.36 | INR Sixty Two Thousand Nine Hundred & Seventy Three and Paise Thirty Six Only |
|----|--|----------|------|----------|-----------|---|
| 38 | Providing and fixing 12mmthick prelaminated particle board flat pressed 21.2.2 Pre-laminated particle board with decorative lamination on both sides three layer or graded wood particle board conforming to IS:12823 Grade 1 Type II, inpanelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. | 29.84 | sqm | 894.00 | 26676.96 | INR Twenty Six Thousand Six Hundred & Seventy Six and Paise Ninety Six Only |
| 39 | Providing and fixing glazing in aluminium door, window, ventilator shutter sand partitions etc. with EPDM rubber /neoprenegasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): 21.3.1 With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm) | 8.28 | sqm | 921.75 | 7632.09 | INR Seven Thousand Six Hundred & Thirty Two and Paise Nine Only |
| 40 | Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete: (copper oxidized as per IS: 1378) 250x16 mm | 10.00 | Each | 142.95 | 1429.50 | INR One Thousand Four Hundred & Twenty Nine and Paise Fifty Only |
| 41 | Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete: (copper oxidized as per IS: 1378) 150x10 mm | 12.00 | Each | 45.10 | 541.20 | INR Five Hundred & Forty One and Paise Twenty Only |
| 42 | Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. | 101.25 | Sqm | 33.20 | 3361.50 | INR Three Thousand Three Hundred & Sixty One and Paise Fifty Only |
| 43 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sq. metres and below | 90.00 | Sqm | 227.10 | 20439.00 | INR Twenty Thousand Four Hundred & Thirty Nine Only |
| 44 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) | 7.20 | Sqm | 1,464.60 | 10545.12 | INR Ten Thousand Five Hundred & Forty Five and Paise Twelve Only |
| 45 | Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. | 15.53 | Sqm | 1,238.30 | 19230.80 | INR Nineteen Thousand Two Hundred & Thirty and Paise Eighty Only |
| 46 | CARRIAGE OF MATERIALS By Mechanical Transport including loading, unloading and stacking Lime, moorum, building rubbish Lead - 5 km | 509.40 | Sqm | 179.25 | 91309.95 | INR Ninety One Thousand Three Hundred & Nine and Paise Ninety Five Only |
| 47 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. | 450.00 | sqm | 114.95 | | INR Fifty One Thousand Seven Hundred & Twenty Seven and Paise Fifty Only |
| 48 | Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound) content less than 50 gram/litre, of approved brand and of required said and colour complete to give and even said. 13.81.1 Old work (one or more coats) | 10000.00 | Sqm | 40.25 | 402500.00 | INR Four Lakh Two Thousand Five Hundred Only |
| 49 | Finishing walls with water proofing cement paint of required shade: 13.109.1 Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litrs/10 sqm complete including cost of Priming coat. | 8000.00 | Sqm | 74.05 | | INR Five Lakh Ninety Two Thousand Four Hundred Only |
| 50 | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :13.99.1 One or more coats on old work | 1400.00 | Sqm | 73.40 | 102760.00 | INR One Lakh Two Thousand Seven Hundred & Sixty Only |

| | | | | | | T |
|----|--|---------|-------|----------|----------|--|
| 51 | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. | 2700.00 | sqm | 15.90 | 42930.00 | INR Forty Two Thousand Nine Hundred & Thirty Only |
| 52 | Providing and fixing fly proof galvanized M.S. wire gauge to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm all complete. With 12 mm mild steel U beading | 21.60 | Sqm | 643.35 | 13896.36 | INR Thirteen Thousand Eight Hundred & Ninety Six and Paise Thirty Six Only |
| 53 | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of all colour and texture except black, Cherry/Ruby red. Area of slab over 0.50 sqm | 19.44 | Sqm | 2950.10 | 57349.94 | INR Fifty Seven Thousand Three Hundred & Forty Nine and Paise Ninety Four Only |
| 54 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 15 mm nominal outer dia Pipes | 120.00 | mtrs. | 214.60 | 25752.00 | INR Twenty Five Thousand Seven Hundred & Fifty Two Only |
| 55 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal outer dia Pipes | 270.00 | mtrs. | 279.20 | 75384.00 | INR Seventy Five Thousand Three Hundred & Eighty Four Only |
| 56 | Providing and Fixing UPVC ball valve of approved quality. 20mm dia | 35.00 | Each | 184.00 | | INR Six Thousand Four Hundred & Forty Only |
| 57 | Providing and Fixing of Fuset of approved quality. | 10.00 | Each | 832.07 | 8320.70 | INR Eight Thousand Three Hundred & Twenty and |
| 58 | Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931: 18.49.1 15 mm nominal bore | 48.00 | Each | 693.50 | 33288.00 | Paise Seventy Only INR Thirty Three Thousand Two Hundred & Eighty Eight Only |
| 59 | Providing and fixing PTMT bib cock of approved quality and colour.15mm nominal bore, 86 mm long, weighing not less than 88 gms | 70.00 | Each | 172.90 | | INR Twelve Thousand One Hundred & Three Only |
| 60 | Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushingcistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, includingcutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440mm with integral type foot rests | 5.00 | Each | 4,328.85 | 21644.25 | INR Twenty One Thousand Six Hundred & Forty Four and Palse Twenty Five Only |
| 61 | Providing and fixing white vitreous china pedestal type water closet(European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid | 5.00 | Each | 4,259.15 | 21295.75 | INR Twenty One Thousand Two Hundred & Ninety Five and Paise Seventy Five Only |
| 62 | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brasspillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the wallswherever require: White Vitreous China Wash basin size 550x400 mmwith a pair of 15 mm C.P. brass pillar taps | 12.00 | Each | 2,566.45 | 30797.40 | INR Thirty Thousand Seven Hundred & Ninety Seven and Paise Forty Only |
| 63 | Providing and fixing kitchen sink with C.I. brackets, C.P. brass chainwith rubber plug, 40 mm C.P. brass waste complete, including paintingthe fittings and brackets, cutting and making good the walls whereverrequired: White glazed fire clay kitchen sink of size 600x450x 250 mm | 15.00 | Each | 2,780.20 | | INR Forty One Thousand Seven Hundred & Three Oni |
| 64 | Providing and fixing white vitreous china water closet squatting pan (Indian type) | 6.00 | Each | 1,351.35 | 8108.10 | INR Eight Thousand One Hundred & Eight and Paise Ten Only |
| 65 | :Long pattern W.C. pan of size 580 mm Providing and fixing P.V.C. low level flushing cistern with manuallycontrolled device (handle lever) conforming to IS: 7231, with all fittingsand fixtures complete 17.18.1 10 litre capacity - White | 14.00 | Each | 911.55 | 12761.70 | IRR Twelve Thousand Seven Hundred & Sixty One an Paise Seventy Only |

| 66 | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 17.28.2 Flexible pipe 17.28.2.1 32 mm dia | 24.00 | Each | 85.30 | 2047.20 | INR Two Thousand &Forty Seven and Paise Twenty Only | |
|------------------------|---|---------------|-----------|---------|----------|---|--|
| 67 | Providing and placing on terrace (at all floor levels) polyethylene water storage tank, ISI: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. | 10000.00 | per litre | 9.60 | 96000.00 | INR Ninety Six Thousand Only | |
| 68 | Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 18.52.1 15 mm nominal bore | 10.00 | Each | 734.55 | 7345.50 | INR Seven Thousand Three Hundred & Forty Five and Paise Fifty Only | |
| 69 | Providing and fixing PTMT pillar cock of approved quality and colour 15 mm nominal bore, 107 mm long, weighing not less than 110 gms | 12.00 | Each | 252.30 | 3027.60 | INR Three Thousand &Twenty Seven and Paise Sixty Only | |
| 70 | Providing and Fixing of bathroom water shower of approved quality. | 10.00 | Each | 1402.87 | 14028.70 | INR Fourteen Thousand &Twenty Eight and Paise Seventy Only | |
| 71 | Cleaning of surface drain including disposal of muck, sludge through trolley or other arrangement at a specified place (in no case it should be kept on drain bank) within a lead of 1 KM with all tolls and tackles complete as per instruction of Engineer-in-charge. Upto 300 mm to 600 mm wide drain. | 6480.00 | Mtr. | 3.24 | 20995.20 | INR Twenty Thousand Nine Hundred & Ninety Five and Paise Twenty Only | |
| 72 | Cleaning of surface drain including disposal of muck, sludge through trolley or other arrangement at a specified place (in no case it should be kept on drain bank) within a lead of 1 KM with all tolls and tackles complete as per instruction of Engineer-in-charge. Above 600 mm drain width | 14640.00 | Mtr. | 4.31 | 63098.40 | INR Sixty Three Thousand &Ninety Eight and Paise Forty Only | |
| 73 | Collection of garbage, polythene, rubbish etc from back side of the quarters and disposal to dustbins with all tools and tackles complete as per instruction of EIC. | 72.00 | Day | 1294.45 | 93200.40 | INR Ninety Three Thousand Two Hundred and Paise Forty Only | |
| 74 | Total impact of GST for the purpose of CTC | 1.000 | Nos | 0.00 | 0.00 | INR Zero Only | |
| Total in Figures | | | , | | | INR Sixty Three Lakh Seventy One Thousand Four Hundred & Ninety Four and Paise Eighty One Only | |
| Quoted Rate in Figures | | | Select | | | INR Zero Only | |
| Quoted Rate in Words | | INR Zero Only | | | | | |