

Tender Inviting Authority:	Project Engineer (EnM), JOCP, Hazaribagh Area					
Name of the Work/ Contract No:	Installation of Barbed Wire and fluorescent tapes on LT Poles from Filter Plant to Parking Point, ground side, Including LT Poles Inside Dam Colony and Laiyo Substation, etc. along with Fencing of Transformers at Dam Colony Substation, Laiyo Substation, and Filter Plant with provision of Danger Boards at JOCP under Hazaribagh Area.					
	Category of Services (To Be Selected by Department)	Category of Bidder (To Be Selected by Bidder)	To Be Entered by Department			
ITC Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(In Rs.)	GST to be Paid By Bidder (In Rs.)	GST to be Paid By CIL/Subsidiary (In Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18	0.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1	Providing and fixing of barbed wire at the LT poles from filter plant to parking point, ground side and at the poles of laiyo substation, dam colony substation etc.	55	Nos.			0.00	INR Zero Only
2	Supply and Fixing of fluorescent Tape of 2" size on poles	55	Nos.			0.00	INR Zero Only
3	Fencing with angle iron post placed at required distance embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be struted on both sides and end post on one side only and provided with horizontal lines and two diagonals interwoven with horizontal wires, of barbed wire weighing 9.39 kg per 100 m (minimum), between the two posts fitted and fixed with G.I.staples, turn buckles etc. complete. (Cost of posts, struts, earth work and concrete work to be paid for separately). Payment to be made per metre cost of total length of barbed wire used. With G.I. barbed wire.	672.7	mtr			0.00	INR Zero Only
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement: 3 coarse sand (zone-III): 6 graded stone aggregate 40 mm nominal size) [(one concrete block volume 0.6m X 0.6m X 0.6m) X 31 posts]	6.696	cum			0.00	INR Zero Only
5	Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10 cm length and drilling holes upto 10 mm dia. etc. complete.	443.7	Kg			0.00	INR Zero Only
6	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth load upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. All kinds of soil(0.3m X 0.3m X 0.9m X 31 post)	2.51	cum			0.00	INR Zero Only
7	Supply & fixing fencing of chain link mesh 100 x 100 mm, 12 SWG GI wire for for D.P. structure electric substation switch yard including single post of angle iron size 50x50x5mm, 2.5 mt long should be provided upto 2.00 mt. apart or as required. The panel frame with required angle iron/ flat iron members/cross members including mesh welded in frame panel shall be erected between the posts. The angle iron post shall be erected in cement concrete M-15 (1:2:4) (20 mm graded metal) foundation, including excavation of pit and refilling the same. The fencing shall be provided with one entrance gate including locking arrangement as required as per specification. The height of fencing shall be 2 mt. above groun level. Fencing shall be painted with required shade ((14+6+14+6) m X 1.5m)	60	Sqm			0.00	INR Zero Only
8	Providing and fixing M.V. danger notice plate of 200 mm X 150 mm, made of mild steel, at least 2 mm thick, and vitreous enameled white on both sides, and with inscription in single red colour on front side as required.	40	No.			0.00	INR Zero Only
9	Lettering with black japan paint of approved brand on earthpit board (marking board(3feetX3feetX2mm) assume 3000 letter x 3 cm + lettering of notation on danger board (2.5 feetX 3 feetX2mm)Assuming (12 X 50X 7cm)	13200	per letter per cm height			0.00	INR Zero Only
10	Providing and fixing Frame type flex for substations for (writing slogan or SOP)(4.5ft X 3ft)	8	Nos.			0.00	INR Zero Only
11	Double coat Painting and making danger notation with fluorescent tapes on the one no. board of 2.5 feetX 3 feet X2mm	12	Nos.			0.00	INR Zero Only
12	Total Impact of GST for the purpose of CTC	1.00	No		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only					