

Tender Inviting Authority: Staff Officer(E&M), Bnk Area.							
Name of the Work / Contract No:		Dismantling of 10", 8" and 6" dia old pipes and other iron materials from different mines to fabricate the fixed type lighting tower for illumination of different mines and colonies under, B&K Area.					
Category of Services (To Be Selected by Department)		Category of Bidder (To Be)	To Be Entered by Department				
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By Cl/Subsidiary (in Rs.)	
		Select	18	0.00	0.00	0.00	
Name of the Bidder/ Bidding Firm / Company :							
PRICE SCHEDULE							
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1	Excavation for cable trenches in soft soil, depth upto 1.2 m including dressing of sides lift upto 1.5 m, including getting out the excavated soil, refilling with sand and or good soil after laying of cable/ pipe etc in layers of 20 cm, running, watering and disposal of surplus excavated soil as directed, within a lead of 50 metres.	118	cum			0.00	INR Zero Only
2	Dismantling of 10" dia pipe line in normal surface	72	meters			0.00	INR Zero Only
3	Dismantling of 8" dia pipe line in normal surface	132	meters			0.00	INR Zero Only
4	Dismantling of 6" dia pipe line in normal surface	75	meters			0.00	INR Zero Only
5	Taking out the 10 inch dia pipe from congested area loading, transporting and unloading for fabrication work at clear site nearby 100 m to 200 m	10	Nos			0.00	INR Zero Only
6	Taking out the 8 inch dia pipe from congested area and transporting by tydals manually for fabrication work at clear site nearby 100 m to 200 m	20	Nos			0.00	INR Zero Only
7	Taking out the 6 inch dia pipe from congested area and transporting by tydals manually for fabrication work at clear site nearby 100 m to 200 m	10	Nos			0.00	INR Zero Only
8	cutting of pipes at the ends for smoothing	1004.8	inch			0.00	INR Zero Only
9	cutting of 10", 8" and 6" dia pipe for climping purposes	1800	inch			0.00	INR Zero Only
10	cutting of 8 mm plate 2x2 for fixing at base including hole making for 10 inch pipe crossing the plate	1280	inch			0.00	INR Zero Only
11	welding of 10", 8" and 6" dia pipes for climping purposes including angle support	3600	inch			0.00	INR Zero Only
12	welding of 10" dia pipe with plate 2x2	1256	inch			0.00	INR Zero Only
13	fabrication and erection of 75 mmx50 mm x 6mm channel bracket for light fitting within 50 mm x 50 mm x 6 mm angle support having facility to erect 6 nos light fittings with all clamp and nut bolt	20	set			0.00	INR Zero Only
14	Making hole of 30 mm size for round locking bolt on plate	320	no			0.00	INR Zero Only
15	painting of fabricated tower 40 - 45 ft long by red oxide paint (including paint supply)	20	no			0.00	INR Zero Only
16	painting of fabricated tower 40 - 45 ft long by aluminium paint (including paint supply)	20	no			0.00	INR Zero Only
17	Cleaning and scrapping of pipe outer surface for painting	260	meters			0.00	INR Zero Only
18	Cutting of Angles 50mm x50mm for base plate support	1200	inch			0.00	INR Zero Only
19	Welding of angles with base plate for jamming in the Cement concrete	2400	inch			0.00	INR Zero Only
20	HT steel Nut bolt, inch dia 5 inch long	160	Nos.			0.00	INR Zero Only
23	Total Impact of GST for the purpose of CTC	1.000	No.			0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in Words						INR Zero Only	

Tender Inviting Authority: Staff Officer(E&M), Bnk Area.						
Name of the Work / Contract No:	Dismantling and cleaning of V.T. pump including removal of debris/mud with re-installation, cable jointing, lightening arrester, heightening of pump shed and other miscellaneous works at 2000 GPM V.T. pump at River side, B&K under G.M. unit, B&K Area.					
Category of Services (To Be Selected by Department)			Category of Bidder (To Be)	To Be Entered by Department		
ITC Not Available	Works Contract			Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)
Name of the Bidder/ Bidding Firm / Company :				Select	18	0.00
				GST to be Paid By Bidder (in Rs.)	0.00	
				GST to be Paid By OI/Subsidiary (in Rs.)		
				0.00		

PRICE SCHEDULE
 (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words	
1	Supplying and making straight through cable jointing with heat shrinkable jointing kit complete with all accessories including ferrules suitable for following size of 3 core, XLPE aluminium conductor cable of 11 KV grade as required: 120 sq.mm	2	nos.			0.00	INR Zero Only	
2	Dismantling of VT pump for cleaning of intake well and installation of VT pump after cleaning of intake well.	1	Job			0.00	INR Zero Only	
3	Cutting	2200	Inch			0.00	INR Zero Only	
4	Welding	2600	Inch			0.00	INR Zero Only	
5	Supply and fixing clamp, nut & bolts 18" long x 5/8" heavy duty.	70	nos.			0.00	INR Zero Only	
6	Extra for every additional lift of 1.5m or part thereof in excavation/banking excavated or stacked materials: All kinds of soil. 1st Lift 2nd lift 3rd lift 4th lift 5th lift 6th lift 7th lift	30.14	Cum			0.00	INR Zero Only	
7	Earth work in excavation by mechanical means (hydraulic Excavator / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil (one month).	6437	cum			0.00	INR Zero Only	
8	Carriage of materials by mechanical transport including loading, unloading and stacking : Earth as per lead upto 5KM.	241.12	cum			0.00	INR Zero Only	
9	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 meters lead.	500	Kgs.			0.00	INR Zero Only	
10	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	2750	Kgs.			0.00	INR Zero Only	
11	Tested and certified by CPRI (Central power research institute), Govt. of India for impulse current of (8/20us) in 70KA with 5 positive and 5 negative impulse. No external power supply will be provided. Protection radius upto 52 mtr. in level-3 and 57 mtr. in level-4, minimum height 5 mtr. of lightning arrester with elevation rod, ESE lightning arrester to be stainless steel location	1	nos.			0.00	INR Zero Only	
12	Providing and fixing of 6 digit non resistible lighting event counter with IP67 enclosure to count lightning strike.	1	nos.			0.00	INR Zero Only	
13	Erection & maintenance of free earthing with following materials : Earthing electrode (outer dia 76mm and inner dia 40mm and strip size 14 x 6.3 mtr. long or 17.2 sqmm dia 3 mtr. (ogn copper bonded rod).	1	nos.			0.00	INR Zero Only	
14	Providing of back fill compound 2 bag per site (25 Kg. per bag).	50	Kgs.			0.00	INR Zero Only	
15	Providing and fixing 70mm x 6mm G.I. strip as required (approx 20 mtr. for each site).	40	Mtrs.			0.00	INR Zero Only	
16	Installation charge for ESE type lightning arrester advance lightning arrester.	1	Job			0.00	INR Zero Only	
17	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work upto plinth level : 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) (for Kargali washery approach pathway near motor pump). Near intake well filling and P.C.C.	62.5	cum			0.00	INR Zero Only	
18	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in foundation and plinth in : Cement mortar 1:6 (1 cement : 6 coarse sand).	11.25	cum			0.00	INR Zero Only	
19	Brick work with common burnt clay F.P.S.(non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand).	17.85	cum			0.00	INR Zero Only	
20	12mm cement plaster of mix 1:6 (1 cement : 6 fine sand).	330	sqm			0.00	INR Zero Only	
21	Total Impact of GST for the purpose of CTC	1.000	No.			0.00	INR Zero Only	
Total in Figures						0.00	INR Zero Only	
Quoted Rate in Words							INR Zero Only	

Tender Inviting Authority: Staff Officer(E&M), Bnk Area.

Name of the Work / Contract No: Repair & Maintenance of 11 KV O/H line from MRSS Substation to IWSP and also during breakdown period in view of uninterrupted power supply to IWSP, B&K Area for a period of 365 days (or 01 year) in respect of IWSP, B&K Area along with laying of cable under railway culvert.

Category of Services (To Be Selected by Department)		Category of Bidder (To Be)	To Be Entered by Department			
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By Cl/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18	0.00	0.00	0.00

PRICE SCHEDULE
 (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	8	
1	Erection of AAC conductor of 7/3.35 mm to 7/4.00 diameter and above including binding etc. as required. Sagging of Dog conductor 14 span x 60 mtr x 3 wire = 2520 Mtrs x 0.272 kg/m = 685.44 kg	685.44	Kg			0.00	INR Zero Only	
2	Supplying and erection of 11 KV disc insulator for 11 KV over head lines with galvanised insulator fittings, ball and socket type and complete with galvanised strain clamps, bolts, nuts, washers etc. as required.	60	Set			0.00	INR Zero Only	
3	Supply & erection of 11KV pin insulator complete with large steel head GI pin nuts washers etc. as required.	130	Set			0.00	INR Zero Only	
4	Supply and erection of galvanised stay set for 11 KV OH line complete with 19/20 mm dia x 1.8 mtr long stay rod anchor plate of size 45 cm x 45 cm x 7.5 mm thick, thimble, stay clamps, turn buckle (20mm x 600 mm), 7/4.00 mm dia GI stay wire and 11 KV strain insulator etc in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal open foundation including excavation and refilling etc as required.	8	Nos.			0.00	INR Zero Only	
5	Supply of SWG GI wire 14 span x 3 x 60m = 2520 Mtr x 0.192 kg/m = 483.84 Kg	483.84	Kg			0.00	INR Zero Only	
6	Erection of GI Wire Nos 6 SWG including binding etc. as required.	483.84	Kg			0.00	INR Zero Only	
7	Supplying of channel iron 75mmx40mmx6mm (7.14kg per metre) pole top bracket/cross arm for single 11 KV over head line conductor complete with 50mmx6mm flat iron clamp, bolts, nuts and washers including drilling holes for insulator pins, bolts and nuts etc and painting with primer and finish paint as required.	5	Set			0.00	INR Zero Only	
8	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	3000	Sqm			0.00	INR Zero Only	
9	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 120 cm girth upto and including 240 cm girth.	4	Each			0.00	INR Zero Only	
10	Dismantling of 11 KV O/H line comprising of copper/ aluminium O/H conductor, G.I. wire, cross arm, insulator etc. as required. 14 span x 60 mtr x 3 wire = 2520 Mtrs x 0.294 kg/m = 992.88 kg	992.88	Kg			0.00	INR Zero Only	
11	Patrolling checking and testing of OH line for routine maintenance and breakdown as and when required during 365 days (or 01 year) period.	52	Days			0.00	INR Zero Only	
12	Erection of angle iron/ channel iron cross arm on wood/ RCC/ PCC/ steel tubular/ tall pole etc. as required.	8	Nos			0.00	INR Zero Only	
13	11 KV double pole 75 mm channel iron cross arm: Supplying of two lengths of channel iron 75 mm x 40 mm x 6 mm (7.14 kg per metre) double pole cross arm for three wire 11KV over head line conductors complete with through bolts and nuts for clamping to the poles, 50 mm x 6 mm M.S. flats welded on one side to the channel iron and with bolts and nuts on the other side for tying the cross arms together, including drilling holes for insulator pins/ fittings, bolts, nuts and washers etc (as per drawing) and painting with primer and finish paint as required.	4	Set			0.00	INR Zero Only	
14	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 11 KV grade of above 120 sq. mm and upto 400 sq. mm direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as required.	200	Mtr			0.00	INR Zero Only	
15	Supply and making outdoor cable end termination with heat shrinkable jointing kit complete with all accessories including lugs suitable for 240 sq. mm of 3 core, XLPE aluminium conductor cable of 11 KV grade as required	4	Nos			0.00	INR Zero Only	
16	Supplying and making straight through cable jointing with heat shrinkable jointing kit complete with all accessories including ferrules suitable for 240 sqmm size of 3 core, XLPE aluminium conductor cable of 11KV grade as required	2	Nos			0.00	INR Zero Only	
17	Supply and providing of male contact, back contact, pantograph, copper flexible strip, etc of 11KV grade for repairing of GOAB switch vertical type.	3	Set			0.00	INR Zero Only	
18	Supply and providing of female contact of 11KV grade for repairing of GOAB switch (vertical type).	3	Nos.			0.00	INR Zero Only	
19	Fitting of item no 17 & 18	3	Job			0.00	INR Zero Only	
20	Supply and providing of post insulator 11 KV grade of standard make.	10	Nos			0.00	INR Zero Only	
21	Total Impact of GST for the purpose of CTC	1.000	No.			0.00	INR Zero Only	
Total In Figures						0.00	INR Zero Only	
Quoted Rate in Words							INR Zero Only	

Tender Inviting Authority: Staff Officer(E&M), Bnk Area.							
Name of the Work / Contract No:		Repairing of troublesome L&T make 630 A MCCBs of 250A, 400A and 630A grades along with providing & fitting of LT control switches and shock proof rubber mat at different locations of filter plant in respect of IWSP, B&K Area					
Category of Services (To Be Selected by Department)		Category of Bidder (To Be)	To Be Entered by Department				
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By OI/Subsidiary (in Rs.)	
		Select	18	0.00	0.00	0.00	
Name of the Bidder / Bidding Firm / Company :							
PRICE SCHEDULE							
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	Supply and providing Auxiliary Contact (for L&T make DTH 630 MCCB)	3	no.			0.00	INR Zero Only
2	Supply and providing Shunt Release (for L&T make DTH 630 MCCB)	2	no.			0.00	INR Zero Only
3	Supply and providing UV(under voltage) Release (for L&T make DTH 630 MCCB)	2	no.			0.00	INR Zero Only
4	Supply and providing Auxiliary Contact (for L&T make DTH 400 MCCB)	3	no.			0.00	INR Zero Only
5	Supply and providing Shunt Release (for L&T make DTH 400 MCCB)	3	no.			0.00	INR Zero Only
6	Supply and providing UV(under voltage) Release (for L&T make DTH 400 MCCB)	2	no.			0.00	INR Zero Only
7	Supply and providing Auxiliary Contact (for L&T make DTH 250 MCCB)	1	no.			0.00	INR Zero Only
8	Supply and providing Shunt Release (for L&T make DTH 250 MCCB)	1	no.			0.00	INR Zero Only
9	Supply and providing UV(under voltage) Release (for L&T make DTH 250 MCCB)	1	no.			0.00	INR Zero Only
10	Supply and providing Spreader Terminals (set of 6)	4	no.			0.00	INR Zero Only
11	Providing and framing of MCCB Enclosures (for 630A MCCB).	2	Nos			0.00	INR Zero Only
12	Providing of stand frame (as per sample)	2	nos			0.00	INR Zero Only
13	Erection cost of MCCBs @ 15 % on all the above items	1	job			0.00	INR Zero Only
14	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 32 Amp TP&N	4	Each			0.00	INR Zero Only
15	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 63 Amp TP&N	5	Each			0.00	INR Zero Only
16	Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 100 Amp TP&N	2	Each			0.00	INR Zero Only
17	Supply and providing of rubber mat (Size- 1 Mtr. X 2 Mtr. X 12 mm Thick)	15	Nos.			0.00	INR Zero Only
18	Transportation, pasting(using solution/chemical) fixing of rubber mat on site and supervisor charge @ 15 %	1	Job			0.00	INR Zero Only
19	Total impact of GST for the purpose of CTC	1.000	No.			0.00	INR Zero Only
Total In Figures						0.00	INR Zero Only
Quoted Rate in Words						INR Zero Only	

Tender Inviting Authority: Staff Officer(E&M), Bnk Area.								
Name of the Work / Contract No:								
Comprehensive re-organisation and maintenance of 2x3MVA 11/3.3KV Gandhinagar Substation to avoid clutter free electrical infrastructure including cable termination, foundation, Isolator arrangements alongwith other substation related works in respect of Bokaro Colliery, B&K Area.								
Category of Services (To Be Selected by Department)			Category of Bidder (To Be)	To Be Entered by Department				
ITC Available	Works Contract			Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By Cl./Subsidiary (in Rs.)
				Select	18	0.00	0.00	0.00
Name of the Bidder / Bidding Firm / Company :								
PRICE SCHEDULE								
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)								
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE IN Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	8	
1	Supply of round finished polished Aluminium tube for busbar of dia approx 50mm and thickness 3mm (Weight: 1.390kg per metre, Total length 200 Metre x 1.390kg = 278 kg)	278	kg			0.00	INR Zero Only	
2	Fitting and fixing charges for installation and commissioning of Aluminium bus bar	200	Metre			0.00	INR Zero Only	
3	Providing and fixing of pad connector suitable for bus pipe having outer dia approx 50mm	50	No.			0.00	INR Zero Only	
4	Providing and fixing of T connector suitable for bus pipe having outer dia approx 50mm	25	No.			0.00	INR Zero Only	
5	Providing and fixing of connector of alloy aluminium pipe to pipe suitable for bus pipe having outer dia approx 50mm	18	No.			0.00	INR Zero Only	
6	Providing and fixing of support connector suitable for bus pipe having outer dia 50mm	30	No.			0.00	INR Zero Only	
7	Providing and fixing of B1 metallic connector	25	No.			0.00	INR Zero Only	
8	Supply and providing of 50 mm x 6 mm copper flat for making of Z shape	10	kg			0.00	INR Zero Only	
9	Fitting, fixing including fabrication charges for Z	36	No.			0.00	INR Zero Only	
10	Supplying and erection of three piece nonlinear resistor type lightning arrester suitable for 3 wire, 11 KV overhead lines with rated voltage 9 KV (rms) with a nominal discharge current rating of 5 KA and complete with galvanised clamping arrangement, G.I. bolts, nuts, washers etc. as required.	6	Set			0.00	INR Zero Only	
11	Providing and fixing of corrosion resistant 11KV post insulator	9	job			0.00	INR Zero Only	
12	Re-organization, handling including dressing of HT cables to a safe place to avoid any hindrance in the workplace and again handling and placement of cable as per instruction of Engineer In Charge	350	Metre			0.00	INR Zero Only	
13	Supplying and making outdoor cable end termination with heat shrinkable jointing kit complete with all accessories including lugs suitable for following size of 3 core, XLPE aluminium conductor cable of 11 KV grade as required - 70 sq. mm	4	Each			0.00	INR Zero Only	
14	Providing and fixing H.T. danger notice plate of 250 mm X 200 mm, made of mild steel, at least 2 mm thick, and vitreous enameled white on both sides, and with inscription in single red colour on front side as required.	11	Each			0.00	INR Zero Only	
15	Supply of three pole 11KV 400A isolator with all accessories such as handle	13	No.			0.00	INR Zero Only	
16	Assembling and installation of line/bus isolator on the isolator structure adjusting of opening mechanism in proper alignment so as to ensure smooth operation of the same in case of line isolator	13	Each			0.00	INR Zero Only	
17	Providing and fixing of Electrical / mechanical interlock arrangement between isolators and breaker with all required material	13	Each			0.00	INR Zero Only	
18	Providing of anti skid, fire and oil resistant electrical insulating rubber mat suitable for 11KV grade of minimum size 2m (min) 2m	13	No.			0.00	INR Zero Only	
19	Fixing and pasting of mat with suitable adhesive at suitable locations	13	job			0.00	INR Zero Only	
20	Supplying and installing following size of perforated pre-painted M.S. cable trays with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required. 100 mm width X 50 mm depth X 1.6 mm thickness.	125	Metre			0.00	INR Zero Only	
21	Supply and embedding of GI pipe of size 40mm 3 mtrs long and Back filling with BFC compound (25kg/4 bags for each pit) free from boulders. These GI pipe are to be welded with MS Flat at various places by making mesh frame and cutting of pipes as also making holes in the pipe for water seepage. (The earth pit is to be connected with earth mesh of MS Flat at a depth of 0.5 M).	8	job			0.00	INR Zero Only	
22	Providing and fixing 25 mm X 5 mm G.I strip on surface or in recess for connections etc. as required	400	Metre			0.00	INR Zero Only	
23	Clearing grass and removal of the rubbish up to a distance of 50 m outside the periphery of the area cleared.	8000	sqm			0.00	INR Zero Only	
24	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m.	250	sqm			0.00	INR Zero Only	
25	Earth work in excavation by mechanical means (Hydraulic excavator / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	85	cum			0.00	INR Zero Only	
26	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	12	cum			0.00	INR Zero Only	
27	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level - 1:4:8 (1 Cement : 4 course sand (zone-III) derived from natural sources)	30	cum			0.00	INR Zero Only	
28	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	20	sqm			0.00	INR Zero Only	
29	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 course sand (zone-III) derived from natural sources - 4 graded stone aggregate 20 mm nominal size derived from natural sources)	63	cum			0.00	INR Zero Only	
30	Supply, laying and uniform spreading of gravels of size 50mm (approx) compacted to a thickness of around 100mm	200	sqm			0.00	INR Zero Only	
31	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 course sand)	25	cum			0.00	INR Zero Only	
32	Filling available excavated earth (excluding rock) in trenches, plinths, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	70	cum			0.00	INR Zero Only	
33	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	3170	kg			0.00	INR Zero Only	
34	Providing, hoisting and fixing above plinth level up to floor five level precast reinforced concrete concrete work in sitting courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but, excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 course sand (zone-III) derived from natural sources - 3 graded stone aggregate 20 mm nominal size derived from natural sources).	22	cum			0.00	INR Zero Only	
35	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Treated bars of grade Fe 500D or more	1150	kg			0.00	INR Zero Only	
36	12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	400	sqm			0.00	INR Zero Only	
37	Neat cement pointing	200	sqm			0.00	INR Zero Only	
38	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement :4 course sand)	250	sqm			0.00	INR Zero Only	
39	Finishing walls with water proofing cement paint of required shade. Old work (one or more coats applied @ 2.20 kg (0 sqm) over priming coat of primer applied @ 0.80 liter (0 sqm) complete including cost of Priming coat	700	sqm			0.00	INR Zero Only	
40	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing single iron 'Y' shaped placed 2.4 m or 3.0 m apart and with 9 horizontal R.B.T. reinforced barbed wire, steel tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) : Spring core (2.5 mm thick) wire of high tensile strength of 165 kg sq mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	225	Metre			0.00	INR Zero Only	
41	Supervision, overhead and other incidental cost including contractor's profit @ 10% of estimated cost	1	job			0.00	INR Zero Only	
42	Total impact of GST for the purpose of CTC	1.000	No.			0.00	INR Zero Only	
Total in Figures							0.00	INR Zero Only
Quoted Rate in Words							INR Zero Only	