

Item Rate BoQ

Tender Inviting Authority:-Staff officer(E&M), Barka-Sayal Area, CCL.							
Name of the Work / Contract No:	Wiring of 03 nos. of union offices and 01 no. of quarter under Barka Sayal Area.						
	Category of Services (To Be Selected by Department)	Category of Bidder (To Be Selected by Bidder)	To Be Entered by Department				
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)	
Name of the Bidder/ Bidding Firm / Company :		Select	18	0.00	0.00	0.00	
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8
1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc. as required.	92.00	Nos.			0.00	INR Zero Only
2	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.2 X 4 sq. mm + 1 X 4 sq. mm earth wire	240.00	Mtr.			0.00	INR Zero Only
3	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	360.00	Mtr.			0.00	INR Zero Only
4	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.3 pin 5/6 A socket outlet	20	Nos.			0.00	INR Zero Only

5	Supplying and fixing metal box of 180mm X 100mm X 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 A socket outlet and 15/16 A piano type switch, connections, painting etc. as required	16.00	Nos.			0.00	INR Zero Only
6	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.	32.00	Nos.			0.00	INR Zero Only
7	Supplying and fixing brass batten/ angle holder including connection etc. as required.	40.00	Nos.			0.00	INR Zero Only
8	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.2 x 4 sq. mm	200.00	Mtr.			0.00	INR Zero Only
9	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)olator) 2.3.1 6 way , Double door	8.00	Nos.			0.00	INR Zero Only
10	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MOB DB complete with connections, testing and commissioning etc. as required.Double pole	20.00	Nos.			0.00	INR Zero Only
11	Supplying and fixing metal box of following sizes (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc. as required.200 mm X 300 mm X 60 mm deep	8.00	Nos.			0.00	INR Zero Only
12	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	12.00	Nos.			0.00	INR Zero Only

13	Supply and erection of approved make safe earthing electrode consisting pipe-in-pipe technology as per IS 3043-1987 made of corrosion free G.I. pipes with constant ohmic value surrounded by highly conductive compound with high charge dissipation suitable for effective and maintenance free earthing in earth pit of minimum bore dia. 150mm size, as mentioned below : With 3 metre G.I. pipes having outer pipe dia of 50mm having 80-200 micron galvanizing, Inner pipe dia. of 25mm having 200-250 Micron galvanizing, connection terminal dia. of 12mm in nominal soil with 50 kg (two bag) back filling bentonite compound UL listed and confirm to relevant International/Indian standards around electrode upto ground level.	8.00	Nos.			0.00	INR Zero Only
14	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MOB DB complete with connections, testing and commissioning etc. as required. 63A	4.00	Nos.			0.00	INR Zero Only
15	Providing and fixing of lightning conductor finial, made of 25 mm dia 300 mm long, G.I. tube, having single prong at top, with 85 mm dia 6 mm thick G.I. base plate including holes etc. complete as required	4.00	Nos.			0.00	INR Zero Only
16	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required.	160.00	Mtr.			0.00	INR Zero Only
17	Total impact of GST for the purpose of CTC	1.000	No		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only					