

Tender Inviting Authority: General Manager (Civil)/ TA, CCL, Ranchi

Name of the Work / Annual rate contract of internal electrical maintenance works at DHC, CCL, Ranchi for two year, Vide NIT No. 30 of 25-26.
Contract No:

	Category of Services (To Be Selected by Department)	Category of Bidder (To Be Selected by Bidder)	To Be Entered by Department			
ITC Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18	0.00	0.00	0.00
PRICE SCHEDULE						
(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P
						TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1	Item Description/ Heading					8
1.01	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group: A (Ref. CCL SOR 2024 1.10.1)	100.00	Point			0.00 INR Zero Only
1.02	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group: B (Ref. CCL SOR 2024 1.10.2)	30.00	Point			0.00 INR Zero Only
1.03	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group: C (Ref. CCL SOR 2024 1.10.3)	30.00	Point			0.00 INR Zero Only
1.04	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire (Ref. CCL SOR 2024 1.14.1)	450.00	Meter			0.00 INR Zero Only
1.05	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire (Ref. CCL SOR 2024 1.14.2)	400.00	Meter			0.00 INR Zero Only

1.06	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 4 sq. mm + 1 X 4 sq. mm earth wire (Ref. CCL SOR 2024 1.14.3)	150.00	Meter			0.00	INR Zero Only
1.07	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 6 sq mm + 1 X 6 sq mm earth wire. (Ref. CCL SOR 2024 1.14.4)	50.00	Meter			0.00	INR Zero Only
1.08	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 10 sq mm + 1 X 6 sq mm earth wire (Ref. CCL SOR 2024 1.14.5)	10.00	Meter			0.00	INR Zero Only
1.09	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 4 X 10 sq. mm + 2 X 6 sq. mm earth wire (Ref. CCL SOR 2024 1.14.10)	10.00	Meter			0.00	INR Zero Only
1.10	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 2 X 1.5 sq. mm (Ref. CCL SOR 2024 1.17.2)	500.00	Meter			0.00	INR Zero Only
1.11	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 1.5 sq. mm (Ref. CCL SOR 2024 1.17.3) (Ref. CCL SOR 2024 1.17.3)	450.00	Meter			0.00	INR Zero Only
1.12	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 2 X 2.5 sq. mm (Ref. CCL SOR 2024 1.17.11)	150.00	Meter			0.00	INR Zero Only
1.13	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 2.5 sq. mm (Ref. CCL SOR 2024 1.17.12)	300.00	Meter			0.00	INR Zero Only
1.14	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 4 sq. mm (Ref. CCL SOR 2024 1.17.21)	100.00	Meter			0.00	INR Zero Only
1.15	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 6 sq. mm (Ref. CCL SOR 2024 1.17.30)	25.00	Meter			0.00	INR Zero Only
1.16	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required. 2 Pair. (Ref. CCL SOR 2024 1.18.2)	25.00	Meter			0.00	INR Zero Only
1.17	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 20 mm (Ref. CCL SOR 2024 1.21.1)	200.00	Meter			0.00	INR Zero Only
1.18	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 25 mm (Ref. CCL SOR 2024 1.21.2)	100.00	Meter			0.00	INR Zero Only
1.19	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 5/6 amps switch (Ref. CCL SOR 2024 1.23.1)	50.00	Each			0.00	INR Zero Only

1.20	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 3 pin 5/6 A socket outlet (Ref. CCL SOR 2024 1.23.4)	40.00	Each			0.00	INR Zero Only
1.21	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 5/6 amps switch (Ref. CCL SOR 2024 1.24.1)	600.00	Each			0.00	INR Zero Only
1.22	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 A switch (Ref. CCL SOR 2024 1.24.3)	200.00	Each			0.00	INR Zero Only
1.23	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 3 pin 5/6 A socket outlet (Ref. CCL SOR 2024 1.24.4)	550.00	Each			0.00	INR Zero Only
1.24	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 6 pin 15/16 A socket outlet (Ref. CCL SOR 2024 1.24.5)	150.00	Each			0.00	INR Zero Only
1.25	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. Telephone socket outlet (Ref. CCL SOR 2024 1.24.6)	10.00	Each			0.00	INR Zero Only
1.26	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. Bell Push (Ref. CCL SOR 2024 1.24.8)	20.00	Each			0.00	INR Zero Only
1.27	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. (Ref. CCL SOR 2024 1.25)	100.00	Each			0.00	INR Zero Only
1.28	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required. (Ref. CCL SOR 2024 1.26)	25.00	Each			0.00	INR Zero Only
1.29	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 1 or 2 Module (75mmX75mm) (Ref. CCL SOR 2024 1.27.1)	10.00	Each			0.00	INR Zero Only
1.30	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 3 Module (100mmX75mm) (Ref. CCL SOR 2024 1.27.2)	150.00	Each			0.00	INR Zero Only
1.31	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 4 Module (125mmX75mm) (Ref. CCL SOR 2024 1.27.3)	10.00	Each			0.00	INR Zero Only
1.32	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 6 Module (200mmX75mm) (Ref. CCL SOR 2024 1.27.4)	150.00	Each			0.00	INR Zero Only
1.33	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 8 Module (125mmX125mm) (Ref. CCL SOR 2024 1.27.5)	150.00	Each			0.00	INR Zero Only
1.34	Supplying and fixing following size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 12 Module (200mmX150mm) (Ref. CCL SOR 2024 1.27.6)	10.00	Each			0.00	INR Zero Only
1.35	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 1 or 2 Module (Ref. CCL SOR 2024 1.28.1)	10.00	Each			0.00	INR Zero Only

1.36	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 3 Module (Ref. CCL SOR 2024 1.28.2)	10.00	Each			0.00	INR Zero Only
1.37	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 4 Module (Ref. CCL SOR 2024 1.28.3)	10.00	Each			0.00	INR Zero Only
1.38	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 6 Module (Ref. CCL SOR 2024 1.28.4)	10.00	Each			0.00	INR Zero Only
1.39	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 8 Module (Ref. CCL SOR 2024 1.28.5)	10.00	Each			0.00	INR Zero Only
1.40	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 12 Module (Ref. CCL SOR 2024 1.28.6)	5.00	Each			0.00	INR Zero Only
1.41	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required. (Ref. CCL SOR 2024 1.33)	50.00	Each			0.00	INR Zero Only
1.42	Supplying and fixing call bell/ buzzer suitable for single phase, 230 V, complete as required. (Ref. CCL SOR 2024 1.38)	30.00	Each			0.00	INR Zero Only
1.43	Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable etc. as required (Ref. CCL SOR 2024 1.44)	50.00	Each			0.00	INR Zero Only
1.44	Supplying and fixing extra conduit down rod of 20 cm length G.I. pipe 15 mm dia, heavy gauge including painting etc. as required. (Note : More than 5 cm length shall be rounded to the nearest 10 cm and 5 cm or less shall be ignored) (Ref. CCL SOR 2024 1.48)	30.00	Each			0.00	INR Zero Only
1.45	Painting of ceiling fan in installed position with one or more coats of spray painting with synthetic enamel paint of approved brand and manufacture to give an even shade, including cleaning of surface with detergent etc. as required. (Ref. CCL SOR 2024 1.52)	25.00	Each			0.00	INR Zero Only
1.46	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required. 1 run of cable (Ref. CCL SOR 2024 1.53)	50.00	Each			0.00	INR Zero Only
1.47	Supplying and fixing PVC batten/ angle holder including connections etc. as required. (Ref. CCL SOR 2024 1.58)	50.00	Each			0.00	INR Zero Only
1.48	Providing and fixing following rating and breaking capacity and pole MCCB with thermomagnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as required. 100 A,30KA,FPMCCB (Ref. CCL SOR 2024 2.2.13)	3.00	Each			0.00	INR Zero Only
1.49	Providing and fixing following rating and breaking capacity and pole MCCB with thermomagnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as required. 200 A,30KA,FPMCCB (Ref. CCL SOR 2024 2.2.15)	2.00	Each			0.00	INR Zero Only

1.50	Providing and fixing following rating and breaking capacity and pole MCCB with thermomagnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as required. 400 A,30KA,FPMCCB (Ref. CCL SOR 2024 2.2.18)	1.00	Each			0.00	INR Zero Only
1.51	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 6 way , Double door (Ref. CCL SOR 2024 2.3.1)	3.00	Each			0.00	INR Zero Only
1.52	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 8 way , Double door (Ref. CCL SOR 2024 2.3.2)	3.00	Each			0.00	INR Zero Only
1.53	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) 12 way , Double door (Ref. CCL SOR 2024 2.3.3)	3.00	Each			0.00	INR Zero Only
1.54	Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required (But without MCB/RCCB/Isolator) 4 way (4 + 12), Double door (Ref. CCL SOR 2024 2.4.1)	1.00	Each			0.00	INR Zero Only
1.55	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole (Ref. CCL SOR 2024 2.10.1)	50.00	Each			0.00	INR Zero Only
1.56	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole & neutral (Ref. CCL SOR 2024 2.10.2)	10.00	Each			0.00	INR Zero Only
1.57	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Triple pole & neutral. (Ref. CCL SOR 2024 2.10.5)	5.00	Each			0.00	INR Zero Only
1.58	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required (Ref. CCL SOR 2024 2.11)	20.00	Each			0.00	INR Zero Only
1.59	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 A (Ref. CCL SOR 2024 2.12.1)	10.00	Each			0.00	INR Zero Only
1.60	Supplying and fixing following rating, double pole, 240 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 A (Ref. CCL SOR 2024 2.12.2)	1.00	Each			0.00	INR Zero Only
1.61	Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 40 A (Ref. CCL SOR 2024 2.13.1)	1.00	Each			0.00	INR Zero Only

1.62	Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 A (Ref. CCL SOR 2024 2.13.2)	10.00	Each			0.00	INR Zero Only
1.63	Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 100 A (Ref. CCL SOR 2024 2.13.3)	5.00	Each			0.00	INR Zero Only
1.64	Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required. (Ref. CCL SOR 2024 5.4)	2.00	Each			0.00	INR Zero Only
1.65	Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. (Ref. CCL SOR 2024 5.7)	20.00	Meter			0.00	INR Zero Only
1.66	Supplying of PVC board 2 module (Analysed rate)	15.00	Each			0.00	INR Zero Only
1.67	Supplying of PVC board 3 module (Analysed rate)	15.00	Each			0.00	INR Zero Only
1.68	Supplying of PVC board 4 module (Analysed rate)	15.00	Each			0.00	INR Zero Only
1.69	Supplying of PVC board 6 module (Analysed rate)	15.00	Each			0.00	INR Zero Only
1.70	Supplying of PVC board 8 module (Analysed rate)	15.00	Each			0.00	INR Zero Only
1.71	Supplying of PVC board 12 module (Analysed rate)	15.00	Each			0.00	INR Zero Only
1.72	Supplying of 3 pin top 5 Amp, ISI marked (Analysed rate)	80.00	Each			0.00	INR Zero Only
1.73	Supplying of 3 pin top 15 Amp, ISI marked (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.74	Supplying of TRS cable 3 core 4 sq mm ISI marked (Analysed rate)	250.00	Meter			0.00	INR Zero Only
1.75	Supplying of ceiling fan capacitor 2.5 mfd, ISI marked (Analysed rate)	125.00	Each			0.00	INR Zero Only
1.76	Supplying of ceiling fan capacitor 3.5 mfd, ISI marked (Analysed rate)	125.00	Each			0.00	INR Zero Only
1.77	Supplying of RJ45, Anchor/Havells or equivalent make as per direction of EIC (Analysed rate)	5.00	Each			0.00	INR Zero Only
1.78	Supplying of remote call bell, any reputed make, as per direction of EIC (Analysed rate)	25.00	Each			0.00	INR Zero Only
1.79	Supplying of Pencil battery AA, any reputed make, ISI marked (Analysed rate)	300.00	Each			0.00	INR Zero Only
1.80	Supplying of Pencil battery AAA, any reputed make, ISI marked (Analysed rate)	300.00	Each			0.00	INR Zero Only
1.81	Supplying of red /green LED bulb 0.5 Watt (Retro fit).Make:- Philips/ Crompton/Havells/ Bajaj/ Mescab,or equivalent as per direction of EIC (Analysed rate)	20.00	Each			0.00	INR Zero Only
1.82	Supplying of inverter LED bulb 9W of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	10.00	Each			0.00	INR Zero Only
1.83	Supplying of recessed mounting LED round down light 9 watt of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.84	Supplying of recessed mounting LED round down light 12 watt, of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.85	Supplying of recessed mounting LED round down light 15 watt of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	850.00	Each			0.00	INR Zero Only

1.86	Supplying of recessed mounting LED round down light 18 watt, of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	400.00	Each			0.00	INR Zero Only
1.87	Supplying of 10 watt LED bulb pin/screw type, of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	100.00	Each			0.00	INR Zero Only
1.88	Supplying of 20 watt LED bulb pin/screw type, of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.89	Supplying of LED tube light 20 watt of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	1050.00	Each			0.00	INR Zero Only
1.90	Supplying of LED 1X1 24W ceiling light of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.91	Supplying of LED 2X2 ceiling light of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	450.00	Each			0.00	INR Zero Only
1.92	Supplying of 10 Watt LED mirror light, 2ft length of make Havells, Bajaj, Philips, Crompton etc as per direction of EIC (Analysed rate)	5.00	Each			0.00	INR Zero Only
1.93	Supplying of 415V Triple pole and Neutral MCB in an existing MCB DB of 63A capacity, of any reputed make, as per direction of EIC (Analysed rate)	1.00	Each			0.00	INR Zero Only
1.94	Supplying of 415 V Triple pole and Neutral MCB in an existing MCB DB of 100A capacity, of any reputed make, as per direction of EIC (Analysed rate)	5.00	Each			0.00	INR Zero Only
1.95	Supplying of Flexible pipe as required.(Analyzed Rate)	50.00	Each			0.00	INR Zero Only
1.96	Supplying of casing capping 3/4" any reputed make as per direction of EIC (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.97	Supplying of casing capping 1" any reputed make as per direction of EIC (Analysed rate)	50.00	Each			0.00	INR Zero Only
1.98	Supplying of bush for wall fan/cooler etc as required.(Analysed rate)	25.00	Each			0.00	INR Zero Only
1.99	Supplying of bearing 6201 as required.reputed make (Analysed rate)	50.00	Each			0.00	INR Zero Only
2.00	Supplying of bobbin for ceiling fan (Analysed rate)	50.00	Each			0.00	INR Zero Only
2.01	Supplying of wool wood pad for air cooler of different makes as required.(Analyzed Rate)	50.00	Each			0.00	INR Zero Only
2.02	Supplying of water pump for air cooler of different makes as required (Analysed rate)	25.00	Each			0.00	INR Zero Only
2.03	Supplying of fan blade with bush air cooler of different makes as required (Analysed rate)	15.00	Each			0.00	INR Zero Only
2.04	Supplying of fan motor for air cooler of different makes as required (Analysed rate)	15.00	Each			0.00	INR Zero Only
2.05	Supplying of Aluminium lugs 70 sq mm etc as required.(Analysed rate)	30.00	Each			0.00	INR Zero Only
2.06	Supplying of Aluminium lugs 95 sq mm etc as required.(Analysed rate)	30.00	Each			0.00	INR Zero Only
2.07	Rewinding of ceiling fan with materials heat varnishing removing & refitting (Analysed rate)	70.00	Each			0.00	INR Zero Only

2.08	Repairing of exhaust fan (Analysed rate)	20.00	Each			0.00	INR Zero Only
2.09	Repairing of inverted pyramid type LED bollard for garden light (Analysed rate)	100.00	Each			0.00	INR Zero Only
2.10	Labour charge for providing of one Electrical Helper (Analysed rate)	200.00	Day			0.00	INR Zero Only
2.11	Labour charge for providing of one Skilled Electrician (Analysed rate)	400.00	Day			0.00	INR Zero Only
3	Total impact of GST for the purpose of CTC	1.00	Nos		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only					