Fender Inviting Auth	ority: Staff officer(E&M), Dhori Area.						
	Repairing, rewinding and maintenance of 1 no of 150 HP motor and 02 nos 120 HP, 550 Volt, 1440 RPM motor at Dhori Area						
	Category of Services (To Be Selected by Department)		Category of Bidder (To Be Selected by Bidder)	To Be Entered by Department			
TC Available	Works Contract		Bidder's Status (Mandato ry)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :			Select	18	0.00	0.00	0.00
	PRICE SCHEDL (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent column		idder is liab	le to be rejecte	d for this tender. Bidder	rs are allowed to enter the Bio	lder Name and Values only)
NUMBER#	TEXT #	NUMBER #		NUMBER	NUMBER #	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P		TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7	8 INR Zero Only
1.01	Cost of new copper wire Less scrap value (-)	195	kg Job				INR Zero Only
1.03	Insulation cost	1	Job				INR Zero Only
1.04	Labour cost	1	Job			0.00	INR Zero Only
1.05	Flexible copper terminal lead with glass insulation	18	Nos.				INR Zero Only
1.06	New CI casting machining of bearing housing as per shape and size	2	Nos.			0.00	INR Zero Only
1.07	End cover housing repairing by CI electrode welding and machining as per bearing size	2	Nos.			0.00	INR Zero Only
1.08	Complete opening, fitting after full overhauling, cleaning & both end bearing greasing	3	Nos.			0.00	INR Zero Only
1.09	Motor rotor shaft both side missed thread repairing and rethreading by full round welding machine and new threading as per standard size	4	Nos.			0.00	INR Zero Only
1.1	Supply of suitable size copper lug of required rating/size including crimping, connection, fixing etc,	18	Nos.				INR Zero Only
1.11	Damaged/old bearing opening by Pooler and gas cutting after opening of bearing new bearing fitting	3	Nos.			0.00	INR Zero Only
1.12	Rotor shaft bearing place repairing by electrode welding/sleeve making as per bearing size with rotor alignment etc	3	Nos.			0.00	INR Zero Only
1.13	Gas heating and cutting grinding etc work of both end connection point, strip bars for old damage bar dismantling.	62	Nos.			0.00	INR Zero Only
1.14	After repairing and changing strips bars complete new breezing and copper bars shape making and fixing small slot grinding machine of breezing point.	62	Nos.				INR Zero Only
1.15	Motor rotor alignment checking on lathe machine & true cut machining, polishing	1	Nos.			0.00	INR Zero Only
1.16	Cracked fan cover repairing cost	2	Nos.				INR Zero Only
1.18	Supervision, incidental over head expenses & contractor profit	1	Nos.				INR Zero Only
2	Total impact of GST for the purpose of CTC	1.000	Nos		0.00	0.00	INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in Wo	ords		•	•	II	NR Zero Only	

tender truiting Auth	naity Staff of Scot(REAS), Charl Rea.						
	Word of \$1 South abortists incide for counters on \$75s. Midt Midt Midt Midt Midt Midt Midt Midt						
Name of the Work / Contract No:	Work of (A) Fresh electrical wiring for quarters no. N/2s, N/EL,N/EL, N/ES, N/ES, N/ES, N/ES and N/ES (N) Markhaes Trade union LCWA Area office near Phuso old Railway gate under G.M., unit, Ohori Area			an unit p			
	Calegory of Services (1s Se Selected by Corportment)		Category of Bidder (to be belieded	To Be Entered by Department			
C Not Available	Warks Contract		Middely Middely Status (Mandata	Nation of CST (in N)	Tatal GST(in Rs.)	CST to be Poid By Sidder (in Rs.)	GST to be Fold By CL/Subsidiary (in R
ame of the idden/ Edding			nd Select	(414)		(max)	
im /Company:					0.00	4.00	
(This	FIRST SCHOOL TO COME AND A SCH	<u>at</u> u, else the	oldder is Tia	ble to be rejec	led for this tender. Bid	des are allowed to enter the	Bidder Name and Values only)
NUMBER I St. No.	1927 E Ben-Description	Number Quantity	TEXT #	NUMBER Estimated Rate in No. 7	MANUEL IN Agures To be entered by the	NUMBER NOTEL AMOUNT Without Takes in	TOTAL AMOUNT
				No. P	Rigures To be entered by the Bidder in No. F	Tanti in	In Words
101	Part A: Quarters no. 8/24, 8/41,8/42, 8/43, 8/44, 8/46, 8/52 and 8/54 (Do not fill rate for this item or fill '0')		no.			6.50	Dik Zero Only
102	Wring for injute point? It is point? what it his point? call their point with 1.5 or min PRE PVC included copper canductor oxige care Cable in writine? Increased medium Cast PVC conduit, with modular switch, modular place, writished to box and earthing the point with 1.5 or min. MEX PVC included opper conductor oxigit care cable wit or required (1) right point/with point is.	128	tadi			6.80	NR Zero-Ouly
1.01	not, (i) thele paint is not (ii) fare paint is a not (iii) fare paint is a not (iii) fare paint is not (iii) fare paint is not (iii) fare paint (iii) fail fail fail fail fail fail fail fail	- 1	tads			0.00	DR Zev-Ouly
104	phenois consisted direct clove in FESSant inbuting providing and thing I pin TYL bings cocket coulted and TYL bings passed type exists. Connection, activities etc. In encourse. If ther failt induct to be used to one recorded buildings! Supplying and fissing metal box of EBSinin X ESSant X Bollow deep gloomenal state) on surface or in recess with outside size of	35	Tach.			6.86	Dik Zero Guly
105	topping and fixing vertal bus of 180mm x 100mm x 80mm deep (named car) on surface cris incress with exitative case of phenolic learnables direct cover in PRESENTENDING providing and fixing it gives high its 70/18 lengs cocker custor and 11/08 lengs usuch here restly, connections, calenting etc. as remained. Topping partitioning have module obspecting or instrument facts regulator on the existing modular plate custoft has including		Tach			6.50	Dik Zese Only
100	sometions but excluding modular plots etc. as required		Tach			6.50	Dik Zero Only
	topping and fixing 1 amps to 12 amps coting, 350/515 volts, 15 LA, "C" over, immature circuit breaker outside for industries load of fictions of units in the evidence MCS Distributions with coloronal to disconsistance and a consistency of the coloronal and coloronal					0.00	DR Zev-Ouly
1.07	Suppling and fining following ving, outglepide and e-most, deset over, MEX.distribution board, 200-ode, on orfice) moves, supplies with fining outgrept to be to private be boar, each bor, do to be, steerconestice, plander painted including earthing 450, as maked, that without MCMRCE situations.	*	tads			849	NR Secularia
1.08	Providing and Sang Editioning Opportry TMM disconnector face and other with mode. The existing pend board with 15 modes dett. faces modifying diffiling folials modes panel, making connections, etc. as: Southless and filency brock bitters' and in bridge including connection etc. as devasted.	86	Tada Tada			6.10	DR Zev-Only
111	bookhoes and fivour brook batten/ angle holder unbudeur somertion etc. po encored. supplying and fiving it yes, it are greatly race on the existing particle fixed wooden black and also goomeration etc. as experted. bookhoes and displaced fiving over of PEX PEC woulded coolery and duties. bookhoes and displaced filter over over of PEX PEC woulded coolery and duties.	66 130	Each MO			0.00	Dik Zero Daly
111	topping and dismingfallowing case of PELS PCC insulated copper candidate, single core cable in other exciting technique of increased resets (PEC consult as expected that topping topping and dismingfallowing case of PELS PCC insulated copper candidate,	130	MD MD			6.50	Dik Zero Only
1.18	Suppling and drawing following sales of PEER PCE visuables copper conductor, copies one copies with a extense calcular increased event PCE conduct as moused that Tourism Supplings and refuse of Tourismag sear of mobile under VCE conduct as compared and Exercises in surface/event conducting custing the wall and making good the come in case of increased conduct acceptance.	790	any .			0.00	Dik Zero Only
1.14		1	200			0.00	Dik Zero Only Dik Describelo
1.15	Part 8: Barkhand Collery Shranik Union Office (Do not RE rate for this item or RE VS) Wrong brings powy? In a young should the young child point with 3.5 op now YEAR PC would not County or under child young contact with the year collection cutting. On receive means of the year collection cutting or within 3 personal content of personal collection. With 50 on or earlings the young with 1,5 op now PEEL PVC wouldest dopper conductor single-story Colle with 2 or required. A) Bask young		posit			***	Distancing
1.16	awar years. Weeng for light gover) fan yearst watuurt fan yoord call het yearst with 1.5 op men YEC PVC recultant copyer canductor single care calde in curface / receivad medium class EPVC conduit, with granchyse switch, phenolic laminated sheet, custable size VSL bis and earthing the yearst with 1.5 op min YEC EPVC resultated copyer conduitate single sizer calde HIL as required. B) Table point	4	point			6.50	Dik Zero/haly
			point			4.64	Dik Sev-Only
1.17	Wrong for right point? Tap paint; who can't the point; call bed points with 3.5 op mon PREX PC invalidated copper-conductor enging and called in called in Jerocosted medium tools PCC conduct, but planned give visitors, between the called dever, catallate of MS. Data and earthway the point with 3.5 op min PREX PPC invalidated copper conductor ringle sters called ext. as required. Cytan- point.						
1.18	wong faringt penny fan paust, enbach the pont) call hel paus with 15 kg mm PEE PC incutated copper canductor angle size Calle in surface / increased medium discPPC conduit, with panningse winth, phenolistiminated them, catalale size MS. Sois and extinguishe point with 15 kg mm. PEE PC incutated copper conductor ungle core Calle RC. 20 required. Ojto-		point			6.50	DR Security
1.19	hand point. Wring for light point/fan point/ exhaust fan point/ call bell point with 1.5 op nin PRE PVC roulded copper conductor ongle.	1	point			6.60	Dik Sex-Only
	bel poxt		eath			6.50	DSR Zero-Only
1.2	Suppling and filtering metal base of 150mm X. Timon X. Bottom deep (nominal case) on unlike as in necess with outsides size of planetics Examinated observations on charging and outside grounding and filtering from 15% assignment of the 15% assignment of the planetics of the case of						
1.21	topplying and fixing metal box of 180mm X 100mm.X 60mm deep (namenal core) on surface or in recess with outside core of phonoist immedied obert cover in fixed including providing and fixing is jim 1/9 & 73/70 amps; occler control and 73/70 amps; paino hybe restrict, connections, pasting etc. Scienquent.		each			0.00	Dik Zero Only
1.22	plan type tamb, converting parting 4tt. is required. Wrong for anoth? subman vising analysis shads was with the following cost of MSLFVC moutand supper conductor, ongle case cable in surface/ monocedimedium closs PVC conductor equired ZTE og min + TX 6sq, nim earth wire.	9	mar.			6.50	DR 2ev-Ouly
121	tupping and fixing 1 amps to 12 amps rating, 355/EST valls, "C" cave, ministure croat becase cartable for inductive load of following poles in the existing MCE DB complete with connections, testing and commocooring etc. as required.	1	each			6.50	Dik Zero Daly
1.24	topping and fixing Soloung way, usigle pole and neutral, where carel, MCEA distribution board, 200 with, on curface/ reces, complete with time-dropper backer, neutral bucker, each for, distor, interconnections, powder painted including earthing HCL as required. (But without MCEA (MCCEA) halloot) 2 + 4 way 6 way, coulde door	1	each			646	Dik Zero Only
1.25	Providing and fixing following capacity TPEN disconnector fuse carbon unit mode the existing gainet board with 82 marked MEC fuses including drifting folies in colocie panet, making connections, etc. acrequires. 32 Amy 17 EAX	1	eath			6.60	Dik ževečnily
1.26	Supplying and drawing following cases of PELS PVC insulated copper conductor, single-time cable in the existing surface/ exercised steel/ PVC conduct as required. 4s 15 sq. min	-	mbr.			6.86	Dik Zere-Duly
1.27	tupping and drawing following class of PRIX PVC insulated copper canductor, raigle core cable in the existing surface) received direct PVC conduct as reasoned. It is soon in	75	mtr.			0.00	Dik Zero-Only
1.28	the will and reaking good the came is case of increased conduct as required. Zonon.		497			***	NR house
1.29	soppopul aministrig veryper sppe retrients, van regionale van ter existing ministrie paine versus son existening commissions was sealunding modeling plate etc. Se required. Supplying And fixing brook batten/ angle holder including connection etc. 24 required.	,	eath			6.56	Dik Zero Only
1.81	topping and having I pro, I amy ording rose on the existing portion body wooden block including connection est as enquiest.	,	eath			0.00	PG Zeroduly
1.01	supply of bulk treats uno Part C: Trade union UCWA Area office (Do not fill rate for this item or fill '0')	1	each 100			6.00	Dik Zero Daly Dik Zero Daly
1.85	VEH C. FINDS UNION U. WAY AYES OFFICE (U.O. DCT III 1798 FOT THIS INDEX OF SIX 19). When the high people for poorly element this people of their people with 1.5 as, may TREAT PVC invalided copper conductor coppe size colden in unfacely encounted them, the PVC conduct, with people coults, plecedic beneated them, contains our M.S. Albert and the conductor of the	36	nas.			6.50	Dik Zero/haly
	tight point Wring for light point/ fan point/ exhaust fan point/ citl beit point with 15 ap inin PRS PVC insulated copper conductor cogle		166			0.00	DNR Zero-Chaly
1.00	Wring for light point film point enhant fan point (all hell point with 13 sq. min PRLTMC modered copper consultar copper user calles in urface) reconselementum class PPC content, with passingue cwitch, phenolic binisteds there, cutable cut MSL dos and earthing the point with 13 sq. min PRLTMC insultant copper conductor copper user caller exc. as enjuried. Group 8. 3) Pan point						
1.87	TOTING for light point/ fan point/ exhaunt fan point/ call beil point, with 13 sq. min PRIS PVT insulated copper conductar logic care calle in surface/ excessfundsium that rVT conduct, with 3 participes useful, pleasalt internated chees, cutalitie cas MSI. In the surface was surfaced by participes that the conducted copper conduction coefficience which was recognized cologic for called the compression down A color and complete conductive complete conductive surfaced copper conductive coefficient coefficient for surfaced copper conductive coefficient coefficient for surfaced coefficient c	30	nac.			0.00	DR Zero Only
1.98	With the first owning, the present and a proposed section of the proposed sect	ш	nac.			6.60	Dik Zero Only
1.09	sacts, connection, pareing ext. as required, (that lights place to be used on non-recollectal buildings). Supplying and favor custable to the old has with mobilitar place and cover in finite or unlike error recess, including providing and fixing sport, the XIVI has provided and under could not only this morp models uncoded, connecting, ext. as required.		NAS.			0.00	DR Zero Guly
1.4		2	665.			0.00	Dik Sere-Only Dik Sere-Only
141	supply and many tampes on a major contag. 200/CET valls, "C" curve, minuture count breaker cutable for industries load of Soldowing poles in the existing MCE DE complete with connections, testing and commissioning est. as required, Single pole & new College of the existing MCE DE complete with connections, testing and commissioning est. as required, Single pole & reaching and figure Soldowise ways, coule note and reaches of these cities. MCE distribution based 200-valls, or curban Previous	Ĺ	-				DR Severbalo
140	complete with timed support but hav, exercial but but, earth hav, don but undecommendant, powder panied struking earthing earthing exits air-panied, but without MACROCCE/subjects () 2 4 single way, doubte door.	Ĺ					NR house
1.61			adic.			0.00	environy
1.61	topping and dowing following core FRESTY: Insultated supper conductor, stagle core cable in existing our face/ invested stagle/PYCConductor sequental, call \$450,pmm toppings and dowing following core FRESTY: Insultated supper conductor, stagle core cable in existing surface/ invested supper conductor, stagle core cable in existing surface/ invested	12	MIC.			6.50	Dik Zero Only
1.06	Supplying and fixing brack battery larger holder including connection etc. as required.	36	665.			6.86	Dik Zero/haly
1.07	Supplying and fixing 8 pin, 9 anys criting rise on the earting junction boa? wooden block including somection etc. as required. Explying and fixing capped type electrons far-regulater on the earting modular plate witch bias including connections but	18	nac.			6.50	DR Zero Daly
1.09	excluding conditionates acceptions. Providing and fining following spacety 77 BM disconnector fuse carbot unit coulde the existing panel board with 82 marked HMC Super including diffing finder in coloide panel, making connections, etc. acceptions. It Amp 17 BM.		nas.			6.60	Dik Zero-Duly
1.5	topply anothering of M.S. for frang of more outsts. Providing and flang tomin dia x 3.2 metric d.1. pipe (including accessoring unipher with 30mm x 50mm x 50mm angle rose.)	1	SHL NAC	F		0.00	DSR Zero-Only DSR Zero-Only
1.51	broaked on wall and Thims is Stome shoulds insulation with chapt for house service connection including pointing the angle and this rise with gointer and friest point etc. as explained. Tabilities with CLC sects false 800 mm is 800 mm is 6 mm thick including assessment, and providing massionry exclusive with sower plate having biology broangement and watering pape of 2.7 metric long with dismittally calle and call as required.	,	set.			0.00	Dik Zero Only
	cover plate having tocking arcongeniest and watering pape of 2.7 metre hong with chancial/cole and calt as required. Supply of 200 fuller light 20 wait.	30	NA.	-		***	Dik Zero Only
114	trestriation of tube right.	30	nas. Nas		460	98.9	DSR Security DSR Security
131 134 2	Total impact of GST for the purpose of CTC	1.000	Nus				