Validate Print Help Item Rate BoQ

| Validate | Print Help Item Rate BoQ | | | | | |
|--|---|----------|---|---|-------------------------------------|---|
| Tender Inviting Author | rity: Project Engineer(E&M), Gidi-C Collliery,Agada Area, CCL | | | | | |
| Name of the Work / Contract No: | Repairing and reconditioning of 3.3KV, 200Amp HT Starter Make Sail Technic SL No. SAHD-2426 of Giddl-C under Argada Area | | | NIT No: PE(E&M)/Gidi-CreNIT/2024-25/08 Dated:22.07.2024 | | |
| | Category of Services (To Be Selected by Department) | | Category of Bidder (To Be Selected by Bidder) | | | |
| ITC Available | Works Contract | | Bidder's Status (Mandatory) | Total GST(in Rs.) | GST to be Paid By Bidder (in Rs.) | GST to be Paid By CIL/Subsidiary (in Rs.) |
| Name of the Bidder/ Bidding Firm / Company : | | | Select | 0.00 | 0.00 | 0.00 |
| PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | |
| NUMBER # | TEXT # | NUMBER # | TEXT # | NUMBER# | NUMBER # | TEXT # |
| SI. No. | Item Description | Quantity | Units | BASIC RATE In Figures To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 1 | Cost of Vacuum interrupter bottle | 2 | No | | 0.00 | INR Zero Only |
| 2 | Cost of Rectifier unit | 1 | No | | 0.00 | INR Zero Only |
| 3 | Cost of Current transformer 200/5 A | 1 | No | | 0.00 | INR Zero Only |
| 4 | Cost of Voltmeter | 1 | No | | 0.00 | INR Zero Only |
| 5 | Cost of Ammeter | 1 | No | | 0.00 | INR Zero Only |
| 6 | Cost of Auxiliary switch | 1 | No | | 0.00 | INR Zero Only |
| 7 | Labour cost & OH profit | 1 | Job | | 0.00 | INR Zero Only |
| 8 | Total impact of GST for the purpose of CTC | 1.000 | Nos | 0.00 | | INR Zero Only |
| Total in Figures | | | · | | 0.00 | INR Zero Only |
| Quoted Rate in Words | | | INR Zero Only | | | |