

Validate

Print

Help

Percentage BoQ

Tender Inviting Authority: Staff Officer Civil Piparwar Area.

Name of Work : Repair of protection wall for pond water and damaged drain along protection wall and RCC pillar with G.I. Barbed wire fencing around wash coal or Raw coal stoc at CHP CPP under HP CPP, Piparwar Area.

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	t	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1.01	PART A Earthworkinexcavationbymechanicalmeans(Hydraulicexcavator)/manual meansinfoundationtrenchesor drains(notexceeding1.5minwidthor10 sqmonplan),includingdressingofsidesandrammingofbottoms,foralllift, includinggettingouttheexcavatedsoilanddisposalofsurplusexcavatedsoil as directed, within a lead of 50 m. All kinds of soil.	82.840	cum	188.45	15611.20	INR Fifteen Thousand Six Hundred & Eleven and Paise Twenty Only
1.02	Providingandlayinginpositioncementconcreteofspecifiedgrade excluding the cost of centering and shuttering - All work up to plinth level :1:4:8(1Cement:4coarsesand(zone-III)derivedfromnaturalsources:8 graded stone aggregate 40 mm nominal size derived from natural sources)	1.710	cum	5167.75	8836.85	INR Eight Thousand Eight Hundred & Thirty Six and Paise Eighty Five Only
1.03	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1cement:1.5 coarses and (zone-III) derived from natural sources :3 graded stone aggregate 20 mm nominal size)	15.590	cum	7365.50	114828.15	INR One Lakh Fourteen Thousand Eight Hundred & Twenty Eight and Paise Fifteen Only
1.04	Reinforcedcementconcreteworkinwalls(anythickness),including attachedpilasters,buttresses,plinthandstringcourses,fillets,columns, pillars,piers,abutments,postsandstrutsetc.aboveplinthleveluptofloor five level, excluding cost of centering, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	8.580	cum	8441.35	72426.78	INR Seventy Two Thousand Four Hundred & Twenty Six and Paise Seventy Eight Only

1.05	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	1933.600	KG	75.85	146663.56	INR One Lakh Forty Six Thousand Six Hundred & Sixty Three and Paise Fifty Six Only
1.06	Centering and shuttering including strutting, propping etc. and removal of form for Walls any thickness) including attached pilasters, buttersesses, plinth and string courses etc.	132.000	sqm	538.75	71115.00	INR Seventy One Thousand One Hundred & Fifteen Only
1.07	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	23.920	Cum	5322.15	127305.83	INR One Lakh Twenty Seven Thousand Three Hundred & Five and Paise Eighty Three Only
1.08	12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1 cement: 4 fine sand)	128.000	sqm	284.75	36448.00	INR Thirty Six Thousand Four Hundred & Forty Eight Only
1.09	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate	88.000	sqm	452.50	39820.00	INR Thirty Nine Thousand Eight Hundred & Twenty Only
1.10	Providing and laying Non Pressure NP-3 class (Medium duty) R.C.C. pipes including collars/spigot jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement: 2 fine sand) including testing of joint setc. Complete 600 mm dia RCC pipes.	7.500	Mtr	2612.40	19593.00	INR Nineteen Thousand Five Hundred & Ninety Three Only
1.11	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge. All kinds of soil	315.000	Cum	128.05	40335.75	INR Forty Thousand Three Hundred & Thirty Five and Paise Seventy Five Only
1.12	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundation setc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 m and for all lift	315.000	Cum	114.40	36036.00	INR Thirty Six Thousand & Thirty Six Only
1.13	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift up to 1.5 m. All kinds of soil	1400.000	sqm	19.75	27650.00	INR Twenty Seven Thousand Six Hundred & Fifty Only
1.14	Supplying and stacking of hard stone (for stone pitching) 22.5 cm thick at site.	210.000	cum	920.90	193389.00	INR One Lakh Ninety Three Thousand Three Hundred & Eighty Nine Only
1.15	Dry stone pitching 22.5 cm thick laid in courses and required profile with hammer dressed stones having no side less than 15 cm, with minimum depth of 20 cm including preparing the bedding surface etc. all complete. (Payment for Stone to be made separately).	1400.000	sqm	398.25	557550.00	INR Five Lakh Fifty Seven Thousand Five Hundred & Fifty Only
1.16	PART B Earthwork in excavation by mechanical means (Hydraulic excavator)/manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	312.670	Cum	188.45	58922.66	INR Fifty Eight Thousand Nine Hundred & Twenty Two and Paise Sixty Six Only

1.17	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement:2 coarse sand (zone-III) derived from natural sources:4 graded stone aggregate 20 mm nominal size derived from natural sources)	155.580	Cum	6490.90	1009854.22	INR Ten Lakh Nine Thousand Eight Hundred & Fifty Four and Paise Twenty Two Only
1.18	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement- All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)	83.590	Cum	7365.50	615682.15	INR Six Lakh Fifteen Thousand Six Hundred & Eighty Two and Paise Fifteen Only
1.19	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	7330.000	Kg	75.85	555980.50	INR Five Lakh Fifty Five Thousand Nine Hundred & Eighty and Paise Fifty Only
1.20	Centering and shuttering including strutting, propping etc. and removal of form for Columns, Pillars, Piers, Abutments, Posts and Struts	619.200	Sqm	621.80	385018.56	INR Three Lakh Eighty Five Thousand & Eighteen and Paise Fifty Six Only
1.21	Fencing with R.C.C. post placed at required distance, embedded in cement concrete blocks, every 15th post, last but one end post and corner post shall be struted on both sides and end post on one side only, provided with horizontal lines and two diagonals of barbed wire weighing 9.38kg per 100 metres (minimum), between the two posts fitted and fixed with G.I. staples on wooden plugs or G.I. binding wire tied to 6mm bars fixed while casting the post (cost of R.C.C. posts, struts, earthwork and concrete to be paid for separately) :- Payment to be made per metre cost of total length of barbed wire used. With G.I. barbed wire metre	21237.000	Mtr	10.25	217679.25	INR Two Lakh Seventeen Thousand Six Hundred & Seventy Nine and Paise Twenty Five Only
1.22	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					4350746.46	INR Forty Three Lakh Fifty Thousand Seven Hundred & Forty Six and Paise Forty Six Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words	INR Zero Only					