

| Tender Inviting Authority: Staff officer(E&M), Dhori Area. | | | | | | | | |
|---|--|----------|--------|---------------------------------------|--|-------------------------------------|-----------------------------------|---|
| Name of the Work / Contract No: | Repair & maintenance of 440V OH line at new Visthapit colony under CCD, G.M unit, Dhori Area." | | | | | | | |
| | Category of Services (To Be Selected by Department) | | | Category of Bidder (To Be Department) | To Be Entered by Department | | | |
| ITC Not Available | Works Contract | | | Bidder's Status (Mandatory) | Rate of GST (in %) | Total GST(in Rs.) | GST to be Paid By Bidder (in Rs.) | GST to be Paid By CIL/Subsidiary (in Rs.) |
| Name of the Bidder/ Bidding Firm / Company : | | | | Select | 18 | 0.00 | 0.00 | 0.00 |
| PRICE SCHEDULE | | | | | | | | |
| (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | | | |
| NUMBER # | TEXT # | NUMBER | TEXT # | NUMBER | NUMBER # | NUMBER # | TEXT # | |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE In Figures To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 1.01 | Supply of cement pole. | 8 | Each | | | 0.00 | INR Zero Only | |
| 1.02 | Dismantling of over head lines comprising of copper/ aluminium over head conductor, G.I. wire, cross arms, insulators etc. as required. | 1255 | kg | | | 0.00 | INR Zero Only | |
| 1.03 | Dismantling of pole/ street light standard/ strut embedded in cement concrete foundation etc. as required. | 8 | Each | | | 0.00 | INR Zero Only | |
| 1.04 | Erection of RCC/ PCC pole of following length in brick ballast and ramming the foundation, finishing with 150mm thick cement concrete (1:3:6) layer on top with including excavation and refilling etc as required. Above 8.0 metre and upto 11.0 metre | 8 | Each | | | 0.00 | INR Zero Only | |
| 1.05 | Transportation of Pole | 8 | Each | | | 0.00 | INR Zero Only | |
| 1.06 | Erection of cradle guard as required. | 260 | Each | | | 0.00 | INR Zero Only | |
| 1.07 | Supplying and erection of 100 mm X 110 mm shackle insulator with G. I. Bolt, nuts and straps etc. as required . | 15 | Each | | | 0.00 | INR Zero Only | |
| 1.08 | Supplying and erection of 100 mm X 80 mm pin insulator complete with G. I. Spindle and nuts etc. as required . | 10 | Each | | | 0.00 | INR Zero Only | |
| 1.09 | Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) cross arm for 4 wire over head line complete with clamps, bolts, nuts and washer etc including drilling of holes for insulator pins etc (as per drawing) and painting with primer and finished paint as required . | 16 | set | | | 0.00 | INR Zero Only | |
| 1.1 | Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) cross arm for 2 wire over head line complete with clamps, bolts, nuts and washer etc including drilling of holes for insulator pins etc (as per drawing) and painting with primer and finished paint as required . | 10 | set | | | 0.00 | INR Zero Only | |
| 1.11 | Erection of angle iron/ channel iron cross arm on wood/ RCC/ PCC/steel tubular/ rail pole etc. as required. | 26 | Each | | | 0.00 | INR Zero Only | |
| 1.12 | Supplying and erection of stay set complete (galvanised) with 19/20 mm dia X 1.8 metres long stay rod, anchor plate of size 45 cm X 45 cm X 7.5 mm, thimble, stay clamps, bow tightener, 7/ 3.15 mm dia G.I. stay wire and strain insulator etc in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required. | 18 | Each | | | 0.00 | INR Zero Only | |
| 1.13 | Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared. | 1260 | sqm | | | 0.00 | INR Zero Only | |
| 1.14 | Providing of 8 SWG G.I Wire | 280 | kg | | | 0.00 | INR Zero Only | |
| 1.15 | Erection of all aluminium conductor of 7/1.96 mm to 7/3.10 mm diameter including binding etc. as required. | 1325 | kg | | | 0.00 | INR Zero Only | |
| 2 | Total impact of GST for the purpose of CTC | 1.000 | Nos | | | 0.00 | INR Zero Only | |
| Total in Figures | | | | | | 0.00 | INR Zero Only | |
| Quoted Rate in Words | INR Zero Only | | | | | | | |

| Tender Inviting Authority: Staff officer(E&M), Dhori Area. | | | | | | | |
|---|--|----------|-----------------------------|-----------------------------|--|-------------------------------------|---|
| Name of the Work / Contract No: | Providing and fixing of decorative garden light sets in Chapri rest house, CCD for proper lighting arrangement as well as beautification of garden under CCD, Dhori Area. | | | | | | |
| Category of Services (To Be Selected by Department) | | | Category of Bidder (To Be) | To Be Entered by Department | | | |
| ITC Not Available | Works Contract | | Bidder's Status (Mandatory) | Rate of GST (in %) | Total GST(in Rs.) | GST to be Paid By Bidder (in Rs.) | GST to be Paid By CIL/Subsidiary (in Rs.) |
| Name of the Bidder/ Bidding Firm / Company : | | | Select | 18 | 0.00 | 0.00 | 0.00 |
| PRICE SCHEDULE | | | | | | | |
| (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | | |
| NUMBER # | TEXT # | NUMBER # | TEXT # | NUMBER | NUMBER # | NUMBER # | TEXT # |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE In Figures To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1.01 | Providing and making steel pole collar with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) of specified size and shape including form work, plastering if specified size and shape including form work, plastering if required, curing etc as required. (volume of pole/pipe not to be deducted) 90 x 0.60 x 0.60 x 1.30 = 46.80 cum | 42.12 | Cum | | | 0.00 | INR Zero Only |
| 1.02 | Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole & neutral. | 90 | Nos. | | | 0.00 | INR Zero Only |
| 1.03 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required : 2 x 10 sq.mm + 1 x 10 sq.mm earth wire. | 680 | Mtrs. | | | 0.00 | INR Zero Only |
| 1.04 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required : 2 x 2.5 sq.mm + 1 x 2.5 sq.mm earth wire. | 310 | Mtrs. | | | 0.00 | INR Zero Only |
| 1.05 | Supplying and fixing of following sizes of medium class PVC conduit, along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required. : 25 mm | 700 | Mtrs. | | | 0.00 | INR Zero Only |
| 1.06 | Excavation for foundation in soft soil including dressing of sides and ramming of bottoms, lift upto 1.5m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 metres. 700.00 x 0.60 x 0.60 | 252 | Cum | | | 0.00 | INR Zero Only |
| 1.07 | Supply of garden light. | 40 | Nos. | | | 0.00 | INR Zero Only |
| 1.08 | Supply & providing of 3.5 mtr cast aluminium decorative pole with single side arm design (pipe top dia 76mm bottom size 100mm) both side of pathway in Chapri rest house. | 50 | Nos. | | | 0.00 | INR Zero Only |
| 1.09 | Supply of Rope light. | 250 | Mtrs. | | | 0.00 | INR Zero Only |
| 1.1 | Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 100 Amp TP&N. | 7 | Nos. | | | 0.00 | INR Zero Only |
| 1.11 | Supply & fixing of LED post top with spun housing 65 watt LED lamp assembly. | 50 | Nos. | | | 0.00 | INR Zero Only |
| 1.12 | Supply of changeover switch. | 3 | Nos. | | | 0.00 | INR Zero Only |
| 1.13 | Labour cost for fixing of garden light and decorative light. | 90 | Nos. | | | 0.00 | INR Zero Only |
| 1.14 | Labour cost for fixing of Rope light. | 250 | Mtrs. | | | 0.00 | INR Zero Only |
| 1.15 | Supply & fixing of base plate 250 x 250 x 10mm size. | 50 | Nos. | | | 0.00 | INR Zero Only |
| 1.16 | Supply & fixing of nut, bolts, washer and rod 10mm for fixing of base plate. | 200 | Nos. | | | 0.00 | INR Zero Only |
| 2 | Total impact of GST for the purpose of CTC | 1.000 | Nos | | | 0.00 | INR Zero Only |
| Total in Figures | | | | | | 0.00 | INR Zero Only |
| Quoted Rate in Words | INR Zero Only | | | | | | |

| Tender Inviting Authority: Staff officer(E&M), Dhori Area. | | | | | | | |
|--|---|----------|-----------------------------------|-------------------------|--|-------------------------------------|-----------------------|
| Name of the Work / Contract No: | repairing, rectification & maintenance of primary and secondary crusher drum roll assemblies with spares BLACK DIAMOND make Feeder Breaker (Machine No-04) installed at Tarmi siding in respect of SDDCM, Dhori Area. | | | | | | |
| Category of Services (To Be Selected by Department) | Works Contract | | | | | | |
| IFC Available | Works Contract | | | | | | |
| Name of the Bidder / Bidding Firm / Company : | Select | | | | | | |
| | Category of Bidder | | To Be Entered by Bidder | | Bidder's Status (Monthly) | | Rate of GST (in %) |
| | 1B | | 0.00 | | 0.00 | | 0.00 |
| | Total GST (in Rs.) | | GST to be Paid By Bidder (in Rs.) | | GST to be Paid By CH/Subsidiary (in Rs.) | | |
| | 0.00 | | 0.00 | | 0.00 | | |
| PRICE SCHEDULE | | | | | | | |
| (This BQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only.) | | | | | | | |
| NUMBER # | TEXT # | NUMBER | TEXT # | NUMBER | NUMBER # | NUMBER # | TEXT # |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | Part-A (Secondary crusher drum roll assembly repairing, rectification & maintenance with spares of Both roll-No-01 & 02) | 1 | nos | | | 0.00 | NR Zero Only |
| 2 | Dismantling of secondary crusher drum roll drive motor, drive pulley, adjusting studs, block bolts, cover bolts with the help of gas cutting, welding, hydraulic jacks, pulling, pushing with skilled fitters & labour. | 2 | roll | | | 0.00 | NR Zero Only |
| 3 | Lifting of secondary crusher roll manually with the help of Hydraulic Jacks, Screw jacks system and providing proper supporting for drawing out the bearings of both drum roll. | 2 | roll | | | 0.00 | NR Zero Only |
| 4 | D.E & N.D.E main bearing removing by pulling with the help of pullers of both drum roll. | 4 | sides | | | 0.00 | NR Zero Only |
| 5 | Drum roll shaft damaged & worn-out bearing seat repairing by full round steel metal filling by welding method & roundness grinding & shaping as required & polishing by filing & amri paper with the help of hand grinding machine at site of both drum roll both side. | 4 | sides | | | 0.00 | NR Zero Only |
| 6 | Double row roller bearing No-23136ETA.M.C3 new provide for drum roll (out of 04nos bearing) | 2 | nos | | | 0.00 | NR Zero Only |
| 7 | D.E & N.D.E side C.S casting bearing housing inner & outer cover new making with casting, machining, drilling, dust sealing groove making tapping both side of both drum roll. (out of 08nos housing) | 4 | nos | | | 0.00 | NR Zero Only |
| 8 | D.E & N.D.E side C.I Casting liner & Outer side bearing dust seal new making with casting & machining, groove cutting both side of both drum roll. | 8 | nos | | | 0.00 | NR Zero Only |
| 9 | Damaged & worn-out bearing housing back side dust seal seat, color diameter increasing by welding full round as per required & machining, polishing, alignment setting for DE & NDE of both drum roll. | 4 | nos | | | 0.00 | NR Zero Only |
| 10 | D.E & N.D.E bearings re-fitting and setting in shaft at site with misalign drum roll re-alignment & re-shifting with the help of hydraulic jacks of both roll. | 2 | roll | | | 0.00 | NR Zero Only |
| 11 | Both end main bearing cleaning, dust seal cleaning, drum roll shaft cleaning and after repairing greasing of bearings with housing of both drum roll. | 2 | roll | | | 0.00 | NR Zero Only |
| 12 | Crusher drum roll housing/block adjusting jack screw shaft new making as per required size & measurement in full thread with one end seat & other end head for D.E & N.D.E side of both drum roll. | 6 | nos | | | 0.00 | NR Zero Only |
| 13 | Heavy duty check nut & lock nut new making for above block jack screw of both roll. | 16 | nos | | | 0.00 | NR Zero Only |
| 14 | 30mm x100mm H.T block bolts new with nut and spring washer for both roll. | 16 | nos | | | 0.00 | NR Zero Only |
| 15 | Re-assembling of blocks, bearing housing cover, cover bolts, adjusting jack screw, drive pulley & proper alignment setting with the help of gas cutting, welding, chain block, hydraulic jacks, pulling, pushing with skilled fitters & labour of both secondary crusher drum roll. | 2 | roll | | | 0.00 | NR Zero Only |
| 16 | Fabricating Hardness metal jacks as per required size & shape and also hard facing welding and fixing with both secondary crusher drum roll with full triple layer welding by special jointing steel electrodes | 250 | nos | | | 0.00 | NR Zero Only |
| 17 | Part-B (Repairing, rectification, maintenance with spares of Primary crusher drum roll assembly) | 1 | nos | | | 0.00 | NR Zero Only |
| 18 | Dismantling of primary crusher drum roll support plates, drive and non drive end bearing blocks, dust seals, side plate, C.R. Wall cover, block bolts for removing & shifting of drum roll for changing of damaged bearings | 1 | job | | | 0.00 | NR Zero Only |
| 19 | Bearing removing by with the help of puller. | 2 | side | | | 0.00 | NR Zero Only |
| 20 | Lifting of crusher drum roll manually with the help of hydraulic and screw jacks system along with fabrication of supports for resting of S.S.M.T crusher drum firmly at a particular height for safe working. | 1 | job | | | 0.00 | NR Zero Only |
| 21 | Bearing adjusting cut ring new fabrication as per the dimensions or requirement of bearing & bearing block. | 4 | nos | | | 0.00 | NR Zero Only |
| 22 | Double Row Roller Bearing No-23044K.MB.C3 new providing. | 2 | nos | | | 0.00 | NR Zero Only |
| 23 | New sleeve with check nut & lock washer as per the size of 23044K.MB.C3 Bearing. | 2 | set | | | 0.00 | NR Zero Only |
| 24 | Both end bearing fitting & setting in shaft at site with drum roll re-alignment & balancing by water level & spirit level as per the requirement, including setting of dust seal of bearings at the time of fixing of drum roll. | 1 | job | | | 0.00 | NR Zero Only |
| 25 | Damaged & worn-out both end bearing housing back side dust seal seat & bearing color repairing work by full round metal filling using welding method, machining, polishing work for getting actual size as per the dimension. | 2 | nos | | | 0.00 | NR Zero Only |
| 26 | Re-assembling of primary crusher drum roll both end bearing housings, bearing blocks, side cover, top cover, support plates and block bolts. | 1 | job | | | 0.00 | NR Zero Only |
| 27 | Total impact of GST for the purpose of CTC | 1.000 | Nos | | | 0.00 | NR Zero Only |
| Total in Figures | | | | | | 0.00 | NR Zero Only |
| Quoted Rate in Words | NR Zero Only | | | | | | |

| Tender Inviting Authority: Staff officer(E&M), Dhori Area. | | | | | | | |
|---|---|----------|-----------------------------|-----------------------------|--|-------------------------------------|---|
| Name of the Work / Contract No: | "Providing and fixing Lightning Arrestor along with earth pits for MQ Type quarters in 09 nos. blocks from block 01 to 09 and B type quarters in 02 nos. blocks from block 01 to 02 of Sharda Colony under Dhori (K) Colliery." | | | | | | |
| | Category of Services (To Be Selected by Department) | | Category of Bidder (To Be) | To Be Entered by Department | | | |
| ITC Not Available | Works Contract | | Bidder's Status (Mandatory) | Rate of GST (in %) | Total GST(in Rs.) | GST to be Paid By Bidder (in Rs.) | GST to be Paid By CIL/Subsidiary (in Rs.) |
| Name of the Bidder/ Bidding Firm / Company : | | | Select | 18 | 0.00 | 0.00 | 0.00 |
| PRICE SCHEDULE | | | | | | | |
| (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | | |
| NUMBER # | TEXT # | NUMBER | TEXT # | NUMBER | NUMBER # | NUMBER # | TEXT # |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE In Figures To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Providing and fixing of lightning conductor final, made of 25 mm dia 300 mm long, GI tube, having single prong at top, with 85 mm dia 6 mm thick GI base plate including holes etc. complete as required | 44 | No | | | 0.00 | INR Zero Only |
| 2 | Providing and fixing 25 mm X 5 mm GI strip on surface or in recess for connections etc. as required | 704 | M | | | 0.00 | INR Zero Only |
| 3 | Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required. | 44 | Set | | | 0.00 | INR Zero Only |
| 4 | Clamps, bolts, nuts etc. | 220 | Set | | | 0.00 | INR Zero Only |
| 5 | 50 mm diA, GI Pipe (medium class) | 132 | M | | | 0.00 | INR Zero Only |
| 6 | Total impact of GST for the purpose of CTC | 1.000 | Nos | | 0.00 | 0.00 | INR Zero Only |
| Total in Figures | | | | | | 0.00 | INR Zero Only |
| Quoted Rate in Words | | | | INR Zero Only | | | |

| Tender Inviting Authority: Staff officer(E&M), Dhori Area. | | | | | | | |
|--|---|----------|-------|-------------------------|--|-------------------------------------|-----------------------|
| Name of the Work / Contract No: | | | | | | | |
| Reorganisation of 11 KV feeder from Dhori sub-station Via Jorhya mahal railway crossing to Rajendra colony of AADOCM, Dhori Area. | | | | | | | |
| Category of Services (To Be Selected by Department) | | | | | | | |
| Works Contract | | | | | | | |
| JTC Not Available | | | | | | | |
| Name of the Bidder/ Bidding Firm / Company : | | | | | | | |
| Select | | | | | | | |
| Rate of GST (in %) | | | | | | | |
| 18 | | | | | | | |
| Total GST (in Rs.) | | | | | | | |
| 0.00 | | | | | | | |
| GST to be Paid By Bidder (in Rs.) | | | | | | | |
| 0.00 | | | | | | | |
| GST to be Paid By CH/Subsidiary (in Rs.) | | | | | | | |
| 0.00 | | | | | | | |
| PRICE SCHEDULE | | | | | | | |
| (This BQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only.) | | | | | | | |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE In Figures To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Supply and erection of 11 KV disc insulator for 11 KV over head line with galvanised insulator fittings,hall and sockets type and complete with galvanised strain clamps bolts nuts washer etc as required. | 183 | set | | | 0.00 | NR Zero Only |
| 2 | Supply and erection of 11 KV pin insulator complete with large steel head G.I. pin ,nuts,washer etc as required. | 81 | set | | | 0.00 | NR Zero Only |
| 3 | Supply and erection of galvanised stay set for 11 KV. over head line complete with 19/20 mm dia x1.8 mtr. Long stay rod anode plate size 45cmx45cm x7.5 mm thick, thimble stayclampsure buckle (20mmx6.00mm) 7/400 mm dia G.I. stay wire and 11 KV strain insulator etc in cement concrete 1:3:6(1 cement:3 sand:6 graded stone 40 mm nominal size)foundation including excavation and refilling etc as req | 50 | set | | | 0.00 | NR Zero Only |
| 4 | Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) pole top bracket/ cross arm for single 11 KV over head line conductor complete with 50 mm X 6mm flat iron clamp, bolts, nuts and washers including drilling holes for insulator pins, bolts and nuts etc and painting with primer and finish paint as required. | 11 | set | | | 0.00 | NR Zero Only |
| 5 | Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) cross arm for two 11 KV over head line conductors complete with 50 mm X 50 mm X 6 mm (angle iron bracket welded to the channel iron and complete with 50 mm X 6mm M.S. flat iron clamps, bolts and nuts including drilling holes for insulator pins, bolts, nuts and washers etc (as per drawing) and painting with primer and finish paint as required. 2 for OH line and 2 for supporting bracket) | 11 | set | | | 0.00 | NR Zero Only |
| 6 | Erection of pole top/ straight two wire/ V shape two wire, angle iron/ channel iron, cross arm on steel tubular/ rail/ RCC pole for 11/22/ 33 KV as required. | 22 | set | | | 0.00 | NR Zero Only |
| 7 | Supplying of two lengths of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) double pole cross arm for three wire 11KV over head line conductors complete with through bolts and nuts for clamping to the poles, 50 mm X 6 mm M.S. flats welded on one side to the channel iron and with bolts and nuts on the other side for tying the cross arms together, including drilling holes for insulator pins/ fittings, bolts, nuts and washers etc (as per drawing) and painting with primer and finish paint as required.11set for DP and12 channel bracket for supporting bracket) | 19 | set | | | 0.00 | NR Zero Only |
| 8 | Supplying and erection of a set of cross bracing PRLSame work for 11 KV over head line double pole structure having four members fabricated out of 50 mm X 50 mm X 6 mm angle iron to form a rectangle of minimum size 1400 mm width X 2500 mm height, complete with 50 mm X 6mm M.S. flat iron clamps, bolts and nuts including drilling holes for insulator pins, bolts and nuts etc (as per drawing) and painting with primer and finish paint as required. | 11 | set | | | 0.00 | NR Zero Only |
| 9 | Erection of double pole 3 wire cross arm for 11KV/ 22KV/ 33 KV over head lines as required. | 19 | set | | | 0.00 | NR Zero Only |
| 10 | Erection of all aluminium conductor of 7/4.00 mm diameter and above including binding etc. as required. | 1200 | Kg | | | 0.00 | NR Zero Only |
| 11 | Dismantling of over head lines comprising aluminium over head conductor, G.I. wire, cross arms, insulators etc. as required | 1800 | Kg | | | 0.00 | NR Zero Only |
| 12 | Erection of metallic pole of following length in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc. as required Above 10.00 metre and upto 12.00 metre | 18 | set | | | 0.00 | NR Zero Only |
| 13 | Dismantling of pole in cement concrete foundation etc. as required. | 13 | nos | | | 0.00 | NR Zero Only |
| 14 | Erection of G.I. wire no @SWG including binding etc as required. | 514.8 | nos | | | 0.00 | NR Zero Only |
| 15 | Supply of 8 SWG G.I. wire. | 514.8 | Kg | | | 0.00 | NR Zero Only |
| 16 | Shifting of steel pole of length 10 m to 12 mtr. From AADOCM sub-station to the site. | 18 | set | | | 0.00 | NR Zero Only |
| 17 | Shifting of steel pole of length 10 m to 12 mtr. From site to E&M store of AADOCM. | 13 | set | | | 0.00 | NR Zero Only |
| 18 | Supply and providing & fixing of P.G.Clamp heavy duty. | 72 | set | | | 0.00 | NR Zero Only |
| 19 | Erection of credible guard. | 10 | set | | | 0.00 | NR Zero Only |
| 20 | With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/ steel works With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel work (double coat) | 800 | M. | | | 0.00 | NR Zero Only |
| 21 | Painting with aluminium paint of approved brand and manufacture to greyan even shade . 1:6.5:1 Two or more coats on new work | 800 | M. | | | 0.00 | NR Zero Only |
| 22 | Lettering with black japan paint of approved brand and manufacture (11 KV S.N. F.D. P.NO. 01) 260CM X 80 (per letter per CM height) | 20800 | C.M. | | | 0.00 | NR Zero Only |
| 23 | Patrolling checking testing of 11 K.V. OH line for routine maintenance and breakdown maintenance of feeder | 20 | Days | | | 0.00 | NR Zero Only |
| 24 | Cleaning jungle including uprooting of rank vegetation,grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1 m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared. Two times x2000 | 4000 | sqmm | | | 0.00 | NR Zero Only |
| 25 | Total impact of GST for the purpose of CTC | 1.000 | Nos | | | 0.00 | NR Zero Only |
| Total in Figures | | | | | | 0.00 | NR Zero Only |
| Quoted Rate in Words | | | | | | NR Zero Only | |

| Tender Inviting Authority: Staff officer (E&M), Dhori Area. | | | | | | | |
|---|--|----------|-----------------------------|-----------------------------|--|-------------------------------------|---|
| Name of the Work / Contract No: | Repairing and maintenance of 220V/440V OH line system of Sharda Colony under Dhori (K) Colliery, Dhori Area. | | | | | | |
| | Category of Services (To Be Selected by Department) | | Category of Bidder (To Be) | To Be Entered by Department | | | |
| ITC Not Available | Works Contract | | Bidder's Status (Mandatory) | Rate of GST (in %) | Total GST (in Rs.) | GST to be Paid By Bidder (in Rs.) | GST to be Paid By CIL/Subsidiary (in Rs.) |
| Name of the Bidder/ Bidding Firm / Company : | | | Select | 18 | 0.00 | 0.00 | 0.00 |
| PRICE SCHEDULE | | | | | | | |
| (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | | |
| NUMBER # | TEXT # | NUMBER | TEXT # | NUMBER | NUMBER # | NUMBER # | TEXT # |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE In Figures To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | Supply of cement pole of length 08 m | 5 | No | | | 0.00 | INR Zero Only |
| 2 | Erection of RCC/PCC pole of length exceeding 8 mtr. but not exceeding 11 mtr. in brick ballast and ramming the foundation incl excav and refilling etc as required | 5 | No | | | 0.00 | INR Zero Only |
| 3 | Dismantling of pole/street light standard/strut embedded in cement concrete | 5 | No | | | 0.00 | INR Zero Only |
| 4 | Erection of all aluminum Conductor of 7/1.96 to 7/3.10mm diameter including binding etc. as required 30 span x 4 wire x 40 x 0.214 = 1027.2 Kg | 1027.2 | Kg | | | 0.00 | INR Zero Only |
| 5 | Dismantling of overhead lines comprising of aluminium overhead conductor, GI wire cross arms, insulators etc as required | 1300 | Kg | | | 0.00 | INR Zero Only |
| 6 | Supply and erection of 100mm X 80 mm pin insulator with GI spindle and nuts etc. as required. | 18 | Set | | | 0.00 | INR Zero Only |
| 7 | Supply and erection of galvanized D iron clamps complete with shackle insulator (100 X 110 mm) GI bolts, nuts and washer, coach screws etc as required. | 16 | Set | | | 0.00 | INR Zero Only |
| 8 | Supply and erection of stay set complete (Galvanized) with 19/20 mm dia x 1.8 mtr long stay rod, anchor plate of size 45cmx45cmx7.5mm, thimble stay clamps, turn buckle (20 mmx60 cm), 7/3.15 mm dia GI stay wire and strain insulator etc in cement concrete 1:3:6 (1 cement :3 coarse sand: 6 graded stone aggregate 40 mm nominal size foundation including excavation and refilling etc. | 20 | No | | | 0.00 | INR Zero Only |
| 9 | Supplying of channel iron 75 mm x 40 mm x 6mm (7.14 kg per mtr) cross arm for 4 wire O/H line complete with clamps, bolts and nuts etc. including drilling holes for insulator pins etc (as per drawing) and painting with primer and finish paints as required. | 15 | Set | | | 0.00 | INR Zero Only |
| 10 | Supplying of channel iron 75 mm x 40 mm x 6mm (7.14 kg per meter) cross arm for 2 wire O/H line complete with clamps, bolts nuts and washer etc. including drilling holes for insulator pins etc (as per drawing) and painting with primer and finish paints as required. | 15 | Set | | | 0.00 | INR Zero Only |
| 11 | Erection of angle iron/channel iron cross arm on steel tubular/cement pole etc as required. | 30 | Set | | | 0.00 | INR Zero Only |
| 12 | Dismantling of light fittings from pole | 30 | Set | | | 0.00 | INR Zero Only |
| 13 | Fixing of light fittings on pole | 30 | Set | | | 0.00 | INR Zero Only |
| 14 | Supply of 6 SWG, GI wire for cradling | 200 | Kg | | | 0.00 | INR Zero Only |
| 15 | Erection of cradle guard as required | 200 | No | | | 0.00 | INR Zero Only |
| 16 | Transportation of poles (old& new) | 10 | No | | | 0.00 | INR Zero Only |
| 17 | Jumpering connection after re-erection of conductor | 40 | No | | | 0.00 | INR Zero Only |
| 18 | Total impact of GST for the purpose of CTC | 1.000 | Nos | | 0.00 | 0.00 | INR Zero Only |
| Total in Figures | | | | | | 0.00 | INR Zero Only |
| Quoted Rate in Words | | | INR Zero Only | | | | |

| Tender Inviting Authority: Staff officer(E&M), Dhori Area. | | | | | | | |
|--|--|---|--------|--|---|-------------------------------------|-----------------------|
| Name of the Work / Contract No: | Illumination/proper lighting arrangement in the C.M. office main gate to Dindayal Upadhyaya Rehabilitation centre using LED light sets and underground FR PVC cable against G.M. unit of Dhori Area. | | | | | | |
| Category of Services (To Be Selected by Department) | | Category of Bidder (To Be Selected by Department) | | To Be Entered by Bidder | | To Be Entered by Department | |
| ITC Not Available | Works Contract | Status (Mandatory) | Select | Rate of GST (in %) | 18 | Total GST(in Rs.) | 0.00 |
| Name of the Bidder/ Bidding Firm / Company : | | GST to be Paid By Bidder (in Rs.) | 0.00 | GST to be Paid By CL/Subsidiary (in Rs.) | 0.00 | Total GST(in Rs.) | 0.00 |
| PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | | |
| NUMBER # | TEXT # | NUMBER | TEXT # | NUMBER | NUMBER # | NUMBER # | TEXT # |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate in Rs. P | BASIC RATE In Figures: To be entered by the Bidder in Rs. P | TOTAL AMOUNT Without Taxes in Rs. P | TOTAL AMOUNT In Words |
| 1 | Dismantling of pole/street light standard/strut embedded in cement concrete foundation etc. as required. | 5 | Nos | | | 0.00 | INR Zero Only |
| 2 | Transporting of pole. | 5 | Nos | | | 0.00 | INR Zero Only |
| 3 | Erection of steel pole tubular or rail pole strut concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and re-filling and secured with holding clamps, bolts, nuts, etc. as required. | 5 | Nos | | | 0.00 | INR Zero Only |
| 4 | Providing and making steel pole collar with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) of specified size and shape including form work, plastering if specified size and shape including form work, plastering if required, curing etc as required. (volume of pole/pipe not to be deducted) 0.6mx0.6mx0.6mx15 nos | 3.24 | cum | | | 0.00 | INR Zero Only |
| 5 | Applying priming coat : With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanized iron/steel works (4) With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel work (second coat) 15 nos. poles x 3.68 sqm | 55.2 | sqm | | | 0.00 | INR Zero Only |
| 6 | Painting with aluminium paint of approved brand and manufacture to give an even shade : Two or more coats on new work. | 55.2 | sqm | | | 0.00 | INR Zero Only |
| 7 | Providing and fixing following capacity TP&N disconnector fuse switch unit inside the existing panel board with ISI marked HRC fuses including drilling holes in cubicle panel, making connections, etc. as required. 200 Amp TP&N. | 1 | Nos | | | 0.00 | INR Zero Only |
| 8 | Supplying and fixing metal box of following sizes (nominal size) on surface or in recess with suitable size in phenolic laminated sheet cover in front including painting etc required. : 200 mm x 150 mm x 100 mm deep. | 12 | Nos | | | 0.00 | INR Zero Only |
| 9 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2x10 sq.mm + 1x10 sq.mm earth wire. (main gate to rehabilitation centre) approx length 460 mtr | 460 | mtr | | | 0.00 | INR Zero Only |
| 10 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. 2x4sq. mm + 1x4sq. mm earth wire. | 280 | mtr | | | 0.00 | INR Zero Only |
| 11 | LED light (to be supplied departmentally). | 14 | Nos | | | 0.00 | INR Zero Only |
| 12 | Excavation for foundation in soft soil including dressing of sides and ramming of bottoms, lift upto 1.5m including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 metres. 0.4mx0.4mx450mtr | 72 | cum | | | 0.00 | INR Zero Only |
| 13 | Supplying and fixing of 32mm dia x 2.00 metres long G.I. pipe (medium class) bracket for mounting of fluorescent/HPMV/HPSV street light fitting on pole including bending the pipe to the required shape, 2 nos. 40mm x 3mm flat iron clamps with nuts, bolts and washer, painting the flat iron with primer and finish paint etc. as required. | 14 | Nos | | | 0.00 | INR Zero Only |
| 14 | Supplying and fixing of following sizes of medium class PVC conduit, along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed conduit as required. :32 mm | 460 | mtr | | | 0.00 | INR Zero Only |
| 15 | Filling available excavated earth (excluding rock) in trenches, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead upto 50 metres.@80% of S.No 12 | 57.6 | cum | | | 0.00 | INR Zero Only |
| 16 | Providing, laying and fixing following dia G.I. pipe (medium class) in ground complete with G.I. fittings including trenching (75cm deep) and re-filling etc. as required : 50mm dia.2.5 mtr x 10 nos for globe light on boundary wall | 25 | mtr | | | 0.00 | INR Zero Only |
| 17 | Providing and making steel pole collar with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) of specified size and shape including form work, plastering if specified size and shape including form work, plastering if required, curing etc as required. (volume of pole/pipe not to be deducted) 0.3mx0.3mx0.3mx10nos | 0.27 | cum | | | 0.00 | INR Zero Only |
| 18 | Supplying and drawing 2 x 2.5 sq. mm following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required 7mx10 nos | 70 | mtr | | | 0.00 | INR Zero Only |
| 19 | Supply and fixing of globe light at boundary wall | 10 | Nos | | | 0.00 | INR Zero Only |
| 20 | Total impact of GST for the purpose of CTC | 1,000 | Nos | | 0.00 | 0.00 | INR Zero Only |
| Total in Figures | | | | | | 0.00 | INR Zero Only |
| Quoted Rate in Words | | | | | | INR Zero Only | |