

Tender Inviting Authority: Staff Officer Civil Piparwar Area.

Name of Work : Construction of toilet at samudayik bhawan in village Bachra north Panchayat under CSR activity 24-25 of Piparwar Area.

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	t	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1.01	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and neatly dressed. All kinds of soil	11.910	cum	128.05	1525.08	INR One Thousand Five Hundred & Twenty Five and Paise Eight Only
1.02	Supplying and filling in plinth with Jamuna sand under floors, including watering, ramming, consolidating and dressing complete	0.690	cum	1844.00	1272.36	INR One Thousand Two Hundred & Seventy Two and Paise Thirty Six Only
1.03	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	1.790	cum	5167.75	9250.27	INR Nine Thousand Two Hundred & Fifty and Paise Twenty Seven Only
1.04	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	3.820	cum	7365.50	28136.21	INR Twenty Eight Thousand One Hundred & Thirty Six and Paise Twenty One Only

1.05	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement : 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	1.012	cum	8441.35	8542.65	INR Eight Thousand Five Hundred & Forty Two and Paise Sixty Five Only
1.06	Reinforced cement concrete work in beams, suspended foors, roofs having slope up to 15* landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to foor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources).	4.010	cum	8797.65	35278.58	INR Thirty Five Thousand Two Hundred & Seventy Eight and Paise Fifty Eight Only
1.07	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.Thermo-Mechanically Treated bars	618.980	KG	75.85	46949.63	INR Forty Six Thousand Nine Hundred & Forty Nine and Paise Sixty Three Only
1.08	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	1.070	cum	5322.15	5694.70	INR Five Thousand Six Hundred & Ninety Four and Paise Seventy Only
1.09	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	6.700	cum	6494.75	43514.83	INR Forty Three Thousand Five Hundred & Fourteen and Paise Eighty Three Only
1.10	12 mm cement plaster of mix :1:6 (1 cement: 6 fine sand)	59.460	sqm	217.70	12944.44	INR Twelve Thousand Nine Hundred & Forty Four and Paise Forty Four Only
1.11	6 mm cement plaster of mix : 1:3 (1 cement : 3 fine sand)	9.650	sqm	195.85	1889.95	INR One Thousand Eight Hundred & Eighty Nine and Paise Ninety Five Only
1.12	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	7.560	sqm	762.80	5766.77	INR Five Thousand Seven Hundred & Sixty Six and Paise Seventy Seven Only
1.13	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	28.560	sqm	871.30	24884.33	INR Twenty Four Thousand Eight Hundred & Eighty Four and Paise Thirty Three Only

1.14	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	54.600	Kg	77.95	4256.07	INR Four Thousand Two Hundred & Fifty Six and Paise Seven Only
1.15	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer Using flats 30x6mm for diagonal braces and central cross piece	3.120	sqm	3730.40	11638.85	INR Eleven Thousand Six Hundred & Thirty Eight and Paise Eighty Five Only
1.16	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding	4.500	KG	145.60	655.20	INR Six Hundred & Fifty Five and Paise Twenty Only
1.17	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over and including water tinnable priming coat with cement primer	27.720	sqm	115.00	3187.80	INR Three Thousand One Hundred & Eighty Seven and Paise Eighty Only
1.18	Centering and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete	17.220	sqm	262.55	4521.11	INR Four Thousand Five Hundred & Twenty One and Paise Eleven Only
1.19	Centering and shuttering including strutting, propping etc. and removal of form for : Walls (any thickness) including attached pilasters, buttersesses, plinth and string courses etc.	34.730	sqm	538.75	18710.79	INR Eighteen Thousand Seven Hundred & Ten and Paise Seventy Nine Only
1.20	Centering and shuttering including strutting, propping etc. and removal of form for : Suspended floors, roofs, landings, balconies and access platform	13.490	sqm	587.10	7919.98	INR Seven Thousand Nine Hundred & Nineteen and Paise Ninety Eight Only
1.21	Colour washing such as green, blue or buff to give an even shade : New work (two or more coats) with a base coat of white washing with lime	41.010	sqm	33.40	1369.73	INR One Thousand Three Hundred & Sixty Nine and Paise Seventy Three Only
1.22	Providing and fixing water closet squatting pan (Indian type W.C.pan) with 100 mm sand cast Iron P or S trap, 10 litre low level whiteP.V.C. flushing cistern, including flush pipe, with manually controlleddevice (handle lever) conforming to IS : 7231, with all fittings andfixtures complete, including cutting and making good the walls andfloors wherever required: White Vitreous china Orissa pattern W.C. pan of size580x440 mm with integral type foot rests	2.000	each	4774.45	9548.90	INR Nine Thousand Five Hundred & Forty Eight and Paise Ninety Only
1.23	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	500.000	per ltr	8.40	4200.00	INR Four Thousand Two Hundred Only
1.24	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work . 25 mm nominal dia Pipes	9.000	M	298.65	2687.85	INR Two Thousand Six Hundred & Eighty Seven and Paise Eighty Five Only

1.25	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. External work . 20 mm nominal dia Pipes	6.000	m	217.35	1304.10	INR One Thousand Three Hundred & Four and Paise Ten Only
1.26	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore	2.000	each	376.95	753.90	INR Seven Hundred & Fifty Three and Paise Ninety Only
1.27	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	3.000	m	262.40	787.20	INR Seven Hundred & Eighty Seven and Paise Twenty Only
1.28	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm C.P. brass pillar tap	2.000	each	1458.10	2916.20	INR Two Thousand Nine Hundred & Sixteen and Paise Twenty Only
1.29	10 user septic as per design and size as approved by EIC	1.000	each	36118.79	36118.79	INR Thirty Six Thousand One Hundred & Eighteen and Paise Seventy Nine Only
1.30	Lettering with black Japan paint of approved brand and manufacture	600.000	per ltr	3.70	2220.00	INR Two Thousand Two Hundred & Twenty Only
1.31	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					338446.26	INR Three Lakh Thirty Eight Thousand Four Hundred & Forty Six and Paise Twenty Six Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words	INR Zero Only					