

Validate

Print

Help

Percentage BoQ

Tender Inviting Authority: Staff Officer (civil),CCL, Kathara

Name of Work:Comprehensive Annual maintance (CAMC) of Qtrs, Special occasion & near Community centre etc at Staff Colony under G.M.Unit for a period of two years.

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1	Item Description/ Heading					
2	Earth work in excv. By mechanical means (Hydraulic excavator)/Manual means in foundation trenches or drains (not exceeding 1.5m in width or 10sqm on plan) incl. Dressing of sides and ramming of bottom lift upto1.5m incl. Getting out the excv. soil and disposal of surplus soil as dir.within a lead of 50m all kind of soil.	108.00	cum	188.45	20352.60	INR Twenty Thousand Three Hundred & Fifty Two and Paise Sixty Only
3	Providing ,hoisting and fixing upto floor five level precast reinforced cement conc. Work in string courses copings bands bed plates, anchor blocks plain window sills and the like incl. The cost of required centering, shutt. Finishing smooth with 6mm thick cement plaster 1:3 (1cement:3fine sand) on exposed surface compl. Upto but excl. Thecost of reinforcement with 1:2:4(1cement:2 coarsesand:4 graded stone agg. 20mm nominal size.	1.44	cum	8356.10	12032.78	INR Twelve Thousand &Thirty Two and Paise Seventy Eight Only
4	Reinforcement for RCC work incl. Straightening, cutting, bending, placing in position and binding all complete upto plinth level . Mild steel and medium tensile steel bars.	100.80	kg	75.20	7580.16	INR Seven Thousand Five Hundred & Eighty and Paise Sixteen Only
5	Brick work with FPS bricks of class designation 50 in foundation and plinth in cement mortar 1:6 (1cement :6 coarse sand).	33.06	cum	5322.15	175950.28	INR One Lakh Seventy Five Thousand Nine Hundred & Fifty and Paise Twenty Eight Only
6	Brick work with FPS bricks of class designation 50 in superstructure above plinth level upto floor V level in all shapes and sizes in cement mortar 1:6 (1cement:6 coarse sand).	18.00	cum	6494.75	116905.50	INR One Lakh Sixteen Thousand Nine Hundred & Five and Paise Fifty Only
7	Half brick masonry with bricks of class design. 50 in foundations and plinth in :cement mortar 1:4 (1cement :4 coarse sand).	30.00	sqm	673.45	20203.50	INR Twenty Thousand Two Hundred & Three and Paise Fifty Only
8	Providing wood work in frames of doors, windows, clearstorey windows and other frames, wrought frame and fixed in position sal wood.	0.72	cum	90581.10	65218.39	INR Sixty Five Thousand Two Hundred & Eighteen and Paise Thirty Nine Only

9	Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows ISI marked black enamelled MS butt hinges with necessary screws excluding, panelling which will be paid for separately. Kiln seasoned and chemically treated Hollock wood. 30 mm thick shutters.	30.80	sqm	1899.75	58512.30	INR Fifty Eight Thousand Five Hundred & Twelve and Paise Thirty Only
10	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	7.80	sqm	1575.70	12290.46	INR Twelve Thousand Two Hundred & Ninety and Paise Forty Six Only
11	Providing and fixing panelling or panelling & glazed in panelled and glazed shutters for doors and windows & clerestory windows (area of opening for pannel inserts excl.portion inside grooves rebates to be measured) panelling for panelled or panelled and glazed shutters 25mm to 40mm thick kiln seasoned and chemically treated hollock wood.	23.75	sqm	1530.60	36351.75	INR Thirty Six Thousand Three Hundred & Fifty One and Paise Seventy Five Only
12	Applying priming coats with primer of approved brand and manufacture, having tow VOC (Volatile Organic Compound) content.With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	141.75	sqm	46.50	6591.38	INR Six Thousand Five Hundred & Ninety One and Paise Thirty Eight Only
13	Structural steel work in single section fixed with or without connecting plate including cutting hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	310.50	kg	77.95	24203.48	INR Twenty Four Thousand Two Hundred & Three and Paise Forty Eight Only
14	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	500.00	kg	92.55	46275.00	INR Forty Six Thousand Two Hundred & Seventy Five Only
15	Providing 40x5mm flat iron hold fast 40cm long including fixing to frame with 10mm diameter bolts, nuts and wooden plugs and embeddings in cement concrete block 30x10x15cm 1:3:6 mix (1cement:3 coarse sand :6 graded stone aggregate 20mm nominal size)	80.00	nos	156.45	12516.00	INR Twelve Thousand Five Hundred & Sixteen Only
16	Dismantling doors, windows, and clerestory windows(steel or wood shutters) incl. Choukhats architrave, hold fast etc. compl. And stacking within 50m lead.Of area 3 sqm and below.	25.00	nos	218.95	5473.75	INR Five Thousand Four Hundred & Seventy Three and Paise Seventy Five Only
17	Taking out doors, windows and clearstorey windows shutters(steel or wood) including stacking within 50m lead of area 3 sqm and below	10.00	nos	85.20	852.00	INR Eight Hundred & Fifty Two Only
18	12mm cement plaster mix 1:6 (1cement:6 fine sand.	510.50	sqm	217.70	111135.85	INR One Lakh Eleven Thousand One Hundred & Thirty Five and Paise Eighty Five Only
19	Dismantling old plaster or skirting ranking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	212.50	sqm	32.00	6800.00	INR Six Thousand Eight Hundred Only
20	Providing and fixing on wall face unplasticised Rigid PVC rain water pipe conforming to IS : 13592 type A including jointing with seal ring conforming to IS: 5382 leaving 10mm gap for thermal expansion.single socketed pipes.110mm diameter.	60.00	mtr	262.40	15744.00	INR Fifteen Thousand Seven Hundred & Forty Three and Paise One Hundred Only
21	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion (b)110mm bend.	20.00	nos	114.60	2292.00	INR Two Thousand Two Hundred & Ninety Two Only
22	Providing and fixing unplasticised PVC pipe clips of approved design to unplasticised PVC rain water pipes by means of required length including cutting brick work and fixing in cement mortar 1:4(1cement:4 coarse sand) and making good the wall etc. complete.110mm	60.00	nos	234.80	14088.00	INR Fourteen Thousand & Eighty Eight Only

23	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.two coats	4300.00	sqm	84.50	363350.00	INR Three Lakh Sixty Three Thousand Three Hundred & Fifty Only
24	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade. One or more coats on old work.	849.14	sqm	65.65	55746.04	INR Fifty Five Thousand Seven Hundred & Forty Six and Paise Four Only
25	Painting with synthetic enamel paint of app.brand and manufacture to give an even shade. Two or more coats on new work.	176.58	sqm	99.90	17640.34	INR Seventeen Thousand Six Hundred & Forty and Paise Thirty Four Only
26	Carriage of material by mechanical transport incl.loading unloading & stacking lime moorum bldg, rubbish earth ,manure or sludge & excv. Rock 1 KM lead	90.00	cum	168.10	15129.00	INR Fifteen Thousand One Hundred & Twenty Nine Only
27	Providing and fixing M.S. grills of required pattern in frames of windows with MS flats, square or round bars etc. all compl. Fixed to steel windows by welding.	675.00	kg	145.60	98280.00	INR Ninety Eight Thousand Two Hundred & Eighty Only
28	Providing & fixing pre-coated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.45 mm +/- 5% total coated thickness (TCT) thick Zinc coating 120gsm as per IS: 277 in 240 mpa mm steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches while transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55mm) with EPDM seal or with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead complete upto any pitch in horizontal/ vertical or curved surfaces excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	60.00	sqm	571.00	34260.00	INR Thirty Four Thousand Two Hundred & Sixty Only
29	Finishing walls with Acrylic Smooth exterior paint of required shade : Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	5000.00	sqm	87.55	437750.00	INR Four Lakh Thirty Seven Thousand Seven Hundred & Fifty Only
30	12mm cement plaster finished with a floating coat of neat cement of mix 1:4 (1cement:4 fine sand).	575.00	sqm	298.15	171436.25	INR One Lakh Seventy One Thousand Four Hundred & Thirty Six and Paise Twenty Five Only
31	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2150.00	sqm	98.45	211667.50	INR Two Lakh Eleven Thousand Six Hundred & Sixty Seven and Paise Fifty Only
32	Providing and laying ceramic glazed floor tiles 300x300 mm thickness to be specified by the manufacturer of 1st quality conforming to IS:15622 of approved make in colours, such as white, ivory, grey, fume red brown, laid on 20mm thick cement mortar 1:4 (1cement:4 coarse sand) including pointing the joints with white cement and matching pigment etc. complete.	29.67	sqm	762.80	22632.28	INR Twenty Two Thousand Six Hundred & Thirty Two and Paise Twenty Eight Only
33	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	78.78	sqm	871.30	68641.01	INR Sixty Eight Thousand Six Hundred & Forty One and Paise One Only
34	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. compl. 300x16mm.	20.00	nos	153.75	3075.00	INR Three Thousand & Seventy Five Only
35	Providing and fixing ISI marked oxidised MS tower bolt block finish (Barrel type) with necessary screws etc. compl.250x10mm.	40.00	nos	63.60	2544.00	INR Two Thousand Five Hundred & Forty Four Only

36	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. compl. 100mm.	40.00	nos	23.80	952.00	INR Nine Hundred & Fifty Two Only
37	Providing and fixing ISI marked oxidised M.S. pressed butt hinges with necessary screws etc. complete. 125x65x2.12 mm	80.00	nos	37.85	3028.00	INR Three Thousand & Twenty Eight Only
38	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer, 3 mm thick water proofing membrane, black finished reinforced with glass fibre matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufactured of density at 25°C, 0.87 - 0.89 kg/litre and viscosity 70 - 160 cps. Over the primer coat the layer of membrane shall be laid using butane torch and sealing all joints etc., and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23°C as 350/300 N/5 cm. Tear strength in longitudinal and transverse direction as 60/80N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane : 3 mm thick	780.00	sqm	443.70	346086.00	INR Three Lakh Forty Six Thousand & Eighty Six Only
39	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge.	600.00	sqm	752.85	451710.00	INR Four Lakh Fifty One Thousand Seven Hundred & Ten Only
40	Providing and fixing tiled false ceiling of approved materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom	90.72	sqm	1643.65	149111.93	INR One Lakh Forty Nine Thousand One Hundred & Eleven and Paise Ninety Three Only
41	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade Old work (Two or more coats applied @ 1.43 ltr/ 10 sqm) over existing cement paint surface	420.00	sqm	83.65	35133.00	INR Thirty Five Thousand One Hundred & Thirty Three Only
42	Providing and fixing Stainless Steel AISI 304 (18/8) kitchen sink as per IS 13983 with C.I. brackets and stainless steel plug 40 mm including painting of fittings and brackets, cutting and making good the walls wherever required: 470x420 mm bowl depth 178 mm	3.00	nos	2437.30	7311.90	INR Seven Thousand Three Hundred & Eleven and Paise Ninety Only
43	Providing and fixing white vitreous china water closet squatting pan (Indian type),(b) Orissa pattern W.C pan of size 580x440mm.	6.00	nos	2294.00	13764.00	INR Thirteen Thousand Seven Hundred & Sixty Four Only
44	Providing and fixing white vitreous china pedestal type (European type/wash down type) water closet pan.	2.00	nos	1986.20	3972.40	INR Three Thousand Nine Hundred & Seventy Two and Paise Forty Only

45	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : 100 mm inlet and 100 mm outlet Sand Cast Iron S&S as per IS- 1729	8.00	nos	1117.90	8943.20	INR Eight Thousand Nine Hundred & Forty Three and Paise Twenty Only
46	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	5.00	nos	1458.10	7290.50	INR Seven Thousand Two Hundred & Ninety and Paise Fifty Only
47	Providing and fixing PVC low level flushing cistern with manually controlled device (handle lever) conforming to IS 7231.with all fittings and fixtures complete (a) 10 litre capacity - white	10.00	nos	863.00	8630.00	INR Eight Thousand Six Hundred & Thirty Only
48	Providing and fixing GI pipes complete with GI fittings and clamps, including cutting and making good the walls etc.(a).15mm dia nominal bore.	30.00	m	244.70	7341.00	INR Seven Thousand Three Hundred & Forty One Only
49	Providing and fixing GI pipes complete with GI fittings and clamps, including cutting and making good the walls etc.(a).20mm dia nominal bore.	30.00	m	302.85	9085.50	INR Nine Thousand & Eighty Five and Paise Fifty Only
50	Providing and fixing GI pipes complete with GI fittings and clamps, including cutting and making good the walls etc.(a).25mm dia nominal bore.	30.00	m	403.20	12096.00	INR Twelve Thousand & Ninety Six Only
51	Dismantling GI pipes (external work) including excv. And refilling trenches after taking out the pipes,manually/by mechanical means incl. stacking of pipes within 50m. Leas as per direction of EIC:a) 15mm to 40mm nominal bore.	150.00	m	88.85	13327.50	INR Thirteen Thousand Three Hundred & Twenty Seven and Paise Fifty Only
52	Dismantling GI pipes (external work) including excv. And refilling trenches after taking out the pipes,manually/by mechanical means incl. stacking of pipes within 50m. Leas as per direction of EIC:b) above 40mm nominal bore.	60.00	m	97.70	5862.00	INR Five Thousand Eight Hundred & Sixty Two Only
53	Labour cost for fixing GI pipes complete with GI fittings and clamps, including cutting and making good the walls etc.(a).15mm dia nominal bore.	30.00	m	132.50	3975.00	INR Three Thousand Nine Hundred & Seventy Five Only
54	Labour cost for fixing GI pipes complete with GI fittings and clamps, including cutting and making good the walls etc.(a).20mm dia nominal bore.	30.00	m	146.20	4386.00	INR Four Thousand Three Hundred & Eighty Six Only
55	Labour cost for fixing GI pipes complete with GI fittings and clamps, including cutting and making good the walls etc.(a).25mm dia nominal bore.	30.00	m	160.55	4816.50	INR Four Thousand Eight Hundred & Sixteen and Paise Fifty Only
56	Labour cost for GI pipe compl. With GI fittings incl. Trenching and refilling etc.(external work.) 40mm dia nominal bore.	30.00	m	118.90	3567.00	INR Three Thousand Five Hundred & Sixty Seven Only
57	Labour cost for GI pipe compl. With GI fittings incl. Trenching and refilling etc.(external work.) 50mm dia nominal bore.	30.00	m	118.90	3567.00	INR Three Thousand Five Hundred & Sixty Seven Only
58	Providing and fixing CI sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately): 80mm dia.	1.00	nos	4732.14	4732.14	INR Four Thousand Seven Hundred & Thirty Two and Paise Fourteen Only
59	Providing and fixing CI sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately): 50 mm dia.	1.00	nos	3570.64	3570.64	INR Three Thousand Five Hundred & Seventy and Paise Sixty Four Only
60	Providing and placing on terrace (at all floor levels) polye-thylene water storage tank ISI : 12701 marked with cover and suitable locking arrangement and making necessary holesfor inlet,outlet and overflow pipes but without fittings and the base support for tank.	5000.00	litrs	8.40	42000.00	INR Forty Two Thousand Only
61	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipe, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings l/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching,refiling & testing of joints complete as per direction Of EIC External work 20mm nominal outer dia pipes.	60.00	metre	217.35	13041.00	INR Thirteen Thousand & Forty One Only

62	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipe, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings l/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching,refiling & testing of joints complete as per direction Of EIC External work 25mm nominal outer dia pipes.	60.00	m	298.65	17919.00	INR Seventeen Thousand Nine Hundred & Nineteen Only
63	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work : 80 mm dia nominal bore	36.00	m	768.15	27653.40	INR Twenty Seven Thousand Six Hundred & Fifty Three and Paise Forty Only
64	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work : 50 mm dia nominal bore	36.00	m	543.40	19562.40	INR Nineteen Thousand Five Hundred & Sixty Two and Paise Forty Only
65	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work : 40 mm dia nominal bore	30.00	m	460.20	13806.00	INR Thirteen Thousand Eight Hundred & Six Only
66	cleaning of mannuar from septic tank and inspection chamber	33.91	cum	1145.34	38839.62	INR Thirty Eight Thousand Eight Hundred & Thirty Nine and Paise Sixty Two Only
67	Providing and fixing GI Union in existing GI pipe line, cutting & threading the pipe and making long screws incl. excavation refilling the earth or cutting of wall & making good the same compl. Wherever required. 15mm nominal bore.	10.00	nos	526.55	5265.50	INR Five Thousand Two Hundred & Sixty Five and Paise Fifty Only
68	Providing and fixing GI Union in existing GI pipe line, cutting & threading the pipe and making long screws incl. excavation refilling the earth or cutting of wall & making good the same compl. Wherever required. 20mm nominal bore.	10.00	nos	549.80	5498.00	INR Five Thousand Four Hundred & Ninety Eight Only
69	Providing and fixing GI Union in existing GI pipe line, cutting & threading the pipe and making long screws incl. excavation refilling the earth or cutting of wall & making good the same compl. Wherever required. 25mm nominal bore.	10.00	nos	619.45	6194.50	INR Six Thousand One Hundred & Ninety Four and Paise Fifty Only
70	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : (a) 15mm dia nominal bore.	20.00	nos	367.95	7359.00	INR Seven Thousand Three Hundred & Fifty Nine Only
71	Providing and fixing PTMT bib cock of approved quality and colour.15mm nominal bore, 86mm long. Weighing not less than 88 gms.	20.00	nos	95.35	1907.00	INR One Thousand Nine Hundred & Seven Only
72	Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes ,duster etc. removal of silt,rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0. 0.50 gm per litre capacity of tank including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba all complete as per direction of engineer incharge (the old date already written on tank shuld be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre)(if during cleaning any GI Fitting or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on thid account).	48000.00	litrs	0.30	14400.00	INR Fourteen Thousand Four Hundred Only
73	Brooming and cleaning of all roads in colony and and other places as required with all tools & tackles and stacking the garbage at specified places as per instruction of Engineer-in-charge.	805000.00	sqm	0.25	201250.00	INR Two Lakh One Thousand Two Hundred & Fifty Only
74	Cleaning all type of roofs including of dry leaves, weedings, and cleaning dram holes, brooming etc all complete with tools & tackles and stacking the garbages at specified place as per direction of Engineer-in-charge.	18720.00	sqm	0.31	5803.20	INR Five Thousand Eight Hundred & Three and Paise Twenty Only
75	Brooming & cleaning of floor of main office & site office in industrial area including mopping, removing & disposal of the sae up to lead of 100 mt all complete as per instruction of E/I	495670.00	sqm	0.65	322185.50	INR Three Lakh Twenty Two Thousand One Hundred & Eighty Five and Paise Fifty Only
76	Cleaning of toilet (floor area up to 10 sqm including cleaning of dado. Skriting, W.C Pan(Indian/western type), wash basins, urinals, glass shelves, mirror & other fittings if any with soap solution, acids , deodrants, phenyl etc to make the toilet clean & hygenic, all complete with tools, tackles & conubales as per instr. of E/I	10950.00	NOS	25.13	275173.50	INR Two Lakh Seventy Five Thousand One Hundred & Seventy Three and Paise Fifty Only

77	Cleaning of surface drain including disposal of mud, sludge through trolley or other arrangements to a specified place (in no case it shall be kept on drain banks) within a lead of 1KM complete with all tools & tackles as per instruction of EIC : Upto 300 mm wide	94900.00	mtr	2.52	239148.00	INR Two Lakh Thirty Nine Thousand One Hundred & Forty Eight Only
78	Cleaning of surface drain including disposal of mud, sludge through trolley or other arrangements to a specified place (in no case it shall be kept on drain banks) within a lead of 1KM complete with all tools & tackles as per instruction of EIC : Above 300 mm and upto 600mm	4440.00	mtr	3.15	13986.00	INR Thirteen Thousand Nine Hundred & Eighty Six Only
79	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared.	9960.00	sqm	10.20	101592.00	INR One Lakh One Thousand Five Hundred & Ninety Two Only
80	Carriage of materials by mechanical transport including loading, unloading and stacking. Earth Lead 5.00 KM.	365.00	cum	210.10	76686.50	INR Seventy Six Thousand Six Hundred & Eighty Six and Paise Fifty Only
92	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					4835049.93	INR Forty Eight Lakh Thirty Five Thousand & Forty Nine and Paise Ninety Three Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words	INR Zero Only					