

Validate

Print

Help

Percentage BoQ

Tender Inviting Authority: Staff Officer(Civil), Kuju Area

Name of Work : R/M of workshop,motorcycle shed,PCC in workshop Campus and making toilet for gents & ladies at E&M workshop of Topa colliery of Kuju Area.

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
0	Item Description/ Heading					
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.2.8.1 All type of Soil	10.41	cum	188.45	1961.76	INR One Thousand Nine Hundred & Sixty One and Paise Seventy Six Only
2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	12.05	cum	5150.02	62057.74	INR Sixty Two Thousand & Fifty Seven and Paise Seventy Four Only
3	12 mm cement plaster finished with a floating coat of neat cement of mix : 13.7.2 1:4 (1 cement: 4 fine sand)	20.30	sqm	284.75	5780.43	INR Five Thousand Seven Hundred & Eighty and Paise Forty Three Only
4	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	9.60	cum	1412.40	13559.04	INR Thirteen Thousand Five Hundred & Fifty Nine and Paise Four Only
5	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	100.00	sqm	32.00	3200.00	INR Three Thousand Two Hundred Only

6	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.In cement mortar	4.99	cum	1194.45	5960.31	INR Five Thousand Nine Hundred & Sixty and Paise Thirty One Only
7	Supplying, laying/ fixing, testing and commissioning of following thickness resin bonded fiber glass pipe section insulation having density 80 kg/cum or mineral wool (non combustible) having density of 144 Kg/ cu m duly covered with a layer of 120 gm/sqm polythene sheet (vapour barrier) on existing pipe and finally applying 0.63mm aluminium sheet cladding complete with type3 , grade 1 roofing feltstrip(as per IS:1322 as amended up to date) at joints etc. as per specifications and as required.65 MM	20.11	cum	6322.62	127147.89	INR One Lakh Twenty Seven Thousand One Hundred & Forty Seven and Paise Eighty Nine Only
8	1:6 (1 cement: 6 fine sand)	333.44	sqm	217.70	72589.89	INR Seventy Two Thousand Five Hundred & Eighty Nine and Paise Eighty Nine Only
9	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	173.13	sqm	571.00	98857.23	INR Ninety Eight Thousand Eight Hundred & Fifty Seven and Paise Twenty Three Only
10	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.With cement mortar 1:4 (1cement: 4 coarse sand)	122.21	cum	6944.80	848724.01	INR Eight Lakh Forty Eight Thousand Seven Hundred & Twenty Four and Paise One Only

11	Transplantation of trees with in a distance of 2km including excavation around existing tree, pruning of branches, lifting, loading and transportation of existing tree, digging pits for placing tree at new place, adding manure, sand, fertilizer, hormones and bio fertilizer to it. Levelled and neatly dressed and disposal of surplus materials from old existing and new sites to designated place. Each tree should be firmly secured to the stake so as to prevent excessive movement, flooding with water, treatment of roots, rope and gunny bags as per direction of the officer incharge. T&P and all required materials shall be arranged by the contractor and nothing extra shall be paid on this account. (a) Girth of tree shall be measured at a height of 1m above ground level.Girth of trees upto 50cm.	612.20	sqm	7.50	4591.50	INR Four Thousand Five Hundred & Ninety One and Paise Fifty Only
12	Supplying and making indoor cable end jointing with cast resin compound, including lugs and other jointing materials, for following size of 3 core, XLPE aluminium conductor cable of 11 KV grade as required:	1179.00	kg	77.95	91903.05	INR Ninety One Thousand Nine Hundred & Three and Paise Five Only
13	Supplying and making outdoor cable end jointing with cast resin compound, including lugs and other jointing materials, for following size of 3 core, XLPE aluminium conductor cable of 11 KV grade as required:	1478.50	kg	92.95	137426.58	INR One Lakh Thirty Seven Thousand Four Hundred & Twenty Six and Paise Fifty Eight Only
14	Supplying of channel iron 75 mm X 40 mm X 6 mm (7.14 kg per metre) cross arm for 4 wire over head line complete with clamps, bolts, nuts and washer etc including drilling of holes for insulator pins etc (as per drawing) and painting with primer and finished paint as required.	104.25	m	138.75	14464.69	INR Fourteen Thousand Four Hundred & Sixty Four and Paise Sixty Nine Only
15	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.Size of Tile 600x600 mm	19.00	sqm	1180.40	22427.60	INR Twenty Two Thousand Four Hundred & Twenty Seven and Paise Sixty Only
16	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	103.03	sqm	98.45	10143.30	INR Ten Thousand One Hundred & Forty Three and Paise Thirty Only
17	Finishing with Deluxe Multi surface paint system for interiors and exteriors using Primer as per manufacturers specifications :	103.03	sqm	121.90	12559.36	INR Twelve Thousand Five Hundred & Fifty Nine and Paise Thirty Six Only
18	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :	4.12	cum	8356.10	34427.13	INR Thirty Four Thousand Four Hundred & Twenty Seven and Paise Thirteen Only
19	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.Thermo-Mechanically Treated bars of grade Fe-500D or more.	411.75	kg	75.85	31231.24	INR Thirty One Thousand Two Hundred & Thirty One and Paise Twenty Four Only

20	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :Two or more coats on new work	53.60	sqm	99.10	5311.76	INR Five Thousand Three Hundred & Eleven and Paise Seventy Six Only
21	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :One or more coats on old work	268.45	sqm	65.65	17623.74	INR Seventeen Thousand Six Hundred & Twenty Three and Paise Seventy Four Only
22	Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litres/10 sqm complete including cost of Priming coat.	3251.91	sqm	72.30	235113.09	INR Two Lakh Thirty Five Thousand One Hundred & Thirteen and Paise Nine Only
23	TOILET : Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil.	13.95	M3	188.45	2628.88	INR Two Thousand Six Hundred & Twenty Eight and Paise Eighty Eight Only
24	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	2.31	M3	1844.00	4259.64	INR Four Thousand Two Hundred & Fifty Nine and Paise Sixty Four Only
25	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	3.24	M3	5167.75	16743.51	INR Sixteen Thousand Seven Hundred & Forty Three and Paise Fifty One Only
26	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:Cement mortar 1:6 (1 cement : 6 coarse sand)	10.23	M3	5150.02	52684.70	INR Fifty Two Thousand Six Hundred & Eighty Four and Paise Seventy Only
27	Providing and laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 12.5mm nominal size derived from natural sources)	6.20	M2	318.65	1975.63	INR One Thousand Nine Hundred & Seventy Five and Paise Sixty Three Only
28	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :Cement mortar 1:6(1 cement: 6 coarse sand)	13.84	M3	6322.65	87505.48	INR Eighty Seven Thousand Five Hundred & Five and Paise Forty Eight Only
29	Reinforced cement concrete work in beams, suspended foors, roofs having slope up to 15* landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to foor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources).	3.98	M3	8797.65	35014.65	INR Thirty Five Thousand & Fourteen and Paise Sixty Five Only
30	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.Thermo-Mechanically Treated bars of grade Fe-500D or more.	398.19	KG	75.85	30202.71	INR Thirty Thousand Two Hundred & Two and Paise Seventy One Only
31	Centering and shuttering including strutting, propping etc. and removal of form for :Lintels, beams, plinth beams, girders, bressumers and cantilevers	7.44	M2	470.70	3502.01	INR Three Thousand Five Hundred & Two and Paise One Only

32	Centering and shuttering including strutting, propping etc. and removal of form for :: Suspended floors, roofs, landings, balconies and access platform	20.10	M2	587.10	11800.71	INR Eleven Thousand Eight Hundred and Paise Seventy One Only
33	12 mm cement plaster of mix :1:6 (1 cement: 6 fine sand)	166.28	M2	217.70	36199.16	INR Thirty Six Thousand One Hundred & Ninety Nine and Paise Sixteen Only
34	6 mm cement plaster of mix: 1:3 (1 cement :3 fine snd)	13.80	M2	195.85	2702.73	INR Two Thousand Seven Hundred & Two and Paise Seventy Three Only
35	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.Size of Tile 600x600 mm	13.80	M2	1180.40	16289.52	INR Sixteen Thousand Two Hundred & Eighty Nine and Paise Fifty Two Only
36	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.Size of Tile 600x600 mm	67.36	M2	1221.20	82260.03	INR Eighty Two Thousand Two Hundred & Sixty and Paise Three Only
37	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	10.25	M2	551.30	5650.83	INR Five Thousand Six Hundred & Fifty and Paise Eighty Two Only
38	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	151.20	KG	92.55	13993.56	INR Thirteen Thousand Nine Hundred & Ninety Three and Paise Fifty Six Only
39	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineerin-Charge.	14.85	M	347.45	5159.63	INR Five Thousand One Hundred & Fifty Nine and Paise Sixty Three Only

40	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing.30 mm thick plain PVC door shutters	4.56	M2	2092.30	9540.89	INR Nine Thousand Five Hundred & Forty and Paise Eighty Nine Only
41	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	112.72	M2	98.45	11097.28	INR Eleven Thousand & Ninety Seven and Paise Twenty Eight Only
42	New work (Two or more coat applied @ 1.67 ILO 0 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sarM	78.46	M2	115.85	9089.59	INR Nine Thousand & Eighty Nine and Paise Fifty Nine Only
43	New work (Two or more coat applied @ 1.67 ILO 0 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sarM	34.26	M2	121.90	4176.29	INR Four Thousand One Hundred & Seventy Six and Paise Twenty Nine Only
44	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Fixed to steel windows by welding	9.32	M2	99.90	931.07	INR Nine Hundred & Thirty One and Paise Seven Only
45	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.9.48.2 Fixed to openings /wooden frames with rawl plugs screws etc	12.15	KG	145.60	1769.04	INR One Thousand Seven Hundred & Sixty Nine and Paise Four Only
46	Filling available excavated earth (excluding rock) in trenches, plinth,sides of foundations etc. in layers not exceeding 20cm in depth,consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	5.55	M3	114.40	634.92	INR Six Hundred & Thirty Four and Paise Ninety Two Only
47	Making a 20 users septic tank	1.00	Ea	49065.40	49065.40	INR Forty Nine Thousand & Sixty Five and Paise Forty Only

48	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. 19.32.1 With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	EA	21806.30	21806.30	INR Twenty One Thousand Eight Hundred & Six and Paise Thirty Only
49	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement 7 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1. cement : 1.5 fine sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 173 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc, complete as per standard design:With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	3.00	EA	5215.45	15646.35	INR Fifteen Thousand Six Hundred & Forty Six and Paise Thirty Five Only
50	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required 17.2.1 W.C. pan with ISI marked white solid plastic seat and lid	3.00	EA	4565.40	13696.20	INR Thirteen Thousand Six Hundred & Ninety Six and Paise Twenty Only
51	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	2000.00	LTR	8.40	16800.00	INR Sixteen Thousand Eight Hundred Only
52	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	3.00	EA	1126.55	3379.65	INR Three Thousand Three Hundred & Seventy Nine and Paise Sixty Five Only
53	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: 17.7.2 White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	3.00	EA	1661.35	4984.05	INR Four Thousand Nine Hundred & Eighty Four and Paise Five Only
54	P/F Jaquar Long Body Bib Cock with Wall Flange CON-CHR-107KN	3.00	EA	441.37	1324.11	INR One Thousand Three Hundred & Twenty Four and Paise Eleven Only
55	P/F Jaquar Angular Stop Cock with Wall Flange OPP-CHR-15053PM	4.00	EA	1741.71	6966.84	INR Six Thousand Nine Hundred & Sixty Six and Paise Eighty Four Only
56	Providing and Fixing Hand shower	3.00	EA	1278.39	3835.17	INR Three Thousand Eight Hundred & Thirty Five and Paise Seventeen Only

57	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 18.7.2 20 mm nominal outer dia Pipes	30.00	M	259.05	7771.50	INR Seven Thousand Seven Hundred & Seventy One and Paise Fifty Only
58	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 18.7.3 25 mm nominal outer dia Pipes	70.00	M	331.50	23205.00	INR Twenty Three Thousand Two Hundred & Five Only
59	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.Cement mortar 1:3 (1 cement :3 coarse sand)	16.96	M2	782.66	13273.91	INR Thirteen Thousand Two Hundred & Seventy Three and Paise Ninety One Only
60	Providing and fixing of CPVC Ball Valve 25 mm	3.00	EA	964.18	2892.54	INR Two Thousand Eight Hundred & Ninety Two and Paise Fifty Four Only
61	P/F Jaquar SOAP DISH HOLDER - CHROME ACN-CHR-1131N	3.00	EA	1599.52	4798.56	INR Four Thousand Seven Hundred & Ninety Eight and Paise Fifty Six Only
62	P/F Jaquar SINGLE TOWEL RAIL 450MM LONG - CHROME ACN-CHR-1111BNM.	3.00	EA	583.21	1749.63	INR One Thousand Seven Hundred & Forty Nine and Paise Sixty Three Only
63	Providing and fixing of UPVC Bathroom Ventilation as per direction of EIC.	9.00	SQFT	902.62	8123.58	INR Eight Thousand One Hundred & Twenty Three and Paise Fifty Eight Only
64	P/F Jaquar Two Way Bib Cock with Wall Flange LYR-CHR-38041	3.00	EA	1404.77	4214.31	INR Four Thousand Two Hundred & Fourteen and Paise Thirty One Only
65	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					2506406.89	INR Twenty Five Lakh Six Thousand Four Hundred & Six and Paise Eighty Nine Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words	INR Zero Only					