

Validate		Print		Help		Percentage BoQ	
Tender Inviting Authority: General Manager (Civil)/ Welfare & Services, CCL Ranchi.							
Name of Work:		CAMC of colonies at Basant Vihar Colony under Ashok OCP for a period of 02 years under GM Unit Piparwar Area. Vide NIT No. 10 of 25-26.					
Category of Services (To Be Selected by Department)		Category of Bidder( To Be Selected by Bidder)		To Be Entered by Department			
ITC Not Available	Works Contract	Bidder's Status (Mandatory)		Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)	
Name of the Bidder/ Bidding Firm / Company :		Select		18.00	0.00	0.00	
<b>PRICE SCHEDULE</b> (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only )							
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #	
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words	
1	2	3	4	5	6	7	
1.00	PART A: Repair and maintenance including, pipeline and sanitary works.						
1.01	Carriage of garbage including loading, unloading and stacking with one KM lead( for garbage, void deduction of 20 % shall be made).(Refer: CCL SOR- 2024 1.1.1)	586.56	Cum	137.95	80915.95	INR Eighty Thousand Nine Hundred & Fifteen and Paise Ninety Five Only	
1.02	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil.(Refer: CCL SOR- 2024 2.8.1)	293.28	Cum	188.45	55268.62	INR Fifty Five Thousand Two Hundred & Sixty Eight and Paise Sixty Two Only	
1.03	Providing and laying in position cement concrete of specified grade excludingthe cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) (Refer: CCL SOR- 2024 4.1.3)	40.00	Cum	6490.90	259636.00	INR Two Lakh Fifty Nine Thousand Six Hundred & Thirty Six Only	
1.04	Providing and laying in position cement concrete of specified grade excludingthe cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)(Refer: CCL SOR- 2024 4.1.5)	80.00	Cum	5916.00	473280.00	INR Four Lakh Seventy Three Thousand Two Hundred & Eighty Only	
1.05	Providing, hoisting and fixing up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks,plain window sills and the like, including the cost of required centering, shuttering but excluding cost of reinforcement, with 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size).(Refer: CCL SOR- 2024 5.1.2)	40.00	Cum	7365.50	294620.00	INR Two Lakh Ninety Four Thousand Six Hundred & Twenty Only	

1.06	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars (Refer: CCL SOR- 2024 5.22.6)	3200.00	Kg	75.85	<b>242720.00</b>	INR Two Lakh Forty Two Thousand Seven Hundred & Nineteen and Paise One Hundred Only
1.07	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in foundation and plinth in :Cement mortar 1:6 (1 cement : 6 coarse sand) (Refer: CCL SOR- 2024 6.1.2)	40.00	Cum	5322.15	<b>212886.00</b>	INR Two Lakh Twelve Thousand Eight Hundred & Eighty Six Only
1.08	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level in all shapes and sizes in :Cement mortar 1:6 (1 cement : 6 coarse sand) (Refer: CCL SOR- 2024 6.4.2)	50.00	Cum	6494.75	<b>324737.50</b>	INR Three Lakh Twenty Four Thousand Seven Hundred & Thirty Seven and Paise Fifty Only
1.09	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in foundations and plinth in :cement mortar 1:4 (1 cement : 4 coarse sand) (Refer: CCL SOR- 2024 6.12.2)	80.00	sqm	673.45	<b>53876.00</b>	INR Fifty Three Thousand Eight Hundred & Seventy Six Only
1.10	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level. Cement mortar 1:4 (1 cement : 4 coarse sand) (Refer: CCL SOR- 2024 6.13.2)	100.00	sqm	802.35	<b>80235.00</b>	INR Eighty Thousand Two Hundred & Thirty Five Only
1.11	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite of any colour and shade Area of slab over 0.50 sqm (Refer: CCL SOR- 2024 8.2.2.2)	108.00	sqm	3701.15	<b>399724.20</b>	INR Three Lakh Ninety Nine Thousand Seven Hundred & Twenty Four and Paise Twenty Only
1.12	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 25 mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. piano hinges with necessary screws (Refer: CCL SOR- 2024 9.21.3)	475.20	sqm	1530.60	<b>727341.12</b>	INR Seven Lakh Twenty Seven Thousand Three Hundred & Forty One and Paise Twelve Only
1.13	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding (Refer: CCL SOR- 2024 9.48.1)	1762.50	Kg	145.60	<b>256620.00</b>	INR Two Lakh Fifty Six Thousand Six Hundred & Twenty Only
1.14	Providing and fixing ISI marked, IS : 1341, M.S. heavy weight butt hinges with necessary screws etc. complete : 125x90x4.00 mm (Refer: CCL SOR- 2024 9.56.1)	300.00	NOS	49.75	<b>14925.00</b>	INR Fourteen Thousand Nine Hundred & Twenty Five Only

1.15	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer-in-Charge. (Refer: CCL SOR- 2024 9.119)	1455.00	Metre	347.45	<b>505539.75</b>	INR Five Lakh Five Thousand Five Hundred & Thirty Nine and Paise Seventy Five Only
1.16	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick plain PVC door shutters (Refer: CCL SOR- 2024 9.120.1)	438.75	sqm	2092.30	<b>917996.63</b>	INR Nine Lakh Seventeen Thousand Nine Hundred & Ninety Six and Paise Sixty Three Only
1.17	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (Refer: CCL SOR- 2024 10.1)	10304.00	Kg	77.95	<b>803196.80</b>	INR Eight Lakh Three Thousand One Hundred & Ninety Six and Paise Eighty Only
1.18	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.Using flats 30x6mm for diagonal braces and central cross piece (Refer: CCL SOR- 2024 10.5.2)	961.82	sqm	3730.40	<b>3587982.28</b>	INR Thirty Five Lakh Eighty Seven Thousand Nine Hundred & Eighty Two and Paise Twenty Eight Only
1.19	Welding by gas or electric plant including transportation of plant at site etc. complete.(Refer: CCL SOR- 2024 10.22)	20000.00	cm	2.95	<b>59000.00</b>	INR Fifty Nine Thousand Only
1.20	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.40 mm thick with 20 mm nominal size stone aggregate (Refer: CCL SOR- 2024 11.3.1)	2840.00	sqm	452.50	<b>1285100.00</b>	INR Twelve Lakh Eighty Five Thousand One Hundred Only

1.21	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. (Refer: CCL SOR- 2024 11.36 (8.31)	1420.00	sqm	871.30	<b>1237246.00</b>	INR Twelve Lakh Thirty Seven Thousand Two Hundred & Forty Six Only
1.22	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigment etc, complete. (Refer: CCL SOR- 2024 11.37)	274.00	sqm	762.80	<b>209007.20</b>	INR Two Lakh Nine Thousand & Seven and Paise Twenty Only
1.23	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS : 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm (Refer: CCL SOR- 2024 11.41.2)	280.00	sqm	1180.40	<b>330512.00</b>	INR Three Lakh Thirty Thousand Five Hundred & Twelve Only
1.24	Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile 600x600 mm (Refer: CCL SOR- 2024 11.47.2)	40.00	sqm	1369.15	<b>54766.00</b>	INR Fifty Four Thousand Seven Hundred & Sixty Six Only
1.25	Painting top of roofs with bitumen of approved quality @ 17kg per 10 sqm impregnated with a coat of coarse sand at 60 cu dm per 10 sqm, including cleaning the slab surface with brushes and finally with a piece of cloth lightly soaked in kerosene oil complete : With residual type petroleum bitumen of grade VG - 10 (Refer: CCL SOR- 2024 12.15.1)	1100.00	sqm	103.50	<b>113850.00</b>	INR One Lakh Thirteen Thousand Eight Hundred & Fifty Only
1.26	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.110 mm diameter (Refer: CCL SOR- 2024 12.41.2)	1100.00	Metre	262.40	<b>288640.00</b>	INR Two Lakh Eighty Eight Thousand Six Hundred & Forty Only
1.27	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Single tee with door 110x110x110 mm (Refer: CCL SOR- 2024 12.42.3.2)	240.00	NOS	178.35	<b>42804.00</b>	INR Forty Two Thousand Eight Hundred & Four Only

1.28	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Bend 87.5° 110 mm bend (Refer: CCL SOR- 2024 12.42.5.2)	240.00	NOS	114.60	<b>27504.00</b>	INR Twenty Seven Thousand Five Hundred & Four Only
1.29	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Shoe (Plain) 110 mm Shoe (Refer: CCL SOR- 2024 12.42.6.2)	120.00	NOS	100.65	<b>12078.00</b>	INR Twelve Thousand & Seventy Eight Only
1.30	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.110 mm (Refer: CCL SOR- 2024 12.43.2)	550.00	NOS	234.80	<b>129140.00</b>	INR One Lakh Twenty Nine Thousand One Hundred & Forty Only
1.31	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling / self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. (Refer: CCL SOR- 2024 12.50)	70.84	sqm	571.00	<b>40449.64</b>	INR Forty Thousand Four Hundred & Forty Nine and Paise Sixty Four Only
1.32	12 mm cement plaster:1:6 (1 cement : 6 fine sand) (Refer: CCL SOR- 2024 13.1.2)	10200.00	sqm	217.70	<b>2220540.00</b>	INR Twenty Two Lakh Twenty Thousand Five Hundred & Forty Only
1.33	12 mm cement plaster finished with a floating coat of neat cement of mix :1:4 (1 cement: 4 fine sand) (Refer: CCL SOR- 2024 13.7.2)	489.60	sqm	284.75	<b>139413.60</b>	INR One Lakh Thirty Nine Thousand Four Hundred & Thirteen and Paise Sixty Only
1.34	6 mm cement plaster of mix :1:3 (1 cement : 3 fine sand) (Refer: CCL SOR- 2024 13.16.1)	489.60	sqm	195.85	<b>95888.16</b>	INR Ninety Five Thousand Eight Hundred & Eighty Eight and Paise Sixteen Only
1.35	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work (Refer: CCL SOR- 2024 13.61.1)	4731.08	sqm	99.90	<b>472634.89</b>	INR Four Lakh Seventy Two Thousand Six Hundred & Thirty Four and Paise Eighty Nine Only
1.36	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:Float glass panes of thickness 4 mm (Refer: CCL SOR- 2024 14.5.1)	73.22	sqm	757.10	<b>55431.83</b>	INR Fifty Five Thousand Four Hundred & Thirty One and Paise Eighty Three Only
1.37	White washing with lime to give an even shade :Old work (two or more coats) (Refer: CCL SOR- 2024 13.87)	4000.00	sqm	14.30	<b>57200.00</b>	INR Fifty Seven Thousand Two Hundred Only

1.38	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade :Old work (one or more coats) (Refer: CCL SOR- 2024 14.45.1) (13.81.1)	81710.44	sqm	38.55	3149937.46	INR Thirty One Lakh Forty Nine Thousand Nine Hundred & Thirty Seven and Paise Forty Six Only
1.39	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :One or more coats on old work (Refer: CCL SOR- 2024 14.54.1) (13.99.1)	20842.14	sqm	65.65	1368286.49	INR Thirteen Lakh Sixty Eight Thousand Two Hundred & Eighty Six and Paise Forty Nine Only
1.40	Finishing walls with water proofing cement paint of required shade :Old work (one or more coats applied @ 2.20 kg/10 sqm) over priming coat of primer applied @ 0.80 litres/10 sqm complete including cost of Priming coat. (Refer: CCL SOR- 2024 14.64.1) (13.109.1)	1000.00	sqm	72.30	72300.00	INR Seventy Two Thousand Three Hundred Only
1.41	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) (Refer: CCL SOR- 2024 15.2.1)	60.00	Cum	1412.40	84744.00	INR Eighty Four Thousand Seven Hundred & Forty Four Only
1.42	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.In cement mortar (Refer: CCL SOR- 2024 15.7.4)	80.00	Cum	1194.45	95556.00	INR Ninety Five Thousand Five Hundred & Fifty Six Only
1.43	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :Of area 3 sq. metres and below (Refer: CCL SOR- 2024 15.12.1)	320.00	NOS	218.95	70064.00	INR Seventy Thousand & Sixty Four Only
1.44	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (Refer: CCL SOR- 2024 15.56)	11179.20	sqm	32.00	357734.40	INR Three Lakh Fifty Seven Thousand Seven Hundred & Thirty Four and Paise Forty Only
1.45	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge :15 mm to 40 mm nominal bore (Refer: CCL SOR- 2024 15.44.1)	1700.00	sqm	88.85	151045.00	INR One Lakh Fifty One Thousand & Forty Five Only
1.46	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid (Refer: CCL SOR- 2024 17.2.1)	68.00	NOS	4565.40	310447.20	INR Three Lakh Ten Thousand Four Hundred & Forty Seven and Paise Twenty Only
1.47	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap (Refer: CCL SOR- 2024 17.7.4)	136.00	NOS	1458.10	198301.60	INR One Lakh Ninety Eight Thousand Three Hundred & One and Paise Sixty Only

1.48	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS: 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required :Kitchen sink without drain board 610x460 mm bowl depth 200 mm. (Refer: CCL SOR- 2024 17.10.2.2)	136.00	NOS	2785.75	<b>378862.00</b>	INR Three Lakh Seventy Eight Thousand Eight Hundred & Sixty Two Only
1.49	Providing and fixing white vitreous china water closet squatting pan (Indian type) :Orissa pattern W.C. pan of size 580x440 mm (Refer: CCL SOR- 2024 17.13.2)	60.00	NOS	2294.00	<b>137640.00</b>	INR One Lakh Thirty Seven Thousand Six Hundred & Forty Only
1.50	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete.10 litre capacity - White (Refer: CCL SOR- 2024 17.18.1)	100.00	NOS	863.00	<b>86300.00</b>	INR Eighty Six Thousand Three Hundred Only
1.51	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete :White solid plastic seat with lid (Refer: CCL SOR- 2024 51.17.20.1)	40.00	NOS	509.20	<b>20368.00</b>	INR Twenty Thousand Three Hundred & Sixty Eight Only
1.52	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.Flexible pipe 32 mm dia (Refer: CCL SOR- 2024 17.28.2.1)	200.00	NOS	90.60	<b>18120.00</b>	INR Eighteen Thousand One Hundred & Twenty Only
1.53	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :Rectangular shape 453x357 mm (Refer: CCL SOR- 2024 17.32.2)	100.00	NOS	919.10	<b>91910.00</b>	INR Ninety One Thousand Nine Hundred & Ten Only
1.54	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 450 mm long towel rail with total length of 495 mm, 78 mm wide and effective height of 88 mm, weighing not less than 170 gms (Refer: CCL SOR- 2024 17.73.1)	40.00	NOS	447.40	<b>17896.00</b>	INR Seventeen Thousand Eight Hundred & Ninety Six Only
1.55	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Internal work - Exposed on wall 15 mm nominal outer dia Pipes (Refer: CCL SOR- 2024 18.7.1)	600.00	Metre	200.90	<b>120540.00</b>	INR One Lakh Twenty Thousand Five Hundred & Forty Only
1.56	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Internal work - Exposed on wall 20 mm nominal outer dia Pipes (Refer: CCL SOR- 2024 18.7.2)	200.00	Metre	259.05	<b>51810.00</b>	INR Fifty One Thousand Eight Hundred & Ten Only

1.57	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 25 mm nominal outer dia Pipes (Refer: CCL SOR- 2024 18.7.3)	1300.00	Metre	331.50	<b>430950.00</b>	INR Four Lakh Thirty Thousand Nine Hundred & Fifty Only
1.58	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. 80 mm dia nominal bore (Refer: CCL SOR- 2024 18.12.8)	200.00	Metre	768.15	<b>153630.00</b>	INR One Lakh Fifty Three Thousand Six Hundred & Thirty Only
1.59	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete :25 to 40 mm nominal bore (Refer: CCL SOR- 2024 18.13.1)	80.00	NOS	590.95	<b>47276.00</b>	INR Forty Seven Thousand Two Hundred & Seventy Six Only
1.60	Providing and fixing brass bib cock of approved quality :15 mm nominal bore (Refer: CCL SOR- 2024 18.15.1)	200.00	NOS	263.75	<b>52750.00</b>	INR Fifty Two Thousand Seven Hundred & Fifty Only
1.61	Providing and fixing brass stop cock of approved quality :15 mm nominal bore (Refer: CCL SOR- 2024 18.16.1)	100.00	NOS	263.75	<b>26375.00</b>	INR Twenty Six Thousand Three Hundred & Seventy Five Only
1.62	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :25 mm nominal bore (Refer: CCL SOR- 2024 18.17.1)	160.00	NOS	462.15	<b>73944.00</b>	INR Seventy Three Thousand Nine Hundred & Forty Four Only
1.63	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :25 mm nominal bore (Refer: CCL SOR- 2024 18.18.3)	100.00	NOS	346.55	<b>34655.00</b>	INR Thirty Four Thousand Six Hundred & Fifty Five Only
1.64	Providing and fixing gun metal non- return valve of approved quality (screwed end) :80 mm nominal bore Vertical (Refer: CCL SOR- 2024 18.19.6.2)	20.00	NOS	3069.85	<b>61397.00</b>	INR Sixty One Thousand Three Hundred & Ninety Seven Only
1.65	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet :100 mm diameter (Refer: CCL SOR- 2024 18.22.1)	100.00	NOS	144.40	<b>14440.00</b>	INR Fourteen Thousand Four Hundred & Forty Only
1.66	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) :100 mm diameter Class II (Refer: CCL SOR- 2024 18.31.1.2)	10.00	NOS	3830.40	<b>38304.00</b>	INR Thirty Eight Thousand Three Hundred & Four Only
1.67	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately) :150 mm diameter Class II (Refer: CCL SOR- 2024 18.31.3.2)	6.00	NOS	5681.35	<b>34088.10</b>	INR Thirty Four Thousand & Eighty Eight and Paise Ten Only
1.68	Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required :15 mm nominal bore (Refer: CCL SOR- 2024 18.47.1)	60.00	NOS	526.55	<b>31593.00</b>	INR Thirty One Thousand Five Hundred & Ninety Two and Paise One Hundred Only
1.69	Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required :20 mm nominal bore (Refer: CCL SOR- 2024 18.47.2)	40.00	NOS	549.80	<b>21992.00</b>	INR Twenty One Thousand Nine Hundred & Ninety Two Only

1.70	Providing and fixing G.I. Union in existing G.I. pipe line, cutting and threading the pipe and making long screws, including excavation, refilling the earth or cutting of wall and making good the same complete wherever required :25mm nominal bore (Refer: CCL SOR- 2024 18.47.3)	60.00	NOS	619.45	<b>37167.00</b>	INR Thirty Seven Thousand One Hundred & Sixty Seven Only
1.71	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.(Refer: CCL SOR- 2024 18.48)	135000.00	litre	8.40	<b>1134000.00</b>	INR Eleven Lakh Thirty Four Thousand Only
1.72	Providing and fixing PTMT bib cock of approved quality and colour. 15mm nominal bore, 86 mm long, weighing not less than 88 gms (Refer: CCL SOR- 2024 18.54.1)	60.00	NOS	95.35	<b>5721.00</b>	INR Five Thousand Seven Hundred & Twenty One Only
1.73	Providing and fixing PTMT pillar cock of approved quality and colour . 15 mm nominal bore, 125 mm long foam flow, weighing not less than 120 gms (Refer: CCL SOR- 2024 18.56.2)	60.00	NOS	168.55	<b>10113.00</b>	INR Ten Thousand One Hundred & Thirteen Only
1.74	Providing and fixing PTMT grating of approved quality and colour.Circular type 100 mm nominal dia (Refer: CCL SOR- 2024 18.58.1.1)	100.00	NOS	28.85	<b>2885.00</b>	INR Two Thousand Eight Hundred & Eighty Five Only
1.75	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:2:4 mix (1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design: Inside dimensions 455x610 mm and 45 cm deep for single pipe line : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (Refer: CCL SOR- 2024 19.30.1.1)	30.00	NOS	5215.45	<b>156463.50</b>	INR One Lakh Fifty Six Thousand Four Hundred & Sixty Three and Paise Fifty Only
1.76	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 (Refer: CCL SOR- 2024 19.32.1)	10.00	NOS	21806.30	<b>218063.00</b>	INR Two Lakh Eighteen Thousand & Sixty Three Only

1.77	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) (Refer: CCL SOR- 2024 21.1.1.1)	481.00	Kg	367.10	<b>176575.10</b>	INR One Lakh Seventy Six Thousand Five Hundred & Seventy Five and Paise Ten Only
1.78	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) (Refer: CCL SOR- 2024 21.1.2.1)	591.68	Kg	434.00	<b>256786.95</b>	INR Two Lakh Fifty Six Thousand Seven Hundred & Eighty Six and Paise Ninety Five Only
1.79	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (Refer: CCL SOR- 2024 21.3.1)	170.23	sqm	824.65	<b>140381.82</b>	INR One Lakh Forty Thousand Three Hundred & Eighty One and Paise Eighty Two Only
1.80	Cleaning of septic tank by mechanical means (Analysed Rate)	557.28	Cum	1265.00	<b>704959.20</b>	INR Seven Lakh Four Thousand Nine Hundred & Fifty Nine and Paise Twenty Only
1.81	Construction of 20 user septic tank all complete as per the instruction of EIC. (Analysed Rate)	2.00	NOS	49880.59	<b>99761.18</b>	INR Ninety Nine Thousand Seven Hundred & Sixty One and Paise Eighteen Only
1.82	Easing and adjusting door and window shutters with chaukhats in old work complete as per specification and direction of E/I. (Analysed Rate)	600.00	NOS	301.96	<b>181176.00</b>	INR One Lakh Eighty One Thousand One Hundred & Seventy Six Only
<b>2.00</b>	<b>PART B : Facility Manager</b>					
2.01	Deployment of facility manager for heading the entire team and single point of contact & overall incharge of FM on site operators and reporting to engineer in charge or his representative,. ( note: facility manager is to deployed on monthly basis only. (Analysed Rate)	730.00	Days	1027.55	<b>750111.50</b>	INR Seven Lakh Fifty Thousand One Hundred & Eleven and Paise Fifty Only
<b>3.00</b>	<b>PART C : Lowering of submersible pump and borewell flushing</b>					

3.01	Lifting of 7.50 / 10.00 HP submersible pump - motor set from deep bore well with rigid PVC pipe of 50 mm dia including all accessories etc. Complete including stacking all materials as per instruction of engineer in charge. (Analysed Rate)	10.00	Jobs	3092.63	<b>30926.30</b>	INR Thirty Thousand Nine Hundred & Twenty Six and Paise Thirty Only
3.02	Labour charges for lowering of submersible pump motor set in borewell with rigid PVC pipe of 32-50 mm dia threading all accessories etc complete all materials as per instruction of EIC (Analysed Rate)	10.00	Jobs	2039.73	<b>20397.30</b>	INR Twenty Thousand Three Hundred & Ninety Seven and Paise Thirty Only
3.03	Providing rigid PVC pipe of 32 mm outer dia conforming to IS : 4985 ( 6 kgf/sqcm) as per instruction of engineer in charge.) (Analysed Rate)	300.00	Metre	200.64	<b>60192.00</b>	INR Sixty Thousand One Hundred & Ninety One and Paise One Hundred Only
3.04	Providing on Nylon rope 12 mm dia for holding the submersible pump motor set as per instruction of engineer in charge. (Analysed Rate)	240.00	Metre	29.04	<b>6969.60</b>	INR Six Thousand Nine Hundred & Sixty Nine and Paise Sixty Only
3.05	Providing of 50 mm dia CI adpater as per instruction of engineer in charge. (Analysed Rate)	4.00	NOS	1626.10	<b>6504.40</b>	INR Six Thousand Five Hundred & Four and Paise Forty Only
3.06	Flusing of bore hole by drilling machine. (Analysed Rate)	2100.00	feet	92.90	<b>195090.00</b>	INR One Lakh Ninety Five Thousand & Ninety Only
<b>4.00</b>	<b>PART - D : CLEANING OF WATER STORAGE TANKS:</b>					
4.01	Cleaning of terrace / loft water storage tank ( inside surface are) upto 2000 liter capacity at hall heights with coconut brushes, duster etc, removal of silt , rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5 gm per liter capacity of tank including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba all complete as per direction of engineer in charge . ( The old date already written on tank should be removed with paint remover or black paint and if if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per liter) ( if during cleaning cleaning any GI fitting or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) ( CPWD DSR 16 item no. 14.75 A) (Analysed Rate)	2160000.00	Litre	0.32	<b>691200.00</b>	INR Six Lakh Ninety One Thousand Two Hundred Only
<b>5.00</b>	<b>PART - E : HOUSEKEEPING WORKS</b>					
5.01	CARRIAGE OF MATERIALS By Mechanical Transport including loading ,unloading and stacking Lime, moorum, building rubbish Lead 1 Km (Refer: CCL SOR- 2024 1.1.1)	7625.00	Cum	168.10	<b>1281762.50</b>	INR Twelve Lakh Eighty One Thousand Seven Hundred & Sixty Two and Paise Fifty Only
5.02	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared. (Refer: CCL SOR- 2024 2.31)	14995.80	sqm	10.20	<b>152957.17</b>	INR One Lakh Fifty Two Thousand Nine Hundred & Fifty Seven and Paise Seventeen Only
5.03	Clearing grass and removal of the rubbish upto a distance of 50 m outside the periphery of the area cleared (Refer: CCL SOR- 2024 2.32)	299916.01	sqm	5.20	<b>1559563.26</b>	INR Fifteen Lakh Fifty Nine Thousand Five Hundred & Sixty Three and Paise Twenty Six Only

5.04	Cleaning of surface drain including disposal of mud, sludge through trolley or other arrangement to a complete with a specified place ( in no case it shall be kept on drain banks) within alead of 1KM complete, with all tools and tackles as per instruction of EIC. Upto.300 mm wide. (Analysed Rate)	147840.00	Metre	2.44	<b>360729.60</b>	INR Three Lakh Sixty Thousand Seven Hundred & Twenty Nine and Paise Sixty Only
5.05	Cleaning of surface drain including disposal of mud, sludge through trolley or other arrangement to a complete with a specified place ( in no case it shall be kept on drain banks) within alead of 1KM complete, with all tools and tackles as per instruction of EIC. Above 300 mm and upto 600 mm wide .(Analysed Rate)	112695.84	Metre	3.05	<b>343722.31</b>	INR Three Lakh Forty Three Thousand Seven Hundred & Twenty Two and Paise Thirty One Only
5.06	Cleaning of surface drain including disposal of mud, sludge through trolley or other arrangement to a complete with a specified place ( in no case it shall be kept on drain banks) within alead of 1KM complete, with all tools and tackles as per instruction of EIC. Above 600 mm wide . (Analysed Rate)	90663.36	Metre	4.20	<b>380786.11</b>	INR Three Lakh Eighty Thousand Seven Hundred & Eighty Six and Paise Eleven Only
5.07	Collection of garbage from door to door and disposal of the same through trolley or other suitable arrangement to the specified place within a lead of 1 KM including sweeping of the stair case ( for 1st and 2nd floor quarters) with all tools & tackles complete as per instruction of EIC. Ground Floor (Analysed Rate)	178120.00	NOS	6.29	<b>1120374.80</b>	INR Eleven Lakh Twenty Thousand Three Hundred & Seventy Four and Paise Eighty Only
5.08	Collection of garbage from door to door and disposal of the same through trolley or other suitable arrangement to the specified place within a lead of 1 KM including sweeping of the stair case ( for 1st and 2nd floor quarters) with all tools & tackles complete as per instruction of EIC. 1st floor (Analysed Rate)	175680.00	NOS	7.87	<b>1382601.60</b>	INR Thirteen Lakh Eighty Two Thousand Six Hundred & One and Paise Sixty Only
5.09	Collection of garbage from door to door and disposal of the same through trolley or other suitable arrangement to the specified place within a lead of 1 KM including sweeping of the stair case ( for 1st and 2nd floor quarters) with all tools & tackles complete as per instruction of EIC. 2nd floor (Analysed Rate)	63440.00	NOS	9.68	<b>614099.20</b>	INR Six Lakh Fourteen Thousand & Ninety Nine and Paise Twenty Only
5.10	Brooming and cleaning of all roads in colony and within the premises of service building and other places as required with all tools and tackles and satcking the garbage at specified place as per instruction of EIC. (Analysed Rate)	4869262.94	sqm	0.26	<b>1266008.37</b>	INR Twelve Lakh Sixty Six Thousand & Eight and Paise Thirty Seven Only
5.11	Cleaning of all type of roofs including removal of dry leaves, weeding and cleaning drain holes, brooming etc all complete with tools and tackles and stacking the garbage at specified places as per instruction of EIC.(Analysed Rate)	2521834.56	sqm	0.31	<b>781768.71</b>	INR Seven Lakh Eighty One Thousand Seven Hundred & Sixty Eight and Paise Seventy One Only
<b>6.00</b>	<b>PART F: FOGGING INSECTSIDE</b>					
6.12	Fogging with smoker mixed with diesel @ 8 ml smoker with one ltr of diesel twice per month as per direction of engineer in charge ( treatment to be done using spray machine along with proper safety provison for sprayer like mask etc. (Analysed Rate)	48.00	Hours	782.70	<b>37569.60</b>	INR Thirty Seven Thousand Five Hundred & Sixty Nine and Paise Sixty Only
<b>7.00</b>	<b>PART G : Electrical works</b>					

7.01	Point wiring in PVC conduit,with piano type switch; wiring for light point/fan point/exhaust fan point/call bell with 1.5sqmm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit,with piano type switch,phenolic laminated sheet,suitable size M.S. box and earthing the point with 1.5sqmm FRLS PVC insulated copper conductor single core cable etc as required. (Refer: CCL SOR 2024 code 1.8.1)	946.00	NO	791.00	<b>748286.00</b>	INR Seven Lakh Forty Eight Thousand Two Hundred & Eighty Six Only
7.02	Rewiring for light point/ fan point/ exhaust fan point/call bell point with 1.5sq.mm FRLSPVC insulated copper conductor single core cable and 1.5sq.mm FRLSPV Cinsulated copper conductor single core cable as earth wire in existing surface/ recessed steel/ PVC conduit including dismantling as required. ( Refer:CCL SOR 2024 code 1.15.1)	350.00	No	455.00	<b>159250.00</b>	INR One Lakh Fifty Nine Thousand Two Hundred & Fifty Only
7.03	Wiring for circuit/submain wiring along with earth wire with sizes of 2 X 2.5 sq. mm + 1 X 2.5sq. mm earth wire FRLSPVC insulated copper conductor,singlecore cable in surface/ recessed medium class PVC conduit as required.( Refer : CCL SOR 2024 code 1.14.2)	1800.00	MTR	227.00	<b>408600.00</b>	INR Four Lakh Eight Thousand Six Hundred Only
7.04	Wiring for light/power plug with 2X4sq.mm FRLS PVC insulated copper conductor single core cable in surface/recessed medium class PV Cconduit alongwith 1No.4sq.mm FRLS PVC insulated copper conductor single corecable for loop earthing as required.(Refer: CCL SOR 2024 code 1.12)	1800.00	MTR	279.00	<b>502200.00</b>	INR Five Lakh Two Thousand Two Hundred Only
7.05	Supplying and fixing metal box/PVC insulated of 150mmX75mmX60mm deep (nominal size)on surface or inrecess with suitable size of phenolic laminated sheet cover infront including providing and fixing 3pin5/6A socket outlet and 5/6A piano type switch, connections, painting etc. as required. (Refer: CCL SOR 2024 code 1.29)	215.00	NO	284.00	<b>61060.00</b>	INR Sixty One Thousand &Sixty Only
7.06	Supplying and fixing metal box of 180mmX100mmX60mm deep (nominal size)on surface or inrecess with suitable size of phenolic laminated sheet cover infront including providing and fixing 6pin5/6&15/16Asocket out let and 15/16 A piano type switch, connections, painting etc. as required. (Refer: CCL SOR 2024 code 1.30)	150.00	NO	398.00	<b>59700.00</b>	INR Fifty Nine Thousand Seven Hundred Only
7.07	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connection but excluding modular plate etc as required. (Refer: CCL SOR 2024 code 1.25)	502.00	NO	313.00	<b>157126.00</b>	INR One Lakh Fifty Seven Thousand One Hundred & Twenty Six Only
7.08	Supplying and fixing DP sheet steel enclosure on surface/ reces along with 25/32 A 240 V "C" curve DP MCB complete with connections, testing and commissioning etc. as required. (Refer: CCL SOR 2024 code 2.16)	161.00	NO	1000.00	<b>161000.00</b>	INR One Lakh Sixty One Thousand Only
7.09	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C"curve, miniature circuit breaker suitable for inductive load of single poles in the existing MCB DB complete withconnections, testing and commissioning etc. as required. (Refer : CCL SOR 2024 code 2.10.1)	520.00	NO	215.00	<b>111800.00</b>	INR One Lakh Eleven Thousand Eight Hundred Only
7.10	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C"curve, miniature circuit breaker suitable for inductive load of single poles and neutral in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Refer:CCL SOR 2024 code 2.10.2)	175.00	NO	515.00	<b>90125.00</b>	INR Ninety Thousand One Hundred & Twenty Five Only
7.11	Supplying and fixing 3pin,5A ceiling rose on the existingjunction box/ wooden block including connections etc. as required. (Refer: CCL SOR 2024 code 1.33)	440.00	NO	69.00	<b>30360.00</b>	INR Thirty Thousand Three Hundred & Sixty Only
7.12	Supplying and fixing brass batten/angle holder including connection etc.as required. (Refer: CCL SOR 2024 code 1.34)	550.00	NO	105.00	<b>57750.00</b>	INR Fifty Seven Thousand Seven Hundred & Fifty Only

7.13	Supplying and fixing of 5/6 piano type switch on the existing switch box/ cover including connections etc. as required. (Refer: CCL SOR 2024 code 1.23.1)	473.00	NO	41.00	19393.00	INR Nineteen Thousand Three Hundred & Ninety Three Only
7.14	Supplying and fixing 6pins 15/16amp switch. (Refer: CCL SOR 2024code 1.23.3)	416.00	NO	99.00	41184.00	INR Forty One Thousand One Hundred & Eighty Four Only
7.15	Supplying and fixing 3 pin 5/6 A socket outlet (Refer: CCL SOR 2024 code 1.23.4)	300.00	NO	56.00	16800.00	INR Sixteen Thousand Eight Hundred Only
7.16	Supplying and fixing 6 pin 15/16 A socket outlet (Refer: CCL SOR 2024code 1.23.5)	416.00	NO	113.00	47008.00	INR Forty Seven Thousand &Eight Only
7.17	Supplying and drawing 2x6sqmm sizes of FRLS PVC insulated copper conductor,single core cable in the existing surface/recessed steel/PVC conduit as required. (Refer: CCL SOR 2024 code 1.17.29)	900.00	MTR	184.00	165600.00	INR One Lakh Sixty Five Thousand Six Hundred Only
7.18	Supplying and fixing 63Amp rating,double pole,240V,isolator in the existing MOB DB complete with connections,testing and commissioningetc. as required. (Refer: CCL SOR 2024 code 2.12.2)	100.00	No	453.00	45300.00	INR Forty Five Thousand Three Hundred Only
7.19	Supplying and fixing 100Amp rating,four pole,415V,isolator in the existing MOB DB complete with connections,testing and commissioning etc. as required. (Refer: CCL SOR 2024 code 2.13.3)	100.00	No	1056.00	105600.00	INR One Lakh Five Thousand Six Hundred Only
7.20	Supplying and fixing following way,single pole and neutral ,sheet steel,MCB distribution board,240V,on surface/recess,complete with tinned copper bus bar,neutral busbar,earth bar,din bar,interconnections,powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) (Refer: CCL SOR 2024 code 2.3.1)	50.00	Nos	1878.00	93900.00	INR Ninety Three Thousand Nine Hundred Only
7.21	Providing and drawing single core copper cable FRLS 10Sqmm copper cable.(Annalised Rate)	3200.00	Mtr	267.95	857440.00	INR Eight Lakh Fifty Seven Thousand Four Hundred & Forty Only
7.22	Providing and fixing LED tube light fittings 20Watt (Annalised Rate)	200.00	No	129.61	25922.00	INR Twenty Five Thousand Nine Hundred & Twenty Two Only
7.23	Providing and fixing Self ballast LED Lamp 9Watt (Annalised Rate)	600.00	No	91.61	54965.50	INR Fifty Four Thousand Nine Hundred & Sixty Five and Paise Fifty Only
8.00	<b>Total impact of GST for the purpose of CTC</b>	1.000	Nos	0.00	0.00	INR Zero Only
<b>Total in Figures</b>					<b>42153718.99</b>	INR Four Crore Twenty One Lakh Fifty Three Thousand Seven Hundred & Eighteen and Paise Ninety Nine Only
<b>Quoted Rate in Figures</b>			<b>Select</b>		<b>0.00</b>	INR Zero Only
<b>Quoted Rate in Words</b>						<b>INR Zero Only</b>