Validate	Print	Help		Rate BoQ						
Tender Inviting Aut	hority: Staff Officer	(E&M), BnK Area.								
Name of the Work / Contract No:	(A) Outdoor illumir B&K Area	nation arrangement	of Executive Hotel(CISF) and (B) CISF barrak, HQ near							
	Category of Service	es (To Be Selected b	y Department)							
ITC Not Available			Works Contract		Bidder's Status (Mandator y)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)	
Name of the Bidder/ Bidding Firm / Company :					Select	18	0.00	0.00	0.00	
PRICE SCHEDULE  (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)										
NUMBER#			TEXT #	NUMBER#	TEXT #	NUMBER	NUMBER#	NUMBER#	TEXT#	
SI. No.			tem Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words	
1			2	3	4	5	6	7	8	
1	std make.		scape luminaire with high power LEDs (15Watt, IP65)	44	No.				INR Zero Only	
2	Supply & Providing std make.	g of aluminium land :	cape luminaire with high power LEDs (25Watt, IP65)		No.			0.00	INR Zero Only	
3	Supplying & provid	ing of 50 mm G.I. P		42	Mtr			0.00	INR Zero Only	
4		ing of 76 mm G.I. P		2	Mtr				INR Zero Only	
		ed light fitting from p		37	No.				INR Zero Only	
	Erection of repaired		rden light with all nut bolt washer etc.	37 15					INR Zero Only INR Zero Only	
8	Supplying and fixing	g metal box of follow nolic laminated shee	ving sizes (nominal size) on surface or in recess with cover in front including painting etc as required.(100	59	Each				INR Zero Only	
9	Supplying and fixing mounting of fluorese to the required shap	g of 32 mm dia X 1. cent / HPMV / HPS	00 metres long G.L pipe (medium class) bracket for / street light fitting on pole including bending the pipe mm flat iron clamps with nuts, bolts and washer, painting etc. as required.	28	No.			0.00	INR Zero Only	
	Wiring for circuit/s mm earth wire of FF medium class PVC	submain wiring along R PVC insulated cop conduit as required.	with earth wire with the 2 X 1.5 sq. mm + 1 X 1.5 sq. per conductor, single core cable in surface/recessed	560	Mtr				INR Zero Only	
11	(flexible) industrial 1.5 sqmm	cable for Voltage G	d, Multicore Annealed Bare Copper Conductor rade 1100 Volt, Conforming to IS 694 : 2010, 3 core,	225	Mtr				INR Zero Only	
	(flexible) industrial 2.5 sqmm	cable for Voltage G	d, Multicore Annealed Bare Copper Conductor rade 1100 Volt, Conforming to IS 694 : 2010, 3 core,	120	Mtr				INR Zero Only	
13		ia. ISI marked, PVC		155	Mtr Mtr				INR Zero Only	
14 15	Providing and layin	g in position cement	d PVC sheathed / XLPE power cable of 1.1 KV grade of concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded foundation of pump, DG set etc including form work etc	7.77	cum				INR Zero Only INR Zero Only	
16			losure on surface/ recess along with 25/32amps 240 volts ections, testing and commissioning etc. as required.	4	No.			0.00	INR Zero Only	
17			e system (78sqmm x 3mtr long) in view of chemical	3	No.			0.00	INR Zero Only	
18	Supply & Providing	of high grade grou	nd fill compound (GBFC) Bag approximately 25Kg each	6	Bag				INR Zero Only	
19	Installation charges	for chemical earthpi	t	3	No.				INR Zero Only	
20	electrode, including	connection/ termina	I strip at 0.50 metre below ground as strip earth ting with G.I. nut, bolt, spring, washer etc. as required. nd with 2 sets of G.I. nut bolt & spring washer spaced at	35	Mtr			0.00	INR Zero Only	
21	Fitting, Fixing and 7 @15 %	Testing charges on S	No.1,2,3,4,11,12and 13 with Overhead and profit	1	Job			0.00	INR Zero Only	
22		T for the purpose of	стс	1.000	No.		0.00	0.00	INR Zero Only	

0.00 INR Zero Onl

Total in Figures
Quoted Rate in Word

Validate	Print Help Item Rate BoQ									
Tender Inviting Au	thority: Staff Officer(E&M), BnK Area.									
Name of the Work / Contract No:	Dismantling of pump set from base plate & pipe line and Brunning Repairing, of DSM 5 pump commissioning the pump WHP, make *Irrifockar having pump of the Oston 5 pump line and alignment & level setting with sprit level with pipe line and minor running repairing of and fr parts of the rotating element of Bareja make Water pump in respect of RWSP, B&K Area.									
	Category of Services (To Be Selected by Department)									
ITC Not Available	e Works Contract			Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)			
Name of the Bidder/ Bidding Firm / Company :				18	0.00	0.00	0.01			
PRICE SCHEDULE  (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only )										
NUMBER#	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER#	NUMBER #	TEXT #			
SI. No.	item Description	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in Rs. P	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words			
1	2	3	4	5	6	7	8			
1	Complete pump body opening and fitting from base plate and pipe line with damaged pipes	1	No.			0.00	INR Zero Only			
2	repairing and full overhauling & setting including labour charges.  Worn out and damaged bearing seat and shaft repairing by spl. electrodes depositing and		_			0.00	INR Zero Only			
3	machining to required bearing size of 6315 and 6413.  Shaft damaged and worn out threads making by welding, machining & thread making with new long	2	Nos.				INR Zero Only			
	checknut making.	1	No.							
4	Pump upper side test cork hole tapping and $1^{\prime\prime}$ dia gate valve , bend with nipple providing & fitting.	1	No.			0.00	INR Zero Only			
5	Fabrication of new C.I long bush as per sample.	2	Nos.				INR Zero Only			
7	Neck ring new making of C.I materials.  Interstage ring new making of C.I materials.	2	Nos.				INR Zero Only			
8	Fabrication of new short bush as per sample.	2	Nos.				INR Zero Only INR Zero Only			
9	Split gland new making as per sample.	2	Set.				INR Zero Only			
10	Bearing cartridge with cover new making DE/NDE side of CI material suitable for bearing 6315 and	2	Set.				INR Zero Only			
11	6413 size.  Repairing of impeller side through Gun metal and its positioning on lathe machining works.	1	Job			0.00	INR Zero Only			
12	DSM -6 pump body casing damaged/wornout neck ring seat portion including holes welding by CI electrodes as well as cover portion and grinding as per required size and shape.	1	Lot.			0.00	INR Zero Only			
13	Fabrication of steel stud of different size and type with materials.	15	Nos.				INR Zero Only			
14 15	Fabricating of new set of keys.	1	Set.				INR Zero Only			
16	New coolant pipe with adopters providing and fitting.	15	Set. Nos.				INR Zero Only			
17	Body casing hole tapping as per direction of E/I charge.  Dismantling, loading, unloading, installation and testing of pump at site.	1	Unit.				INR Zero Only INR Zero Only			
18	Dismantling and opening pump fitting from base plate and pipe line with damaged pipes repairing and full overhauling & setting including labour charges of the rotating element of Bareja make water pump.	1	No.				INR Zero Only			
19	New making of shaft of the water pump as per sample with S.S materials.	1	No.				INR Zero Only			
20	New making of checknuts for shaft of different sizes.	2	Nos.				INR Zero Only			
21	New making of S.S bush as per sample.  Fabrication of new C.1 impellar as per sample.	1	No. Nos.	-			INR Zero Only INR Zero Only			
23	New making of split gland as per size.	1	Nos.				INR Zero Only			
24	New making of gland studs as per sample	2	Nos.				INR Zero Only			
25	Bearing housing both side c.i welding and machining as per bearing size on lathe m/c.	2	Set.			0.00	INR Zero Only			
26	Bareja pump body casing studs holes oversize drilling and tapping	16	Nos.			0.00	INR Zero Only			
27	Fabrication of steel stud of different size and type with materials.	16	Nos.				INR Zero Only			
28 29	New making of set of keys  Dismantling, loading, unloading, installation and testing of pump at site.	1	set Unit				INR Zero Only			
30	Dismanting, loading, unloading, installation and testing of pump at site.  Total impact of GST for the purpose of CTC	1.000	No.		0.00		INR Zero Only INR Zero Only			

0.00 INR Zero Onl

	item rate bod							
ender inviting Authority: Staff Officer(E&M), Bink Area.								
lame of the Work Contract No:								
	Category of Services (To Be Selected by Department)		To Be Entered by Department					
TC Not Available	Works Contract	Bidder's Status (Mandator y)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)		
lame of the idder/ Bidding irm / Company :		Select	18	0.00	0.00		0	

PRICE SCHEDULE

sed by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are all

NUMBER #	TEXT #	NUMBER#	TEXT #	NUMBER	NUMBER#	NUMBER #	TEXT #
SI.	Item Description	Quantity	Units	Estimated	BASIC RATE In	TOTAL AMOUNT	TOTAL AMOUNT
No.				Rate in	Figures To be	Without Taxes in	In Words
				Rs. P	entered by the	Rs. P	
					Bidder in		
					Rs. P		
1	2	3	4	5	6	7	8
1	Complete dismantling of 10 stage vertical turbine pump assembly part by part for cleaning, checking & rectification	1	Job				INR Zero Only
2	Dismantling of coupling set & motor assembly & shifting from working place.	1	Job				INR Zero Only
3	Dismantling of delivery pipe line, short piece & bends.	1	Job			0.00	INR Zero Only
4	Providing of Repair kit for V.T Pump like as "O" rings, rubber seals, gasket, packing, lock rings, seems, stuffing box packing, oil seals, body bolts, muts, washers, test valve, oil pipe, oil valve, grease.	1	set			0.00	INR Zero Only
5	Supplying & fixing EN-18 Carbon steel Master shaft of size- 1525mm x 60mm round material.	1	No.			0.00	INR Zero Only
6	Supplying & fixing of flange part with bronze bearing of line shaft	3	No.			0.00	INR Zero Only
7	Coupling bolts and S.R.C bushes for above both coupling.	12	No.				INR Zero Only
8	Complete assembly re-fitting, assembling, setting, commissioning 10 stage vertical turbine pump.	1	set				INR Zero Only
9	Supplying & fixing ball bearing No- 6222.C3	1	No.				INR Zero Only
10	Supplying & fixing V.T Pump main drive Thrust Bearing No-29322E	1	No.				INR Zero Only
11	Supplying & fixing of flange part with shaft tube rubber spider.	3	No.				INR Zero Only
12	Supplying & fixing of flange part with shaft tube sockets.	3	No.				INR Zero Only
13	Supplying & fixing of flange part with Neosporin rubber sealing/ circlets for Bowel assembly fitting with impeller of stages.	1	set			0.00	INR Zero Only
14	Re-jointing of delivery pipe line short piece & bends	1	Job				INR Zero Only
15	Overhead expenses & incidental charges for safety at site.	1	No.			0.00	INR Zero Only
16	Testing of pump after refitting of complete assembly.	1	Job			0.00	INR Zero Only
17	Total impact of GST for the purpose of CTC	1.000	No.		0.00		INR Zero Only
Total in Figures						0.00	INR Zero Only
Quoted Rate in Wo					INR Zero Only		

alidate	Print	Help	Item Rate

	item rate bog								
Tender Inviting Aut	ender Inviting Authority: Staff Officer(E&M), BnK Area.								
	Shifting of the pumps/Motors at river side during monsoon during the flood occurrence in river side/Dumodar river and also during unforeseen/unwanted breakdowns of equipments along with installation of lightning arrestor in respect of NWSP, B&K Area.								
	Category of Service	es (To Be Selected by	Department)		To Be Entered by Department				
ITC Not Available			Works Contract	Bidder's Status (Mandator y)	Rate of GST (in %)	Total GST(in Rs.)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)	
Name of the Bidder/ Bidding Firm / Company :				Select	18	0.00	0.00	0.00	
PRICE SCHEDULE  (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)									

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER#	NUMBER #	TEXT#
SI. No.	IEXT THE RESCRIPTION	Quantity	Units	Estimated Rate in Rs. P	BASIC RATE In Figures To be entered by the Bidder in	TOTAL AMOUNT Without Taxes in Rs. P	TOTAL AMOUNT In Words
	2	3	4	5	Rs. P	-	
1	Dismantling of Pumps/Motors from base plate, suction & delivery, its transportation to a safer place (including all electrical connections) due to rise in the water level during occurence of flood.	8	sets			0.00	INR Zero Only
2	Transportation & reinstallation (including all electrical connections) after shifting of pumps, motors & starters to base frame due to fall in the water level and providing of heating	8	sets			0.00	INR Zero Only
3	arrangement of motors at site to remove dampness.  Cutting of 8"/6" MS/G.I. pipes making connection including pipe during matching, suction	714	inch			0.00	INR Zero Only
4	adjustment/ lowering/ heightening as per the water level in the river Welding of pipe and fitting making connection of pipe for the above adjustment or matching in proper size.	1460	inch			0.00	INR Zero Only
5	Earthing with copper earth plate 600 mm x 600 mm x 3 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of	3	Nos.			0.00	INR Zero Only
6	2.7 metre long etc. with charcoal/ coke and salt as required.     Supply of Tirpal for covering of motor.	8	Nos.			0.00	INR Zero Only
7	Supply of riper for covering of motor:  Supply of rope.	210	Mtrs.				INR Zero Only
8	Tested and certified by CPRI (Central power research institute), Govt. of India for impulse current of (8/20us) in 70KA with 5 positive and 5 negative impulse. No external power supply will be provided. Protection radius up to 52 ntr. in level-2 and 57 ntr. in level-44, minimum height 5 ntr. of lighting arrestor with elevation rod, ESE lighting arrester to be stainless steel location	1	Nos.				INR Zero Only
9	Providing and fixing of 6 digit non resistible lighting event counter with IP67 enclosure to count lighting strike.	2	Nos.			0.00	INR Zero Only
10	Cleaning of footvalves, its leather post monsoon including replacing of damaged bolts/flanges as	8	Job			0.00	INR Zero Only
11	per requirement Providing and fixing 70mm x 6mm G.I. strip as required (approx 20 mtr. for each site).	80	Mtrs.			0.00	INR Zero Only
12	Installation charge for ESE type lighting arrestor advance lighting arrestor.	1	Set.			0.00	INR Zero Only
13	Transportation & reinstallation of motor/pumps to base plate on rectification	6	job				INR Zero Only
14 15	Supply and fixing of net jalli Supply and fixing angle for jalli 10 x 20 x 4.5Kg/m	270 900	sqm Kgs.				INR Zero Only INR Zero Only
16	Jamming of rail pole tippler	3	each				INR Zero Only
17	Muffing for jamming of rail pole tippler	9.5	cum				INR Zero Only
18	Demolishing brick work manually/by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 meters lead as per direction of Engineer-in-charge. In cement mortar	1.84	Cum			0.00	INR Zero Only
19	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1.6 (1 cement : 6 coarse sand).	2.64	Cum			0.00	INR Zero Only
20	Providing high impact Polypropylene reinforced cement 6 mm thick corrugated sheets (as per IS: 14871) noofing up to any pitch and fixing with polymer coated J, et L hooks, bolts and mus 8 mm dis. GL plain and bittunen washers or with self drilling fastener and EPDM washers etc. complete (excluding the cost of purlins, rafters and trusses), including cutting sheets to size and shape wherever required.	8.7	Sqm			0.00	INR Zero Only
21	12mm cement plaster of mix 1:6 (1 cement : 6 fine sand).	50.59	Sqm			0.00	INR Zero Only
22	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	147.78	Kgs.				INR Zero Only
23	Earth work in excavation by mechanical means (Hydraulic Excavator ) manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upo 1.5 m, including getting out the exeavated will and disposal of supplus exeavated soil and directed, within a lead of 50 m. All kinds of soil.	338.68	Cum				INR Zero Only
24	Demolishing cement concrete manually/by mechanical means including disposal of material within 50 meters lead as per direction of Engineer-in-charge: Nominal concrete 1:3:6 or richer mix (i/e equivalent design mix).	3.24	Cum				INR Zero Only
25	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work upto plinth level: 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20mm nominal size).	48.1	Cum			0.00	INR Zero Only
26	Supplying and filling in plinth with Jamuna sand under floors including, watering, ramming consolidating and dressing complete.	25.72	Cum				INR Zero Only
27	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work upto plinth level: 1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size).	13.65	Cum			0.00	INR Zero Only
28	Dry brick on edge flooring in required pattern with bricks of class designation 5.0 on a bed of 12 mm mud mortar, including filling joints with Jamuna sand, with common burnt clay non modular bricks.	144	Sqm			0.00	INR Zero Only
29	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in foundation and plinth in: Cement mortar 1:6 (1 cement: 6 coarse sand).	27.75	Cum			0.00	INR Zero Only
30	12 mm cement plaster finished with a floating coat of neat cement of mix: 1:4 (1 cement: 4 fine sand)	92.3	Sqm				INR Zero Only
31	Lettering with black Japan paint of approved brand and manufacture	5000	Cm				INR Zero Only
32	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture.	290	Sqm				INR Zero Only
33	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work upto plinth level: 1:1.5:3 (1 cement: 1.5 coarse sand: 3 graded stone aggregate 20mm nominal size).	18.9	Cum				INR Zero Only
34	Total impact of GST for the purpose of CTC	1.000	No.		0.00	0.00	INR Zero Only
				1			
l in Figures		-				0.00	INR Zero Only
ted Rate in W	ords					INR Zero Only	
uoced Kate in W	oros					INR Zero Only	

Validate	alidate Print Help Item Rate BoQ										
Tender Inviting Aut	hority: Staff Officer(E&M), BnK Area.										
	Shifting of the 11 kV Bokaro feeder from Kargali to Rambilas High School for paving way for a by IPRCL for the CHP cum silo Karo (7.0 MTPA), w.r.t. Karo OCP, under BnK Area.	extension ar	d laying of R	ailway track							
Name of the Work	by ir nee for cultistic kato (7.0 MTPA), w.i.e. kato Ger, under blik Area.										
/ Contract No:											
			Category of	То Ве							
•	Category of Services (To Be Selected by Department)		Bidder ( To Re	Entered by Department							
			Bidder's Status	Rate of GST		GST to be Paid By					
ITC Not Available	Works Contract		(Mandator	(in %)	Total GST(in Rs.)	Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)				
Name of the			y) Select								
Bidder/ Bidding Firm / Company :				18	0.00	0.00	0.00				
PRICE SCHEDULE  [This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only )											
NUMBER#	TEXT #  Item Description	NUMBER #	TEXT #	NUMBER Estimated	NUMBER # BASIC RATE In	NUMBER#	TEXT#				
No.	item Description	Quantity	Units	Rate in	Figures To be	Without Taxes in	In Words				
				Rs. P	entered by the Bidder in	Rs. P					
			4		Rs. P	7	8				
1	Supply and providing of Tubular Pole of length 13 meter long	<b>3</b> 46	No No	5	6	0.00	INR Zero Only				
2	Supply and providing of ACSR Conductor (125 sq. mm. size)	4500	metre				INR Zero Only				
3	Supply and providing of 240 sqmm, 3 core, 11kV grade Armoured Aluminium cable	300	metre			0.00	INR Zero Only				
4	Erection of steel tublor or rail pole strut in cement concrete 1:3:6 ( 1 cement :3 coarse sand :6					0.00	INR Zero Only				
	graded stone aggregate 40 mm nominal size ) foundation including excavation and refilling and	46	nos								
- 5	secured with holding clamps, bolts, nuts, etc as required.					0.00	INR Zero Only				
,	Supply and erection of stay set complete glavnised for 11 KV OH line with 19/20 mm dia x 1.8 mtr long stay rod, anchor plate of size 45 cm x 45 cm x 7.5 mm thick, thimble, stay clamps, turn					0.00	INVESTIGATION OF THE PROPERTY				
	buckle (20 mm x 600 mm) 7/4.00 mm dia GI stay wire and 11 KV strain insulator etc in cement	38	set								
	concrete 1:3:6 (1 cement :3 coarse sand :6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling etc as required.										
6						0.00	INR Zero Only				
	Supply and erection of two length of channel iron 75 mm x 40 mm x 7.14 kg per mtr. bracket cross arm for double pole cross arm for three wire 11 KV OH line conductor complete with										
	through bolt and nuts for clamping to the poles 50 mm x 6 mm flat iron clamps welded on one side to the channel iron and with bolts and nuts on other side for tying the cross arm together	24	set								
	including drilling holes for insulators pins bolt and nut etc and painting with primer and finish										
	paint as required.										
7	Supplying and erection of channel iron 75 mm x 40 mm x 6 mm (7.14 kg per mtr). cross arm for					0.00	INR Zero Only				
	two 11 KV Over head line conductors complete with 50 mm x 50 mm x 6 mm ( angle iron bracket welded to the channel iron and complete with 50 mm x 6 mm M.S.flat iron clamps, bolts	22	nos								
	and nuts including drilling holes for insulators pins, bolts, nuts and washers etc(as per drawing) and painting with primer and finish paint as required.										
- 8	Supplying and erection of channel iron 75 mm x 40 mm x 6 mm (7.14 kg per mtr) pole top					0.00	INR Zero Only				
	bracket/ cross arm for single11 KV Over head line conductors complete with 50 mm x 6 mm flat	22	each			0.00	INVESTIGATION OF THE PROPERTY				
	iron clamps, bolts, nuts and washers drilling holes for insulators pins, bolts and nuts etc and painting with primer and finish paint as required.										
9	Erection of ACSR conductor including binding etc as required (4500 m x 0.394 kg/m) Supplying and erection of 11KV Pin insulator complete with large steel head Gl pin. Nut washer	1773	Kg				INR Zero Only INR Zero Only				
	etc. as required	102	No				,				
11	Supply and erection of 11KV disc insulator for 11KV OH line with galvanized insulator fittings ball and socket type and complete with galvanized strain clamp bolts and nuts washer etc as	72	Set			0.00	INR Zero Only				
12	required  Supply of 8 SWG GI wire for cradling and earth continuity, (Earth continuity: 4500 mtr x 0.131					0.00	INR Zero Only				
	kg/mtr = 589.5 kg) + (Cradling: 6 span x 60 m/ span x 3 = 1080 mtr x 0.131 kg/mtr = 141.48 kg) Total = 730.98 kg	730.98	kg								
13	Erection of 8 SWG GI wire for cradling and earth continuity, (Earth continuity: 4500 mtr x 0.131 kg/mtr = 589.5 kg) + (Cradling: 6 span x 60 m/ span x 3 = 1080 mtr x 0.131 kg/mtr =	730.98	kg			0.00	INR Zero Only				
14	141.48 kg) Total = 730.98 kg						INR Zero Only				
14	Supply and erection of of a set of cross bracing FRLS for 11KV OH line double pole structure having four members fabricated out of 50mm x50mm x6 mm angle iron to form a rectangle of					0.00	INK Zero Uniy				
	minimum size 1400mm width x2500mm height complete with 50mm x 6mm M.S. flat iron clamps, bolts and nuts including drilling of holes for insulator pin, bolts and nuts etc. and	12	Set								
	painting with primer and finish paint as required.										
15	Earthing of GI earth plate 600mm x600mm x6 mm thick including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7m long	46	Set			0.00	INR Zero Only				
16	etc with charcoal/ coke and salt) as required.  Total impact of GST for the purpose of CTC	1.000	No.	1	0.00	0.00	INR Zero Only				
							· ·				
Total in Figures				1		0.00	INR Zero Only				
Quoted Rate in Wo	rds					INR Zero Only					